

ATV - TURF - GOLF - SLOW SPEED

Specialty

Tire & Tube



www.Specialtytire.ca

ATV Wheels



T-9 Alum.



Delta



C-7 / 100M



SS106



SS108



SS112



SS212



SS312



Nuke



Reaper



Diesel



Diesel - Army Green



ATV Wheels

Part Number	Bolt Pattern	Size	Offset	Brand	Style	Color	Material
TTAW015579	3/90mm	8 x 7	3 + 4	ITP	T-9 .190		Aluminium
TTAW089729	3/100mm	8 x 6	2 + 4	ITP	PLAIN	Silver	Steel
TTAW014234	3/120mm	8 x 6	3 + 3	ITP	T-9		Aluminium
TTAW015609	3/120mm	10 x 5	3LB + 2	ITP	T-9 .190		Aluminium
TTAW089740	4/100 & 130mm	8 x 8.5	3.5 + 5	ITP	T-9		Aluminium
TTAW089737	4/100mm	8 x 8	3 + 5	ITP	PLAIN		Aluminium
TTAW014107	4/140mm	10 x 8	3 + 5	ITP	PLAIN	Silver	Steel
TTAW115084	4/144mm	10 x 5	3 + 2	ITP	T-9 Trac-Lock	Black	Aluminium
TTAW115059	4/144mm	10 x 5	4LB + 1	ITP	T-9 Baja		Aluminium
TTAW015786	4/144mm	12 x 7	5 + 2	ITP	C-6	Polished	Aluminium
TTAW014231	5/130mm	8 x 8.5	3LB + 5.5	ITP	T-9		Aluminium
TTAW014232	5/130mm	9 x 9	3LB + 6	ITP	T-9		Aluminium
TTAW089756	5/130mm	10 x 8	3 + 5	ITP	T-9		Aluminium
TTAW131936	5/130mm	10 x 10	5 + 5	ITP	T-9		Aluminium
TTAW014121	4/4	10 x 8	3 + 5	ITP	PLAIN	Silver	Steel
TTAW270421	4/4	12 x 7	2 + 5	Black Rock	100M		Aluminium
TTAW015518	4/4	12 x 7	2 + 5	ITP	DELTA	Black	Steel
TTAW014154	4/110 & 130mm	8 x 8.5	3.5 + 5	ITP	PLAIN	Silver	Steel
TTAW014161	4/110 & 130mm	9 x 9	3 + 6	ITP	PLAIN	Silver	Steel
TTAW014120	4/110 & 130mm	10 x 8	3 + 5	ITP	PLAIN	Silver	Steel
TTAW131921	4/110mm	9 x 9	3LB + 6	ITP	T-9		Aluminium
TTAW014167	4/110mm	10 x 5	2 + 3	ITP	PLAIN	Silver	Steel
TTAW014160	4/110mm	11 x 6	4 + 2	ITP	MODULAR	Silver	Steel
TTAW014131	4/110mm	11 x 7	2 + 5	ITP	MODULAR	Silver	Steel
TTAW015517	4/110mm	12 x 7	2 + 5	ITP	DELTA	Black	Steel
TTAW015810	4/110mm	12 x 7	2 + 5	ITP	DELTA	Silver	Steel
TTAW270921	4/110mm	12 x 7	2 + 5	Black Rock	100M		Aluminium
TTAW015551	4/110mm	12 x 7	2 + 5	ITP	C-7		Aluminium
TTAW019814	4/110mm	12 x 7	2 + 5	ITP	SS106		Aluminium
TTAW019722	4/110mm	12 x 7	2 + 5	ITP	SS108	Black	Aluminium
TTAW019818	4/110mm	12 x 7	2 + 5	ITP	SS112M	Machined	Aluminium
TTAW215223	4/110mm	12 x 7	2 + 5	ITP	SS212	Black	Aluminium
TTAW215405	4/110mm	12 x 7	2 + 5	ITP	SS312M	Machined	Aluminium
TTAW215217	4/110mm	12 x 7	2 + 5	ITP	SS212M	Machined	Aluminium
TTAWM602710	4/110mm	12 x 7	4 + 3	MA	M6/NUKE		Aluminium
TTAWM902710	4/110mm	12 x 7	4 + 3	MA	M9/PATRIOT		Aluminium
TTAWM1002710	4/110mm	12 x 7	4 + 3	MA	M10/REAPER	Flat Black	Aluminium
TTAW015516	4/110mm	12 x 7	5LB + 2	ITP	DELTA	Black	Steel
TTAW015807	4/110mm	12 x 7	5LB + 2	ITP	DELTA	Silver	Steel
TTAW270943	4/110mm	12 x 7	5 + 2	Black Rock	100M		Aluminium
TTAW015408	4/110mm	12 x 7	5LB + 2	ITP	C-5		Aluminium
TTAW019813	4/110mm	12 x 7	5 + 2	ITP	SS106		Aluminium
TTAW019714	4/110mm	12 x 7	5 + 2	ITP	SS108M	Machined	Aluminium
TTAW019721	4/110mm	12 x 7	5 + 2	ITP	SS108	Black	Aluminium
TTAW019821	4/110mm	12 x 7	5 + 2	ITP	SS112	Chrome	Aluminium
TTAW019817	4/110mm	12 x 7	5 + 2	ITP	SS112M	Machined	Aluminium
TTAW215216	4/110mm	12 x 7	5 + 2	ITP	SS212M	Machined	Aluminium
TTAW215222	4/110mm	12 x 7	5 + 2	ITP	SS212	Black	Aluminium
TTAW215559	4/110mm	12 x 7	5 + 2	ITP	SS212	Platinum	Aluminium
TTAW215404	4/110mm	12 x 7	5 + 2	ITP	SS312M	Machined	Aluminium
TTAW019828	4/110mm	12 x 7	6 + 1	ITP	SS106		Aluminium
TTAWM612710	4/110mm	12 x 7	5 + 2	MA	M6/NUKE		Aluminium



ATV Wheels

Part Number	Bolt Pattern	Size	Offset	Brand	Style	Color	Material
TTAW019815	4/110mm	14 x6	4 + 2	ITP	SS106		Aluminium
TTAW019819	4/110mm	14 x6	4 + 2	ITP	SS112M	Machined	Aluminium
TTAW215228	4/110mm	14 x6	4 + 2	ITP	SS212M	Machined	Aluminium
TTAW215370	4/110mm	14 x6	4 + 2	ITP	SS212M	Machined	Aluminium
TTAW215410	4/110mm	14 x6	4 + 2	ITP	SS312M	Machined	Aluminium
TTAW015775	4/110mm	14 x7	2 + 5	ITP	C-7	Chrome	Aluminium
TTAW015486	4/110mm	14 x7	2 + 5	ITP	C-7	Machined	Aluminium
TTAW015762	4/110mm	14 x7	2 + 5	ITP	C-7	Black	Aluminium
TTAWM604710	4/110mm	14 x7	4 + 3	MA	M6/NUKE		Aluminium
TTAWM1004710	4/110mm	14 x7	4 + 3	MA	M10/REAPER	Flat Black	Aluminium
TTAWM1204710	4/110mm	14 x7	4 + 3	MA	M12/DIESEL	Black	Aluminium
TTAWM1204710G	4/110mm	14 x7	4 + 3	MA	M12/DIESEL	Army Green	Aluminium
TTAWM614710	4/110mm	14 x7	5 + 2	MA	M6/NUKE		Aluminium
TTAW019816	4/110mm	14 x8	3 + 5	ITP	SS106		Aluminium
TTAW019824	4/110mm	14 x8	3 + 5	ITP	SS112	Chrome	Aluminium
TTAW019826	4/110mm	14 x8	5 + 3	ITP	SS112M	Machined	Aluminium
TTAW215230	4/110mm	14 x8	5 + 3	ITP	SS212M	Machined	Aluminium
TTAW215371	4/110mm	14 x8	5 + 3	ITP	SS212M	Machined	Aluminium
TTAW215412	4/110mm	14 x8	5 + 3	ITP	SS312M	Machined	Aluminium
TTAW215400	4/110mm	15 x7	5 + 2	ITP	SS212	Platinum	Aluminium
TTAW014158	4/115 & 130mm	9 x9	3 + 6	ITP	PLAIN	Silver	Steel
TTAW115064	4/115mm	8 x8.5	3 + 5	ITP	T-9 Baja		Aluminium
TTAW089747	4/115mm	9 x9	3LB + 6	ITP	T-9		Aluminium
TTAW115068	4/115mm	10 x8	3 + 5	ITP	T-9 Baja		Aluminium
TTAW115057	4/115mm	10 x8	3 + 5	ITP	T-9 GP		Aluminium
TTAWM702715	4/115mm	12 x7	4 + 3	MA	M7/TROOPER		Aluminium
TTAW015801	4/115mm	12 x7	5LB + 2	ITP	DELTA	Silver	Steel
TTAW271543	4/115mm	12 x7	5 + 2	Black Rock	100M		Aluminium
TTAW015549	4/115mm	12 x7	5LB + 2	ITP	C-7		Aluminium
TTAW019720	4/115mm	12 x7	5 + 2	ITP	SS108M	Machined	Aluminium
TTAW215221	4/115mm	12 x7	5 + 2	ITP	SS212M	Machined	Aluminium
TTAW019830	4/115mm	14 x6	4 + 2	ITP	SS106		Aluminium
TTAW019832	4/115mm	14 x6	4 + 2	ITP	SS112M	Machined	Aluminium
TTAW215415	4/115mm	14 x6	4 + 2	ITP	SS312M	Machined	Aluminium
TTAW015484	4/115mm	14 x7	5LB + 2	ITP	C-7	Machined	Aluminium
TTAW019833	4/115mm	14 x8	5 + 3	ITP	SS112M	Machined	Aluminium
TTAW014114	4/137mm	10 x8	3 + 5	ITP	PLAIN	Silver	Steel
TTAW115069	4/137mm	10 x8	3 + 5	ITP	T-9 Baja		Aluminium
TTAW015553	4/137mm	12 x7	2 + 5	ITP	C-7		Aluminium
TTAW019837	4/137mm	12 x7	2 + 5	ITP	SS106		Aluminium
TTAW015819	4/137mm	12 x7	3 + 4	ITP	DELTA	Silver	Steel
TTAW015519	4/137mm	12 x7	4LB + 3	ITP	DELTA	Black	Steel
TTAWM602737	4/137mm	12 x7	4 + 3	MA	M6/NUKE		Aluminium
TTAW015282	4/137mm	12 x7	4LB + 3	ITP	C-4		Aluminium
TTAW015552	4/137mm	12 x7	4LB + 3	ITP	C-7		Aluminium
TTAW273643	4/137mm	12 x7	5 + 2	Black Rock	100M		Aluminium
TTAW215225	4/137mm	12 x7	5 + 2	ITP	SS212	Black	Aluminium
TTAW215562	4/137mm	12 x7	5 + 2	ITP	SS212	Platinum	Aluminium
TTAW215407	4/137mm	12 x7	5 + 2	ITP	SS312M	Machined	Aluminium
TTAW115146	4/137mm	14 x6	4 + 2	ITP	SS112M	Machined	Aluminium
TTAW215235	4/137mm	14 x6	4 + 2	ITP	SS212M	Machined	Aluminium
TTAW215246	4/137mm	14 x6	4 + 2	ITP	SS212	Black	Aluminium



ATV Wheels

Part Number	Bolt Pattern	Size	Offset	Brand	Style	Color	Material
TTAW015488	4/137mm	14 x 7	3 + 4	ITP	C-7	Machined	Aluminium
TTAWM604737	4/137mm	14 x 7	4 + 3	MA	M6/NUKE		Aluminium
TTAWM1004737	4/137mm	14 x 7	4 + 3	MA	M10/REAPER	Flat Black	Aluminium
TTAWM1204737	4/137mm	14 x 7	4 + 3	MA	M12/DIESEL	Black	Aluminium
TTAWM1204737G	4/137mm	14 x 7	4 + 3	MA	M12/DIESEL	Army Green	Aluminium
TTAW019838	4/137mm	14 x 8	3 + 5	ITP	SS106		Aluminium
TTAW115147	4/137mm	14 x 8	5 + 3	ITP	SS112M	Machined	Aluminium
TTAW215247	4/137mm	14 x 8	5 + 3	ITP	SS212	Black	Aluminium
TTAW215236	4/137mm	14 x 8	5 + 3	ITP	SS212M	Machined	Aluminium
TTAW014166	4/156mm	10 x 5	2 + 3	ITP	PLAIN	Silver	Steel
TTAW115049	4/156mm	10 x 5	3 + 2	ITP	T-9 GP		Aluminium
TTAW014171	4/156mm	10 x 8	3 + 5	ITP	PLAIN	Silver	Steel
TTAW115070	4/156mm	10 x 8	3 + 5	ITP	T-9 Baja		Aluminium
TTAW131939	4/156mm	10 x 10	5 + 5	ITP	T-9		Aluminium
TTAW015521	4/156mm	12 x 7	4LB + 3	ITP	DELTA	Black	Steel
TTAW015825	4/156mm	12 x 7	4LB + 3	ITP	DELTA	Silver	Steel
TTAW274643	4/156mm	12 x 7	4 + 3	Black Rock	100M		Aluminium
TTAW015414	4/156mm	12 x 7	4LB + 3	ITP	C-5	Machined	Aluminium
TTAW015421	4/156mm	12 x 7	4LB + 3	ITP	C-6	Polished	Aluminium
TTAW019840	4/156mm	12 x 7	4 + 3	ITP	SS106		Aluminium
TTAW019723	4/156mm	12 x 7	4 + 3	ITP	SS108	Black	Aluminium
TTAW019716	4/156mm	12 x 7	4 + 3	ITP	SS108M	Machined	Aluminium
TTAW215218	4/156mm	12 x 7	4 + 3	ITP	SS212M	Machined	Aluminium
TTAW215561	4/156mm	12 x 7	4 + 3	ITP	SS212	Platinum	Aluminium
TTAW215406	4/156mm	12 x 7	4 + 3	ITP	SS312M	Machined	Aluminium
TTAWM602756	4/156mm	12 x 7	4 + 3	MA	M6/NUKE		Aluminium
TTAWM902756	4/156mm	12 x 7	4 + 3	MA	M9/PATRIOT		Aluminium
TTAW019841	4/156mm	14 x 6	4 + 2	ITP	SS106		Aluminium
TTAW215231	4/156mm	14 x 6	4 + 2	ITP	SS212M	Machined	Aluminium
TTAWM604756	4/156mm	14 x 7	4 + 3	MA	M6/NUKE		Aluminium
TTAWM1004756	4/156mm	14 x 7	4 + 3	MA	M10/REAPER	Flat Black	Aluminium
TTAWM1204756	4/156mm	14 x 7	4 + 3	MA	M12/DIESEL	Black	Aluminium
TTAWM1204756G	4/156mm	14 x 7	4 + 3	MA	M12/DIESEL	Army Green	Aluminium
TTAWM614756	4/156mm	14 x 7	2 + 5	MA	M6/NUKE		Aluminium
TTAW215232	4/156mm	14 x 8	5 + 3	ITP	SS212M	Machined	Aluminium



Spacer Kits

Part Number	Description
TTAS059029	Pair/Spacer Kit for 4/110mm, 1" Thick Alum, 4 Studs & Nuts
TTAS059031	Pair/Spacer Kit for 4 on 4", 1" Thick Alum, 4 Studs & Nuts
TTAS059032	Pair/Spacer Kit for 4/137mm, 1" Thick Alum, 4 Studs & Nuts
TTAS059033	Pair/Spacer Kit for 4/156mm, 1" Thick Alum, 4 Studs & Nuts
TTAS201190	Pair/Spacer Kit for 4/110mm, 1.5" Thick Alum, 4 Studs & Nuts
TTAS201196	Pair/Spacer Kit for 4/156mm, 1.5" Thick Alum + Hardware



ATV Wheel Parts

Part Number	Description	
Center Caps		
TTAC013440	Chrome Steel Center Cap 4/110 Fits 12" Delta Wheels	(SM1212)
TTAC015483	Black Steel Center Cap 4/110,4/115 Fits C-4,5,6 & 7 Wheels	(SM1212B)
TTAC013421	Black Center Cap for 4/110mm STEEL DELTA WHEELS	(SM130B)
TTAC013422	Chrome Center Cap for 4/110mm STEEL DELTA WHEELS	(SM1300)
TTAC019843	Chrome Center Cap for 4/110/115mm ITP SS ALLOY WHEELS	
TTAC215573	Black Center Cap for 4/110/115mm ITP SS ALLOY & SPORT WHEELS	
TTAC019844	Chrome Center Cap for 4/137mm ITP SS ALLOY WHEELS	
TTAC019845	Chrome Center Cap for 4/156mm ITP SS ALLOY WHEELS	
TTAC215556	Center Cap for 4/110mm ITP SS312 & SYSTEM SIX WHEELS	
TTAC215557	Center Cap for 4/137mm ITP SS312 & SYSTEM SIX WHEELS	
TTAC215558	Center Cap for 4/156mm ITP SS312 & SYSTEM SIX WHEELS	
TTAC015699	(Box/4) Chrome Center Cap 4/110,115 Fits C-4 Wheels	(SM1212H)
TTAC015559	(Box/4) Chrome Caps For 4/115 & 110mm Type-5,6,7 Wheels	(P110BX)
TTAC015400	(Box/4) Chrome Caps For 4/137 Type-5,6,7 Wheels	(P137BX)
TTAC015694	(Box/4) Grey Center Cap 4/137 Fits C-4,5,6 & 7 Wheels	(G137BX)
TTAC015698	(Box/4) CHROME Caps For 4/156mm Type-5,6,7 Wheels	(P156BX)
TTAC015689	(Box/4) BLACK Caps For 4/156mm Type-5,6,7 Wheels	(B156BX)
TTAC015695	(Box/4) Grey Center Cap 4/156 Fits C-4,5,6 & 7 Wheels	(G156BX)



Lug Nuts

TTAN015403	(16/Box) 3/8" Tapered Chrome Lug Nuts	(Type 5,6,7 & SS106)
TTAN015401	(16/Box) 10mm Flat Base Chrm Lug Nut 17mm Head	(Type 7,SS106)
TTAN019748	(16/Box) 10mm Flat Base Chrome Lug Nuts 14mm Head	(SS106,108)
TTAN015696	(16/Box) 10mm Tapered Chrome Lug Nuts	(Type 7, SS106-108-112)
TTAN019906	(16/Box) 10mm x 1.5 - 60deg. Tapered Chrome Lug Nuts	
TTAN019904	(16/Box) 12mm Flat Base Chrome Lug Nuts 17mm Head	
TTAN115197	(16/Box) 12mm x 1.50 Tapered Chrome Lug Nuts	



ATV Tracks

Part Number	Description
TTAT375001	Commander TREK Universal ATV Track Kit
TTATADKIT	Commander ADAPTER KIT
TTATTATOU 4S	Camoplast TATOU 4S 4 Season ATV Track Kit

Note: Tatou Tracks are custom ordered from factory to fit each machine.



SPORT TIRES



FRONT MAX K284

Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required	Tread Depth
TTA200708 FM IK	20 x 7 - 8	2	20.6"	7.2"	195lb	8 x 5.5	N/A
TTA210809 FM IK	21 x 8 - 9	2	20.7"	6.9"	225lb	9 x 5	N/A
TTA210710 FM IK	21 x 7 - 10	2	20.7"	6.9"	205lb	10 x 5	N/A
TTA220810 FM IK	22 x 8 - 10	2	21.0"	6.9"	240lb	10 x 5	N/A
TTA230811 FM IK	23.5 x 8 - 11	2	23.4"	7.5"	255lb	11 x 6	N/A



HOLESHOT

Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required	Tread Depth
TTA220710 HSH AI	22 x 7 - 10	6	N/A	N/A	N/A	N/A	N/A
TTA201109 HSH AI	20 x 11 - 9	6	N/A	N/A	N/A	N/A	N/A
TTA201109 HS AI	20 x 11 - 9	4	N/A	N/A	N/A	N/A	N/A
TTA201110 HSX AI	20 x 11 - 10	6	N/A	N/A	N/A	N/A	N/A



TRAIL WOLF SPORT

Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required	Tread Depth
TTA210710 TWS A	21 x 7 - 10	6	20.9"	6.7"	300lb	10 x 8	N/A
TTA220710 TWS A	22 x 7 - 10	6	21.8"	7.1"	255lb	10 x 6	N/A
TTA201009 TWS A	20 x 10 - 9	6	19.6"	10.8"	235lb	9 x 9	N/A



RAZR SPORT M931/M932

Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required	Tread Depth
TTA210710 RAS IM	21 x 7 - 10	4	21.4"	7.00"	N/A	N/A	7/16"
TTA201109 RAS IM	20 x 11 - 9	4	20.0"	11.10"	N/A	N/A	7/16"
TTA221109 RA2 IM	22 x 11 - 9	6	N/A	N/A	N/A	N/A	5/8"



MUDLITE SP

Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required	Tread Depth
TTA220710 MLS AI	22 x 7 - 10	6	22.01"	6.97"	255lb	10 x 5.5	1/2"
TTA201109 MLS AI	20 x 11 - 9	6	20.0"	11.06"	340lb	9 x 9	5/8"



MUDLITE AT

Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required	Tread Depth
TTA221109 MLA AI	22 x 11 - 9	6	22.01"	11.06"	395lb	9 x 9	3/4"
TTA251209 MLA AI	25 x 12 - 9	6	25.0"	11.92"	495lb	9 x 9.5	3/4"
TTA220810 MLA AI	22 x 8 - 10	6	22.0"	8.03"	275lb	10 x 6.5	3/4"
TTA221110 MLA AI	22 x 11 - 10	6	22.01"	11.06"	385lb	10 x 9	3/4"
TTA230810 MLA AI	23 x 8 - 10	6	23.0"	8.03"	300lb	10 x 6.5	3/4"
TTA231010 MLA AI	23 x 10 - 10	6	N/A	N/A	N/A	N/A	3/4"
TTA241110 MLA AI	24 x 11 - 10	6	24.30"	11.06"	440lb	10 x 9	3/4"
TTA251110 MLA AI	25 x 11 - 10	6	N/A	N/A	N/A	N/A	3/4"
TTA271210 MLA AI	27 x 12 - 10	6	27.01"	11.97"	550lb	12 x 9.5	1-1/16"
TTA240811 MLA AI	24 x 8 - 11	6	N/A	N/A	N/A	N/A	3/4"
TTA240911 MLA AI	24 x 9 - 11	6	N/A	N/A	N/A	N/A	3/4"
TTA241011 MLA AI	24 x 10 - 11	6	N/A	N/A	N/A	N/A	3/4"
TTA250811 MLA AI	25 x 8 - 11	6	25.0"	8.0"	355lb	11 x 6.5	3/4"
TTA251011 MLA AI	25 x 10 - 11	6	25.0"	10.0"	420lb	11 x 8	3/4"
TTA240812 MLA AI	24 x 8 - 12	6	24.25"	8.03"	310lb	12 x 6.5	3/4"

BEAR CLAW K299



Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required	Tread Depth
TTA221208 BC IK	22 x 12 - 8	6	21.3"	11.5"	430lb	8 x 10	20mm
TTA221209 BC IK	22 x 12 - 9	6	22.1"	10.9"	430lb	9 x 9	20mm
TTA251209 BC IK	25 x 12.50 - 9	6	24.6"	11.2"	495lb	9 x 9	20mm
TTA220810 BC IK	22 x 8 - 10	6	21.5"	8.1"	275lb	10 x 5	15mm
TTA221210 BC IK	22 x 12 - 10	6	21.1"	11.3"	430lb	10 x 10	15mm
TTA231010 BC IK	23 x 10 - 10	6	N/A	N/A	N/A	N/A	15mm
TTA251210 BC IK	25 x 12.50 - 10	6	24.2"	11.8"	495lb	10 x 10	15mm
TTA230811 BC IK	23 x 8 - 11	6	22.8"	7.6"	290lb	11 x 6	15mm
TTA240911 BC IK	24 x 9 - 11	6	23.7"	8.5"	365lb	11 x 6	15mm
TTA251011 BC IK	25 x 10 - 11	6	24.4"	9.4"	420lb	11 x 7	15mm
TTA251211 BC IK	25 x 12.50 - 11	6	24.4"	10.8"	495lb	11 x 7.5	20mm
TTA240812 BC IK	24 x 8 - 12	6	23.3"	7.5"	310lb	12 x 6	15mm
TTA250812 BC IK	25 x 8 - 12	6	24.3"	8.3"	340lb	12 x 7	15mm
TTA251012 BC IK	25 x 10 - 12	6	24.5"	9.3"	420lb	12 x 8.5	15mm
TTA251212 BC IK	25 x 12.50 - 12	6	25.2"	11.8"	495lb	12 x 10.5	20mm
TTA260912 BC IK	26 X 9 - 12	6	25.0"	8.9"	420lb	12 x 7	15mm
TTA261212 BC IK	26 x 12 - 12	6	25.2"	11.8"	495lb	12 x 10.5	20mm
TTA271012 BC IK	27 x 10 - 12	6	25.5"	9.7"	420lb	12 x 8.5	20mm
TTA271212 BC IK	27 x 12 - 12	6	25.8"	11.3"	495lb	12 x 10.5	20mm

MUD WOLF



Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required	Tread Depth
TTA250812 MW A	25 x 8 - 12	6	25.0"	8.3"	340lb	12 x 6.5	1-1/8"
TTA251112 MW A	25 x 11 - 12	6	25.0"	11.6"	455lb	12 x 9	1-1/8"
TTA260912 MW A	26 X 9 - 12	6	26.0"	9.2"	410lb	12 x 7	1-1/8"
TTA261212 MW A	26 x 12 - 12	6	26.0"	11.5"	520lb	12 x 8	1-1/8"
TTA270912 MW A	27 x 9 - 12	6	27.0"	9.0"	440lb	12 x 7	1-1/8"
TTA271212 MW A	27 x 12 - 12	6	27.0"	12.0"	550lb	12 x 9.5	1-1/8"
TTA260914 MW A	26 X 9 - 14	6	26.55"	8.05"	395lb	14 x 7	1-1/8"
TTA261114 MW A	26 x 11 - 14	6	26.91"	10.05"	465lb	14 x 8	1-1/8"

EXECUTIONER K538



Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required	Tread Depth
TTA250812 EX IK	25 x 8 - 12	6	24.8"	8.3"	340lb	12 x 7	22mm
TTA251012 EX IK	25 x 10 - 12	6	24.8"	9.3"	420lb	12 x 7	27mm
TTA261012 EX IK	26 X 10 - 12	6	25.6"	9.4"	440lb	12 x 7	27mm
TTA261212 EX IK	26 x 12 - 12	6	26"	11.2"	495lb	12 x 7	27mm
TTA271012 EX IK	27 x 10 - 12	6	26.6"	9.4"	465lb	12 x 7	30mm
TTA271212 EX IK	27 x 12 - 12	6	26.5"	11.5"	550lb	12 x 7	30mm

MOTO MAX



Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required	Tread Depth
TTA261012 MM IE	26 x 10 - 12	6	26"	9"	440lb	12 x 7	1"
TTA261212 MM IE	26 x 12 - 12	6	26"	11"	520lb	12 x 7	1"
TTA271012 MM IE	27 x 10 - 12	6	27"	9"	465lb	12 x 7	1"
TTA271212 MM IE	27 x 12 - 12	6	27"	11"	550lb	12 x 7	1"
TTA271014 MM IE	27 x 10 - 14	6	27"	9"	750lb	14 x 7	1"
TTA271214 MM IE	27 x 12 - 14	6	27"	11"	750lb	14 x 7	1"





MUDLITE XL & XXL

Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required	Tread Depth
TTA250812 ML AI	25 x 8 - 12	6	25.0"	8.03"	340lb	12 x 6.5	1-1/8"
TTA251012 ML AI	25 x 10 - 12	6	25.0"	10.0"	420lb	12 x 8	1-1/8"
TTA251212 ML AI	25 x 12 - 12	6	25.0"	11.80"	495lb	12 x 9.5	1-1/8"
TTA260912 ML AI	26 X 9 - 12	6	25.98"	8.94"	768lb	12 x 7	1-1/8"
TTA261012 ML AI	26 X 10 - 12	6	26.0"	9.50"	906lb	12 x 8	1-1/8"
TTA261212 ML AI	26 x 12 - 12	6	26.25"	11.50"	1002lb	12 x 9.5	1-1/8"
TTA270912 ML AI	27 x 9 - 12	6	27.01"	8.94"	440lb	12 x 7	1-1/8"
TTA271012 ML AI	27 x 10 - 12	6	27.0"	9.50"	465lb	12 x 8	1-1/8"
TTA271212 ML AI	27 x 12 - 12	6	27.25"	11.50"	550lb	12 x 9.5	1-1/8"
TTA281012 ML AI	28 x 10 - 12	6	28.0"	9.80"	495lb	12 x 8	1-1/8"
TTA281212 ML AI	28 x 12 - 12	6	28.25"	11.20"	565lb	12 x 9.5	1-1/8"
TTA301012 ML AI	30 x 10 - 12	6	30.0"	10.0"	550lb	12 x 8	1.3"
TTA301212 ML AI	30 x 12 - 12	6	30.50"	12.0"	660lb	12 x 9.5	1.3"
TTA271014 ML AI	27 x 10 - 14	6	27.0"	10.0"	936lb	14 x 8	1-1/8"
TTA271214 ML AI	27 x 12 - 14	6	27.25"	12.0"	1128lb	14 x 9.5	1-1/8"
TTA281014 ML AI	28 x 10 - 14	6	27.50"	10.0"	996lb	14 x 8	1-1/8"
TTA281214 ML AI	28 x 12 - 14	6	27.25"	11.80"	1194lb	14 x 9.5	1-1/8"
TTA301014 ML AI	30 x 10 - 14	6	N/A	N/A	N/A	14 x 8	1.3"
TTA301214 ML AI	30 x 12 - 14	6	N/A	N/A	N/A	14 x 8	1.3"



589 M/S

Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required	Tread Depth
TTA251210 589 A	25 x 12 - 10	6	N/A	N/A	N/A	N/A	1"
TTA261210 589 AT	26 x 12 - 10	6	N/A	N/A	N/A	N/A	1"
TTA250812 589 AT	25 x 8 - 12	6	25.40"	8.0"	N/A	12 x 7	1"
TTA251012 589 AT	25 x 10 - 12	6	25.40"	10.0"	420lb	12 x 8	1"
TTA260912 589 AT	26 x 9 - 12	6	26.0"	9.0"	410lb	12 x 7	1-1/8"
TTA261212 589 AT	26 x 12 - 12	6	25.98"	11.60"	520lb	12 x 9.5	1-1/8"
TTA270912 589 AT	27 x 9 - 12	6	27.0"	8.94"	440lb	12 x 7	1-1/8"
TTA271112 589 AT	27 x 11 - 12	6	27.01"	11.06"	495lb	12 x 9	1-1/8"
TTA280912 589 AT	28 x 9 - 12	6	27.80"	9.0"	440lb	12 x 7	1-1/8"
TTA281112 589 AT	28 x 11 - 12	6	27.80"	10.90"	495lb	12 x 9	1-1/8"



MUD BUG M961/M962

Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required	Tread Depth
TTA251011 MB IM	25 x 10 - 11	6	25.2"	9.10"	N/A	N/A	1.2"
TTA250812 MB IM	25 x 8 - 12	6	25.2"	8.30"	N/A	N/A	1.2"
TTA251012 MB IM	25 x 10 - 12	6	25.2"	9.20"	N/A	N/A	1.2"
TTA261012 MB IM	26 X 10 - 12	6	26.0"	9.10"	N/A	N/A	1.2"
TTA261212 MB IM	26 x 12 - 12	6	26.2"	11.30"	N/A	N/A	1.2"
TTA271012 MB IM	27 x 10 - 12	6	27.0"	9.30"	N/A	N/A	1.2"
TTA271212 MB IM	27 x 12 - 12	6	27.0"	9.80"	N/A	N/A	1.2"
TTA281012 MB IM	28 x 10 - 12	6	28.2"	9.50"	N/A	N/A	1.2"
TTA281212 MB IM	28 x 12 - 12	6	28.2"	11.50"	N/A	N/A	1.2"

BLACK ROCK



Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required	Tread Depth
TTA250812 BR A	25 x 8 - 12	6	25"	8"	340lb	12 x 6.5	N/A
TTA251012 BR A	25 x 10 - 12	6	25.25"	10"	420lb	12 x 8	N/A
TTA260912 BR A	26 x 9 - 12	6	26"	9"	410lb	12 x 7	N/A
TTA261112 BR A	26 x 11 - 12	6	26.25"	11.1"	480lb	12 x 9	N/A



'ZILLA MU01/MU02



Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required	Tread Depth
TTA250812 ZI IM	25 x 8 - 12	6	25.4"	7.50"	N/A	N/A	1.2"
TTA251012 ZI IM	25 x 10 - 12	6	25.4"	9.80"	N/A	N/A	1.2"
TTA260912 ZI IM	26 X 9 - 12	6	26.0"	8.70"	N/A	N/A	1-3/16"
TTA261112 ZI IM	26 x 11 - 12	6	26.0"	10.30"	N/A	N/A	1-3/16"
TTA270912 ZI IM	27 x 9 - 12	6	27"	8.7"	N/A	N/A	1-3/16"
TTA271112 ZI IM	27 x 11 - 12	6	27"	10.4"	N/A	N/A	1-3/16"
TTA281012 ZI IM	28 x 10 - 12	6	28"	9.3"	N/A	N/A	1-3/16"
TTA271014 ZI IM	27 x 10 - 14	6	27"	9.3"	N/A	N/A	1-3/16"
TTA280914 ZI IM	28 x 9 - 14	6	28"	8.7"	N/A	N/A	1-3/16"
TTA281114 ZI IM	28 x 11 - 14	6	28"	8.7"	N/A	N/A	1-3/16"
TTA300914 ZI IM	30 x 9 - 14	6	30.2"	8.5"	N/A	N/A	1-3/16"
TTA301114 ZI IM	30 x 11 - 14	6	30"	10.5"	N/A	N/A	1-3/16"



MUDZILLA M966



Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required	Tread Depth
TTA260912 MZ IM	26 X 9 - 12	6	26.4"	9.00"	N/A	N/A	1.3"
TTA261212 MZ IM	26 x 12 - 12	6	26.4"	11.0"	N/A	N/A	1.3"
TTA270912 MZ IM	27 x 9 - 12	6	27.4"	9.00"	N/A	N/A	1.4"
TTA271212 MZ IM	27 x 12 - 12	6	27.4"	11.0"	N/A	N/A	1.4"
TTA281012 MZ IM	28 x 10 - 12	6	28.0"	9.80"	N/A	N/A	1.5"
TTA281212 MZ IM	28 x 12 - 12	6	28.0"	10.80"	N/A	N/A	1.5"





HIGHLIFTER

OUTLAW

Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required	Tread Depth
TTA259512 OU IH	25 x 9.50 - 12	6	N/A	N/A	N/A	N/A	1-1/4"
TTA251212 OU IH	25 x 12 - 12	6	N/A	N/A	N/A	N/A	1-1/4"
TTA261012 OU IH	26 X 10 - 12	6	N/A	N/A	N/A	N/A	1-1/4"
TTA261212 OU IH	26 x 12 - 12	6	N/A	N/A	N/A	N/A	1-1/4"
TTA279512 OU IH	27 x 9.50 - 12	6	N/A	N/A	N/A	N/A	1-1/4"
TTA271212 OU IH	27 x 12 - 12	6	N/A	N/A	N/A	N/A	1-1/4"
TTA289512 OU IH	28 x 9.50 - 12	6	N/A	N/A	N/A	N/A	1-1/4"
TTA281012 OU IH	28 x 10.50 - 12	6	N/A	N/A	N/A	N/A	1-1/4"
TTA281212 OU IH	28 x 12.50 - 12	6	N/A	N/A	N/A	N/A	1-1/4"
TTA291012 OU IH	29.5 x 10 - 12	6	N/A	N/A	N/A	N/A	1-1/4"
TTA291212 OU IH	29.5 x 12 - 12	6	N/A	N/A	N/A	N/A	1-1/4"
TTA311114 OU IH	31 x 11 - 14	6	N/A	N/A	N/A	N/A	1-1/4"
TTA319514 OU IH	31 x 9.50 - 14	6	N/A	N/A	N/A	N/A	1-1/4"



SILVERBACK

Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required	Tread Depth
TTA271012 SI AG	27 x 10 - 12	6	N/A	N/A	N/A	12 x 7	1.5"
TTA271212 SI AG	27 x 12 - 12	6	N/A	N/A	N/A	12 x 7	1.5"
TTA281012 SI AG	28 x 10 - 12	6	N/A	N/A	N/A	12 x 7	1.75"
TTA281212 SI AG	28 x 12 - 12	6	N/A	N/A	N/A	12 x 7	1.75"
TTA301012 SI AG	30 x 10 - 12	6	N/A	N/A	N/A	12 x 7	2"
TTA300914 SI AG	30 x 9 - 14	6	N/A	N/A	N/A	14 x 7	2"
TTA301114 SI AG	30 x 11 - 14	6	N/A	N/A	N/A	14 x 7	2"
TTA321014 SI AG	32 x 10 - 14	6	N/A	N/A	N/A	14 x 7	2.5"



MOTO MONSTER

Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required	Tread Depth
TTA301014 MMO IE	30 x 10 - 14	6	30"	10"	N/A	14 X 7	2"

UTV / ATV TIRES



MOTO 350

Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required	Tread Depth
TTA250812 M35 IE	25 x 8 - 12	6	25"	8"	340lb	12 x 7	3/4"
TTA251012 M35 IE	25 x 10 - 12	6	25"	10"	420lb	12 x 7	3/4"
TTA261012 M35 IE	26 x 10 - 12	6	26"	10"	440lb	12 x 7	3/4"
TTA261212 M35 IE	26 x 12 - 12	6	26"	12"	520lb	12 x 7	3/4"



ULTRACROSS

Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required	Tread Depth
TTA261015 UC AI	26 x 10R 15	6	N/A	N/A	N/A	N/A	N/A



HOLESHOT SXS

Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required	Tread Depth
TTA250912 HSS AI	25 x 9 - 12	6	N/A	N/A	N/A	12 x 7	N/A
TTA251112 HSS AI	25 x 11 - 12	6	N/A	N/A	N/A	12 x 7	N/A



BAJACROSS

Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required	Tread Depth
TTA250812 BAC AI	25 x 8R 12	8	N/A	N/A	N/A	12 x 7	N/A
TTA251012 BAC AI	25 x 10R 12	8	N/A	N/A	N/A	12 x 7	N/A
TTA260912 BAC AI	26 x 9R 12	8	N/A	N/A	N/A	12 x 7	N/A
TTA261112 BAC AI	26 x 11R 12	8	N/A	N/A	N/A	12 x 7	N/A
TTA261014 BAC AI	26 x 10R 14	8	N/A	N/A	N/A	14 x 7	N/A
TTA261114 BAC AI	26 x 11R 14	8	N/A	N/A	N/A	14 x 7	N/A



TERRACROSS R/T

Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required	Tread Depth
TTA250812 TC AI	25 x 8R 12	6	N/A	N/A	N/A	12 x 7	3/4"
TTA251012 TC AI	25 x 10R 12	6	N/A	N/A	N/A	12 x 7	3/4"
TTA260912 TC AI	26 x 9 R 12	6	26.25"	8.7"	768lb	12 x 7	3/4"
TTA261112 TC AI	26 x 11 R 12	6	26.50"	10.90"	954lb	12 x 7	7/8"



UTV / ATV TIRES



MOTO MTC

Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required	Tread Depth
TTA260914 MMT IE	26 x 9 - 14	6	26.25"	9"	410lb	14 x 7	1-1/4"
TTA261114 MMT IE	26 x 11 - 14	6	26.25"	11"	480lb	14 x 7	1-1/4"



MUDLITE XTR

Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required	Tread Depth
TTA260912 MLX AI	26 x 9 R 12	6	26.50"	9.0"	440lb	12 x 7	1-1/8"
TTA261112 MLX AI	26 x 11 R 12	6	26.75"	10.80"	495lb	12 x 9	1-1/8"
TTA270912 MLX AI	27 x 9 R 12	6	27.50"	9.0"	440lb	12 x 7	1-1/8"
TTA271112 MLX AI	27 x 11 R 12	6	27.75"	10.80"	495lb	12 x 9	1-1/8"
TTA270914 MLX AI	27 x 9 R 14	6	27.50"	8.60"	1134lb	14 x 7	1-1/8"
TTA271114 MLX AI	27 x 11 R 14	6	27.75"	10.80"	1020lb	14 x 9	1-1/8"



AT489

Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required	Tread Depth
TTA220710 489 A	22 x 7 - 10	3 Star	22.2"	7.0"	255lb	10 x 6	5/8"
TTA221010 489 A	22 x 10 - 10	3 Star	21.7"	9.9"	355lb	10 x 8	5/8"
TTA221110 489 A	22 x 11 - 10	4	22.2"	10.6"	330lb	10 x 9	5/8"
TTA230710 489 A	23 x 7 - 10	2 Star	22.7"	6.5"	240lb	10 x 5.5	5/8"
TTA230810 489 A	23 x 8 - 10	3 Star	23.2"	7.9"	300lb	10 x 6.5	5/8"
TTA231010 489 A	23 x 10 - 10	3 Star	23.4"	9.5"	375lb	10 x 8	5/8"
TTA249510 489 A	24 x 9.50 - 10	3 Star	24"	9.50"	1410lb	10 x 7.75	5/8"
TTA241110 489 A	24 x 11 - 10	3 Star	24.0"	9.7"	440lb	10 x 9	5/8"
TTA241210 489 A	24 x 12 - 10	3 Star	24.50"	12"	1740lb	10 x 9.5	5/8"
TTA251110 489 A	25 x 11 - 10	3 Star	25.1"	10.6"	455lb	10 x 9	5/8"
TTA230811 489 A	23 x 8 - 11	3 Star	23.7"	7.5"	290lb	11 x 6.5	5/8"
TTA240811 489 A	24 x 8 - 11	3 Star	24.5"	8.4"	320lb	11 x 6.5	5/8"
TTA240911 489 A	24 x 9 - 11	3 Star	24.5"	8.6"	365lb	11 x 7	5/8"
TTA241011 489 A	24 x 10 - 11	3 Star	24.4"	9.6"	395lb	11 x 8	5/8"
TTA220712 489 A	22 x 7 - 12	3 Star	22.4"	6.7"	240lb	12 x 6	5/8"
TTA221012 489 A	22 x 10 - 12	3 Star	22.3"	9.3"	340lb	12 x 8	5/8"
TTA230812 489 A	23 x 8 - 12	3 Star	23.1"	7.4"	280lb	12 x 6.5	5/8"
TTA231012 489 A	23 x 10 - 12	3 Star	23.1"	9.0"	365lb	12 x 8	5/8"
TTA240812 489 A	24 x 8 - 12	3 Star	23.8"	8.0"	455lb	12 x 6.5	5/8"
TTA240912 489 A	24 x 9 - 12	2 Star	23.8"	8.9"	265lb	12 x 8	5/8"
TTA241112 489 A	24 x 11 - 12	3 Star	24.4"	10.1"	430lb	12 x 9	5/8"
TTA250812 489 A	25 x 8 - 12	3 Star	25.2"	7.5"	340lb	12 x 6.5	5/8"
TTA251012 489 A	25 x 10 - 12	3 Star	25.2"	9.1"	420lb	12 x 8	5/8"
TTA251112 489 A	25 x 11 - 12	4	25.4"	10.6"	455lb	12 x 8	5/8"
TTA261012 489 A	26 X 10 - 12	2 Star	25.7"	9.8"	385lb	12 x 8	5/8"



FAST TRAX

Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required	Tread Depth
TTA181110 FTR A	18 x 11 - 10	4	17.7"	9.7"	1120lb	10 x 8.5	N/A

ALL TRAIL / ALL TRAIL II

Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required	Tread Depth
TTA201008 AT A	20 x 10 - 8	4	20.2"	9.3"	1190lb	8 x 7	5/8"
TTA221008 AT A	22 x 10 - 8	4	22.0"	10.1"	1350lb	8 x 7	5/8"
TTA201010 AT A	20 x 10 - 10	4	20.1"	8.9"	1160lb	10 x 6	5/8"
TTA229510 AT A	22 x 9.50 - 10	4	22.0"	9.5"	1280lb	10 x 7.75	5/8"
TTA221110 AT A	22 x 11 - 10	4	21.9"	10.2"	1475lb	10 x 8	5/8"
TTA249510 AT A	24 x 9.50 - 10	4	24.0"	9.7"	1410lb	10 x 7.5	5/8"
TTA241510 AT A	24 x 10.50 - 10	4	24.5"	10.8"	1490lb	10 x 8	5/8"
TTA230812 AT A	23 x 8 - 12	4	23.2"	8.4"	1125lb	12 x 6.5	1/2"
TTA231012 AT A	23 x 10.50 - 12	4	23.1"	9.9"	1340lb	12 x 7	1/2"
TTA250812 AT A	25 x 8 - 12	4	25.0"	8.3"	1305lb	12 x 7	1/2"
TTA251012 AT A	25 x 10.50 - 12	4	24.7"	10.2"	1570lb	12 x 7	1/2"

TRAIL WOLF

Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required	Tread Depth
TTA190808 TW A	19 x 8 - 8	2	19.0"	7.1"	200lb	8 x 6	5/8"
TTA200708 TW A	20 x 7 - 8	2	19.4"	6.8"	157lb	8 x 5.375	5/8"
TTA201108 TW A	20 x 11 - 8	4	20.2"	10.5"	340lb	8 x 9	5/8"
TTA221009 TW A	22 x 10 - 9	4	21.8"	10.0"	355lb	9 x 9	5/8"
TTA251209 TW A	25 x 12 - 9	4	25.6"	12.3"	430lb	9 x 10	5/8"
TTA201110 TW A	20 x 11 - 10	3 Star	19.9"	11.9"	280lb	10 x 10	5/8"
TTA220710 TW A	22 x 7 - 10	2	22.1"	6.8"	180lb	10 x 5.5	5/8"
TTA221010 TW A	22 x 10 - 10	2	23.5"	9.2"	245lb	10 x 8	5/8"
TTA251210 TW A	25 x 12 - 10	4	25.3"	11.6"	430lb	10 x 10	5/8"
TTA230811 TW A	23 x 8 - 11	4	23.1"	7.6"	255lb	11 x 6.38	5/8"
TTA240911 TW A	24 x 9 - 11	4	24.4"	8.5"	316lb	11 x 7	5/8"
TTA250812 TW A	25 x 8 - 12	2	25.3"	7.5"	340lb	12 x 6.5	5/8"
TTA251012 TW A	25 x 10 - 12	2	25.5"	9.0"	340lb	12 x 8	5/8"

HD FIELD TRAX

Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required	Tread Depth
TTA221208 FT A	22 x 12 - 8	3 Star	21.3"	11.7"	430lb	8 x 9.5	5/8"
TTA221008 FT A	22.5 x 10 - 8	3 Star	22.5"	10.2"	365lb	8 x 7	5/8"
TTA251309 FT A	25 x 13 - 9	3 Star	24.8"	12.4"	535lb	8 x 10.5	5/8"
TTA188510 FT A	18 x 8.50 - 10	4	18.2"	7.4"	830lb	10 x 7	5/8"
TTA241212 FT A	24 x 12 - 12	2	24.0"	11.6"	1135lb	12 x 9.5	5/8"
TTA261212 FT A	26 x 12 - 12	2	25.6"	11.8"	1185lb	12 x 9.5	5/8"



TUNDRACROSS

Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required	Tread Depth
TTA250912 TU AI	25 x 9 - 12	6	N/A	N/A	N/A	12 x 7	N/A
TTA251012 TU AI	25 x 10 - 12	6	N/A	N/A	N/A	12 x 7	N/A



SCORPION K290

Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required	Tread Depth
TTA147006 SC IK	145 / 70 - 6	2	14.3"	5.3"	165lb	6 x 4.5	N/A
TTA189508 SC IK	18 x 9.50 - 8	2	18.6"	8.8"	225lb	8 x 7	N/A
TTA221108 SC IK	22 x 11 - 8	2	22.0"	9.8"	340lb	8 x 9	N/A
TTA251209 SC IK	25 x 12 - 9	2	24.0"	10.8"	430lb	9 x 9	N/A



KNOBBY

Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required	Tread Depth
TTA147006 KB A	145 / 70 - 6	2	14.3"	5.3"	80lb	6 x 4.5	N/A
TTA189508 DK A	18 x 9.50 - 8	2	18.3"	8.8"	625lb	8 x 7	N/A
TTA221108 KB A	22 x 11 - 8	2	22.3"	10.5"	495lb	8 x 9	N/A
TTA251209 KB A	25 x 12 - 9	2	24.6"	11.8"	430lb	9 x 10	N/A



TURF TAMER

Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required	Tread Depth
TTA221008 TT4 A	22.5 x 10 - 8	4	22.8"	9.2"	1390lb	8 x 8	N/A
TTA251209 TT A	25 x 12 - 9	3 Star	25.3"	11.2"	495lb	9 x 9.5	N/A
TTA201110 TT A	20 x 11 - 10	3 Star	20.0"	10.7"	330lb	10 x 9	N/A



STRYKER

Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required	Tread Depth
TTA221108 ST A	22 x 11 - 8	Belted	22.6"	11.1"	340lb	8 x 9	N/A
TTA221109 ST A	22 x 11 - 9	Belted	22.6"	11.2"	340lb	9 x 10	N/A
TTA251209 ST A	25 x 12 - 9	Belted	25.2"	12.2"	430lb	9 x 10	N/A
TTA221110 ST A	22 x 11 - 10	2	22.9"	10.1"	330lb	10 x 8.25	N/A

Golf Cart

Turf Glide



Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required
TT806 4TG A	8.00 - 6	4	17.6"	7.1"	410lb	6x3.25

Multi Rib



Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required
TT858 4R IK	18 x 8.50 - 8	4	17.6"	8.3"	815lb	8x7

Hole-N-1



Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required
TT858 4SW IK	18 x 8.50 - 8	4	17.6"	8.2"	815lb	8x7

Pro Tour / Pro-Rider



Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required
TT20510 4SW IK	205/50-10	4	18.3"	7.7"	664lb	10x7
TT20510 4SW IE	205/50-10	4	18.2"	N/A	N/A	10x7
TT21512 4SW IE	215/50-12	4	20.5"	N/A	N/A	12x7
TT22512 4SW IE	225/35-12	4	18.2"	N/A	665lb	12x7

Links



Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required
TT858 4LI A	18 x 8.50 - 8	4	17.4"	8.5"	815lb	8x7

Fairway Pro



Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required
TT858 4FP A	18 x 8.50 - 8	4	18.2"	8.4"	815lb	8x7



Golf Cart



OFFSET STEEL



ALUMINIUM



PLAIN STEEL



DRIVER



HAZARD



MARSHALL



AGGRESSOR



RENEGADE

Golf Cart Wheels

Part Number	Size	Bolt Pattern	Offset	Material	Comes With Caps & Nuts
MWR 958 4	8 x 7	4 on 4"	0	Steel	no
MWR 958 4 OF	8 x 7	4 on 4"	2.5" + 4.5"	Steel	no
MWR 10X7 ALUM	10 x 7	4 on 4"	0	Aluminium	no
MWR 10X7 ADR	10 x 7	4 on 4"	2.5" + 4.5"	Aluminium	yes
MWR 10X7 AMA	10 x 7	4 on 4"	2.5" + 4.5"	Aluminium	yes
MWR 12X7 AAG	12 x 7	4 on 4"	2" + 5"	Aluminium	yes
MWR 12X7 AHA	12 x 7	4 on 4"	2" + 5"	Aluminium	yes
MWR 12X7 ARE	12 x 7	4 on 4"	2" + 5"	Aluminium	yes





Turf Rider

Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required
TT354 2TR IK	410/350 - 4	2	10.4"	3.8"	260lb	4x2.50
TT404 2TR IK	11 x 4.00 - 4	2	11.0"	4.0"	215lb	4x3
TT405 2TR IK	11 x 4.00 - 5	2	10.7"	3.7"	210lb	5x3
TT506 2TR IK	13 x 5.00 - 6	2	12.8"	4.6"	295lb	6x3.50
TT506 4TR IK	13 x 5.00 - 6	4	12.8"	4.6"	440lb	6x3.50
TT656 4TR IK	13 x 6.50 - 6	4	12.7"	6.1"	460lb	6x4.50
TT606 2TR IK	15 x 6.00 - 6	2	13.9"	5.9"	335lb	6x4.50
TT606 4TR IK	15 x 6.00 - 6	4	13.9"	5.9"	570lb	6x4.50
TT658 2TR IK	16 x 6.50 - 8	2	16.0"	6.2"	415lb	8x5.375
TT658 4TR IK	16 x 6.50 - 8	4	16.0"	6.2"	620lb	8x5.375
TT8658 4TR IK	18 x 6.50 - 8	4	17.8"	6.7"	770lb	8x5
TT858 4TR IK	18 x 8.50 - 8	4	17.6"	8.5"	815lb	8x7
TT958 4TR IK	18 x 9.50 - 8	4	18.1"	8.9"	1040lb	8x7
TT808 4TR IK	20 x 8.00 - 8	4	18.8"	8.9"	950lb	8x7
TT1008 4TR IK	20 x 10.00 - 8	4	19.7"	9.7"	750lb	8x7

Turf Boss

Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required
TT8512 4TR IK	23 x 8.50 - 12	4	22.3"	7.5"	1115lb	12x7
TT1012 4TR IK	23 x 10.50 - 12	4	22.8"	10.0"	1340lb	12x7

Turf Max

TT9354 4TR IK	9 x 3.50 - 4	4	9.0"	3.7"	815lb	4x2.75
---------------	--------------	---	------	------	-------	--------



Super Turf

Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required
TT405 4TRS IK	11 x 4.00 - 5	4	10.9"	3.9"	325lb	5x3
TT506 4TRS IK	13 x 5.00 - 6	4	12.7"	4.8"	440lb	6x3.50
TT606 4TRS IK	15 x 6.00 - 6	4	14.6"	6.2"	570lb	6x4.50
TT658 4TRS IK	16 x 6.50 - 8	4	15.7"	7.0"	620lb	8x5.375
TT6758 4TRS IK	16 x 7.50 - 8	4	16.5"	7.4"	627lb	8x5.375
TT858 4TRS IK	18 x 8.50 - 8	4	17.8"	8.5"	815lb	8x7
TT958 4TRS IK	18 x 9.50 - 8	4	16.2"	9.4"	1040lb	8x7
TT1008 4TRS IK	20 x 10.00 - 8	4	19.7"	9.8"	1190lb	8x7
TT1010 4TRS IK	20 x 10.00 - 10	4	19.6"	9.3"	1160lb	10x7.25
TT8512 4TRS IK	23 x 8.50 - 12	4	22.6"	8.4"	1120lb	12x7
TT1012 4TRS IK	23 x 10.50 - 12	4	22.8"	10.4"	1340lb	12x8.50
TT1212 4TRS IK	26 x 12.00 - 12	4	25.8"	12.8"	1185lb	12x10.50



Turf Mate

Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required
TT808 2TMA	20 x 8.00 - 8	2	19.1"	8.8"	600lb	8x7
TT1008 4TMA	20 x 10.00 - 8	4	19.2"	9.5"	1130lb	8x7





Turf Saver

Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required
TT9354 4TS A	9 x 3.50 - 4	4	8.8"	3.6"	260lb	4x2.50
TT354 2TS A	4.10/3.50 - 4	2	10.8"	3.8"	230lb	4x2.50
TT404 2TS A	11 x 4.00 - 4	2	11.2"	4.2"	215lb	4x2.50
TT405 2TS A	11 x 4.00 - 5	2	10.8"	4.0"	210lb	5x3
TT506 2TS A	13 x 5.00 - 6	2	12.9"	4.7"	295lb	6x3.50
TT506 4TS A	13 x 5.00 - 6	4	12.9"	4.8"	440lb	6x3.50
TT656 2TS A	13 x 6.50 - 6	2	13.2"	6.5"	305lb	6x4.50
TT656 4TS A	13 x 6.50 - 6	4	13.4"	6.3"	460lb	6x4.50
TT606 2TS A	15 x 6.00 - 6	2	14.5"	6.2"	365lb	6x4.50
TT408 2TS A	4.80 - 8	2	16.5"	4.8"	435lb	8x3.75
TT658 2TS A	16 x 6.50 - 8	2	16.1"	6.5"	380lb	8x5.375
TT658 4TS A	16 x 6.50 - 8	4	16.3"	6.4"	620lb	8x5.375
TT6758 2TS A	16 x 7.50 - 8	2	16.5"	7.1"	475lb	8x5.375
TT8658 2TS A	18 x 6.50 - 8	2	17.2"	6.5"	515lb	8x5.375
TT8658 4TS A	18 x 6.50 - 8	4	17.6"	6.7"	770lb	8x5.375
TT8758 4TS A	18 x 7.50 - 8	4	18.0"	7.5"	835lb	8x5.375
TT858 2TS A	18 x 8.50 - 8	2	17.8"	8.3"	515lb	8x7
TT858 4TS A	18 x 8.50 - 8	4	18.0"	8.2"	815lb	8x7
TT958 2TS A	18 x 9.50 - 8	2	17.7"	9.5"	695lb	8x7
TT958 4TS A	18 x 9.50 - 8	4	18.1"	9.6"	1040lb	8x7
TT958 6TS A	18 x 9.50 - 8	6	18.5"	9.5"	1320lb	8x7
TT808 2TS A	20 x 8.00 - 8	2	19.1"	9.1"	600lb	8x7
TT1008 2TS A	20 x 10.00 - 8	2	19.6"	10.1"	750lb	8x7
TT810 4TS A	20 x 8 - 10	4	20.0"	7.9"	895lb	10x6
TT1010 4TS A	20 x 10.00 - 10	4	20.8"	8.8"	1225lb	10x6
TT210710 2TS A	21 x 7.00 - 10	2	20.2"	6.9"	685lb	10x5.375
TT229512 2TS A	22 x 9.50 - 12	2	21.3"	8.9"	870lb	12x7
TT8512 2TS A	23 x 8.50 - 12	2	23.1"	8.5"	705lb	12x7
TT9512 2TS A	23 x 9.50 - 12	2	23.2"	9.5"	920lb	12x7
TT1012 2TS A	23 x 10.50 - 12	2	22.6"	10.5"	890lb	12x8.50
TT1012 4TS A	23 x 10.50 - 12	4	22.8"	10.3"	1340lb	12x8.50
TT241212 2TS A	24 x 12.00 - 12	2	23.0"	11.6"	1135lb	12x8.50



Turf CTR

Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required
TT221108 4TCT A	22 x 11.00 - 8	4	22.4"	10.8"	955lb	8x9



Ultra Trac

Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required
TT241312 4UT A	24 x 13.00 - 12	4	23.2"	13.0"	1730lb	12x10.50
TT241312 6UT A	24 x 13.00 - 12	6	22.7"	13.0"	2240lb	12x10.50
TT261412 4UT A	26.5 x 14.00 - 12	4	26.5"	14.4"	2170lb	12x11
TT291415 6UT A	29 x 14.00 - 15	6	29.0"	14.0"	1710lb	15x11

Multi Trac C/S



Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required
TT180708 4MT A	18 x 7.00 - 8	4	17.9"	6.9"	785lb	8x5.375
TT858 8MT A	18 x 8.50 - 8	8	17.7"	8.3"	1220lb	8x7
TT958 6MT A	18 x 9.50 - 8	6	18.2"	9.0"	1320lb	8x7
TT808 2MT A	20 x 8.00 - 8	2	19.4"	8.8"	625lb	8x7
TT180810 4MT A	18 x 8.00 - 10	4	17.9"	7.8"	830lb	10x7
TT188510 4MT A	18 x 8.50 - 10	4	18.1"	8.3"	795lb	10x7
TT181010 4MT A	18 x 10.50 - 10	4	17.8"	10.1"	990lb	10x8
TT1010 6MT A	20 x 10.00 - 10	6	19.6"	9.6"	1450lb	10x8
TT8512 6MT A	23 x 8.50 - 12	6	22.6"	8.3"	1440lb	12x7
TT9512 4MT A	23 x 9.50 - 12	4	22.7"	9.3"	1380lb	12x7
TT1012 6MT A	23 x 10.50 - 12	6	22.6"	10.4"	1760lb	12x8.50
TT249512 4MT A	24 x 9.50 - 12	4	24.0"	9.5"	1430lb	12x7
TT241212 4MT A	24 x 12.00 - 12	4	23.6"	11.5"	1700lb	12x8.50
TT1212 4MT A	26 x 12.00 - 12	4	25.2"	12.2"	1780lb	12x8.50
TT1212 6MT A	26 x 12.00 - 12	6	25.2"	12.2"	2250lb	12x8.50
TT248514 4MT A	24 x 8.50 - 14	4	24.0"	8.5"	1230lb	14x7
TT258514 4MT A	25 x 8.50 - 14	4	25.0"	8.5"	1320lb	14x7
TT258514 6MT A	25 x 8.50 - 14	6	25.0"	8.5"	1640lb	14x7
TT278515 4MT A	27 x 8.50 - 15	4	26.6"	8.5"	1230lb	15x7
TT278515 6MT A	27 x 8.50 - 15	6	26.6"	8.6"	1570lb	15x7
TT271015 4MT A	27 x 10.50 - 15	4	26.9"	10.2"	1320lb	15x8.50
TT311315 4MT A	31 x 13.50 - 15	4	31.5"	13.2"	2150lb	15x10.50



Turf Master



Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required
TT656 4TMA A	13 x 6.50 - 6	4	13.1"	6.3"	460lb	6x4.50
TT606 4TMA A	15 x 6.00 - 6	4	14.5"	6.0"	570lb	6x4.50
TT156508 2TMA A	15 x 6.50 - 8	2	15.0"	6.3"	415lb	8x5.375
TT658 4TMA A	16 x 6.50 - 8	4	16.5"	6.3"	620lb	8x5.375
TT6758 4TMA A	16 x 7.50 - 8	4	16.5"	7.0"	680lb	8x5.375
TT858 4TMA A	18 x 8.50 - 8	4	18.4"	8.1"	815lb	8x7
TT958 4TMA A	18 x 9.50 - 8	4	18.1"	9.2"	1040lb	8x7
TT1008 4TMA A	20 x 10.00 - 8	4	19.6"	10.4"	1190lb	8x7
TT1010 4TMA A	20 x 10.00 - 10	4	20.0"	8.8"	1160lb	10x7
TT221110 4TMA A	22 x 11.00 - 10	4	21.4"	10.4"	1485lb	10x7
TT229512 4TMA A	22 x 9.50 - 12	4	21.8"	9.1"	1310lb	12x7
TT8512 4TMA A	23 x 8.50 - 12	4	22.9"	8.4"	1120lb	12x7
TT9512 4TMA A	23 x 9.50 - 12	4	23.6"	9.8"	1380lb	12x7
TT1012 4TMA A	23 x 10.50 - 12	4	22.8"	10.0"	1340lb	12x8.50
TT249512 4TMA A	24 x 9.50 - 12	4	23.6"	9.6"	1500lb	12x7
TT241212 4TMA A	24 x 12.00 - 12	4	23.3"	11.4"	1700lb	12x8.50





Turf Trac R/S

Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required
TT405 2TTR A	11 x 4.00 - 5	2	10.6"	4.0"	210lb	5x3
TT606 4TTR A	15 x 6.00 - 6	4	14.4"	6.3"	570lb	6x4.50
TT658 4TTR A	16 x 6.50 - 8	4	16.0"	6.8"	620lb	8x5.375
TT858 4TTR A	18 x 8.50 - 8	4	17.7"	8.1"	815lb	8x7
TT958 2TTR A	18 x 9.50 - 8	2	17.5"	9.1"	695lb	8x7
TT1008 4TTR A	20 x 10.00 - 8	4	19.5"	9.9"	1190lb	8x7
TT1209 4TTR A	25 x 12.00 - 9	4	25.7"	11.6"	1820lb	12x9.50
TT1010 4TTR A	20 x 10.00 - 10	4	19.6"	9.3"	1160lb	10x8
TT201210 4TTR A	20 x 12.00 - 10	4	19.6"	11.7"	1320lb	10x8
TT229510 4TTR A	22 x 9.50 - 10	4	21.7"	9.5"	980lb	10x7
TT249510 4TTR A	24 x 9.50 - 10	4	24.3"	9.8"	1410lb	10x7
TT241210 4TTR A	24 x 12.00 - 10	4	24.5"	11.5"	1740lb	10x7.75
TT1012 4TTR A	23 x 10.50 - 12	4	22.4"	10.1"	1340lb	12x8.50
TT241212 6TTR A	24 x 12.00 - 12	6	23.5"	11.0"	2240lb	12x8.50
TT1212 10TTR A	26 x 12.00 - 12	10	25.3"	12.4"	3100lb	12x8.50



Smooth

Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required
TT8304 4SM IK	8 x 3.00 - 4	4	8.5"	3.0"	375lb	4x2.10
TT8304 4SM A	8 x 3.00 - 4	4	8.2"	2.9"	120lb	4x2.50
TT9354 4SM IK	9 x 3.50 - 4	4	9.0"	3.7"	260lb	4x2.75
TT9354 4SM A	9 x 3.50 - 4	4	8.7"	3.7"	260lb	4x2.50
TT405 4SM IK	11 x 4.00 - 5	4	11.2"	3.9"	325lb	5x3
TT405 4SM A	11 x 4.00 - 5	4	11.0"	4.0"	325lb	5x3
TT506 4SM IK	13 x 5.00 - 6	4	12.6"	4.8"	440lb	6x3.50
TT506 4SM A	13 x 5.00 - 6	4	12.7"	4.8"	440lb	6x3.50
TT656 4SM IK	13 x 6.50 - 6	4	12.8"	6.1"	460lb	6x5.0
TT656 4SM A	13 x 6.50 - 6	4	12.9"	5.9"	460lb	6x4.50
TT408 4SM IK	4.80/4.00 - 8	4	15.7"	3.9"	670lb	8x2.50
TT408 4SM A	4.80 - 8	4	16.8"	4.8"	760lb	5x3.75
TT958 4SM A	18 x 9.50 - 8	4	17.8"	8.7"	1040lb	8x7
TT181010 2SM A	18 x 10.50 - 10	2	18.1"	10.0"	730lb	10x8.50
TT1010 2SM A	20 x 10.00 - 10	2	19.6"	9.5"	815lb	10x8

Multi & Straight Rib



Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required
TT404 4SR A	11 x 4.00 - 4	4	10.4"	4.1"	350lb	4x2.50
TT405 4R IK	11 x 4.00 - 5	4	10.7"	3.7"	325lb	5x3
TT506 4R IK	13 x 5.00 - 6	4	10.8"	4.6"	440lb	6x3.50
TT506 4SR A	13 x 5.00 - 6	4	12.9"	4.7"	440lb	6x3.50
TT656 4R IK	13 x 6.50 - 6	4	12.76"	5.9"	465lb	6x4.50
TT656 4SR A	13 x 6.50 - 6	4	13.0"	6.0"	460lb	6x4.50
TT606 4R IK	15 x 6.00 - 6	4	13.9"	5.9"	570lb	6x4.50
TT606 4SR A	15 x 6.00 - 6	4	14.5"	6.1"	570lb	6x4.50
TT658 4R IK	16 x 6.50 - 8	4	15.6"	6.6"	620lb	8x5.375
TT658 4SR A	16 x 6.50 - 8	4	15.9"	6.4"	415lb	8x5.375
TT958 4SR A	18 x 9.50 - 8	4	17.7"	9.3"	1040lb	8x7
TT1010 4SR A	20 x 10.00 - 10	4	20.0"	8.7"	1160lb	10x6
TT1212 4SR A	26 x 12.00 - 12	4	25.0"	11.7"	1780lb	12x10.50

Wheelbarrow

TT406 2R IK	4.00 - 6	2	13.4"	4.0"	485lb	6x2.50
TT408 2R IC	4.80 - 8	2	15.8"	3.9"	550lb	8x2.50
TT408 4R IK	4.80/4.00 - 8	4	15.7"	4.0"	670lb	8x2.50
TT408 4R A	4.80 - 8	4	16.3"	4.5"	765lb	8x2.50


Slick



Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required
TT354 4SL IK	4.10/3.50 - 4	4	10.1"	3.7"	352lb	4x2.50
TT355 4SL IK	4.10/3.50 - 5	4	11.1"	3.7"	396lb	5x2.75
TT356 4SL IK	4.10/3.50 - 6	4	12.4"	3.7"	440lb	6x3.25

Grey Rubber

Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required
TT284 4SW GR IK	2.80 / 2.50 - 4	4	9.0"	2.6"	295lb	4x2.25
TT9354 4TR GR IK	9 x 3.50 - 4	4	9.0"	3.7"	350lb	4x2.75
TT304 4TR GR IK	3.00 - 4 (260x85)	4	10.4"	3.3"	375lb	4x2.25
TT354 4SW GR IK	4.10 / 3.50 - 4	4	10.6"	3.9"	350lb	4x2.25
TT355 4SW GR IK	4.10 / 3.50 - 5	4	11.5"	3.4"	395lb	5x2.75
TT355 4ST GR IK	4.10 / 3.50 - 5	4	11.7"	3.6"	395lb	5x2.50





Stud

Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required
TT354 2ST IK	4.10/3.50 - 4	2	10.4"	3.4"	260lb	4x2.25
TT354 2ST A	4.10 - 4	2	10.6"	3.6"	230lb	4x2.50
TT354 4ST IK	4.10/3.50 - 4	4	10.7"	3.3"	350lb	4x2.25
TT355 2ST IK	4.10/3.50 - 5	2	11.5"	3.4"	255lb	5x2.75
TT355 2ST A	4.10 - 5	2	11.6"	3.8"	260lb	5x3
TT356 2ST IK	4.10/3.50 - 6	2	12.4"	3.6"	285lb	6x2.75
TT356 2ST A	4.10 - 6	2	12.5"	3.9"	290lb	6x3.25
TT356 4ST IK	4.10/3.50 - 6	4	12.4"	3.6"	440lb	6x2.75
TT456 2ST IK	5.30/4.50 - 6	2	14.0"	4.6"	410lb	6x3.50
TT408 2ST IK	4.80/4.00 - 8	2	16.0"	4.0"	435lb	8x2.50
TT408 2ST A	4.80 - 8	2	16.4"	4.7"	435lb	8x3.75
TT408 4ST IK	4.80/4.00 - 8	4	16.0"	4.0"	473lb	8x2.50
TT408 4ST A	4.80 - 8	4	16.3"	5.4"	670lb	8x3.75



Sawtooth

Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required
TT284 4SW IK	2.80/2.50 - 4	4	9.0"	2.6"	295lb	4x2.25
TT284 4SW A	2.80 - 4	4	9.0"	2.9"	180lb	4x2.50
TT354 2SW IK	4.10/3.50 - 4	2	10.4"	3.4"	260lb	4x2.25
TT354 4SW IK	4.10/3.50 - 4	4	10.4"	3.4"	350lb	4x2.25
TT354 4SW A	4.10 - 4	4	10.5"	3.8"	350lb	4x2.50
TT355 4SW IK	4.10/3.50 - 5	4	11.5"	3.4"	395lb	5x2.75
TT356 4SW IK	4.10/3.50 - 6	4	12.4"	3.6"	440lb	6x2.75
TT356 4SW A	4.10/3.50 - 6	4	13.0"	4.2"	495lb	6x3.25
TT456 4SW IK	5.30/4.50 - 6	4	14.0"	4.6"	440lb	6x3.50
TT456 6SW A	5.30/4.50 - 6	6	14.6"	5.3"	885lb	6x3.50
						Lug
TT284 4LU IK	2.80/2.50 - 4	4	8.5"	2.3"	295lb	4x2.10



X-Trac

Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required
TT13406 2XT A	13 x 4.00 - 6	2	12.7"	4.0"	280lb	6x3.25
TT506 2XT A	13 x 5.00 - 6	2	12.9"	4.7"	295lb	6x3.50
TT15506 2XT A	15 x 5.00 - 6	2	14.6"	5.1"	405lb	6x3.50
TT408 2XT A	4.80 - 8	2	16.6"	4.7"	435lb	8x3.75
TT658 2XT A	16 x 6.50 - 8	2	16.5"	6.1"	415lb	8x5.375




Snow Hog

Part Number	Size	Ply Rating	Mounted Diameter	Mounted Width	Load Capacity	Wheel Required
TT354 2SH A	4.10 - 4	2	11.0"	3.7"	230lb	4x2.50
TT356 2SH A	4.10 - 6	2	12.8"	4.0"	290lb	6x3.25
TT506 2SH A	13 x 5.00 - 6	2	13.0"	4.7"	295lb	6x3.50
TT15506 2SH A	15 x 5.00 - 6	2	14.8"	5.1"	405lb	6x3.50
TT408 2SH A	4.80 - 8	2	16.2"	4.7"	435lb	8x3.75
TT658 2SH A	16 x 6.50 - 8	2	16.3"	6.2"	415lb	8x5.375
TT8658 4SH A	18 x 6.50 - 8	4	17.2"	6.6"	770lb	8x5.375

3 pc Split Rims



Part Number	Size	Hub	Bolt Pattern	Bearing
MWR 44DM N	4 x 2-1/8	Centered	4 on 2-3/16"	N/A
MWR 44DM	4 x 2-3/4	Centered	4 on 2-3/16"	N/A
MWR 54DM	5 x 2-3/4	Centered	4 on 2-3/16"	N/A
MWR 64DM	6 x 3-1/4	Centered	4 on 2-3/16"	N/A
MWR 64DM OF W	6 x 4-3/8	1" Offset	4 on 2-3/16"	N/A



Hubs / 3pc Rims



Part Number	Hub Width	Hub	Bolt Pattern	Bearing
MWH 413 34BB	2-1/2"	Centered	4 on 2-3/16"	3/4"Ball Bearing
MWH 414 34BB	3"	Centered	4 on 2-3/16"	3/4"Ball Bearing
MWH 419 34BB	3-1/4"	Centered	4 on 2-3/16"	3/4"Ball Bearing
MWH 418 34BB	3-1/2"	Centered	4 on 2-3/16"	3/4"Ball Bearing
MWH 415 34BB	4"	Centered	4 on 2-3/16"	3/4"Ball Bearing
MWH 411 34BB	2"	1-3/4" Offset	4 on 2-3/16"	3/4"Ball Bearing
MWH 412 34BB	2-1/4"	Offset	4 on 2-3/16"	3/4"Ball Bearing
MWH 417 34BB	3-1/4"	2-1/4" Offset	4 on 2-3/16"	3/4"Ball Bearing
MWH 431 34	3"	Offset	4 on 2-3/16"	3/4"Tapered Bearing
MWH 431C 34	3"	Centered	4 on 2-3/16"	3/4"Tapered Bearing
MWH 432C 34	4"	Centered	4 on 2-3/16"	3/4"Tapered Bearing
MWH 451	3"	Centered	4 on 2-3/16"	1"Keyway
MWH 452 3	3"	Centered	4 on 2-3/16"	3/4"Keyway
MWH 421 34BB	3-1/2"	Centered Double Flange	4 on 2-3/16"	3/4"Ball Bearing



NHS Hubs 4 on 4"bc



Part Number	Hub Width	Hub	Bolt Pattern	Bearing
MWH4A4 34BB	4"	Centered	4 on 4"	3/4"Ball Bearing
MWH4KY1	3-1/2"	Centered	4 on 4"	1"Keyway
MWH4KY34	3-1/2"	Offset	4 on 4"	3/4"Keyway



Go Kart Parts



Part Number	Description
MW35A60	60 TOOTH DRIVE SPROCKET Fits #35 CHAIN / 4 on 2-3/16" Holes
MW35A72	72 TOOTH DRIVE SPROCKET Fits #35 CHAIN / 4 on 2-3/16" Holes
MW41A45	45 TOOTH DRIVE SPROCKET Fits #41 CHAIN / 4 on 2-3/16" Holes
MW41A54	54 TOOTH DRIVE SPROCKET Fits #41 CHAIN / 4 on 2-3/16" Holes
MWMT10 11RC35	11-TOOTH MAX-TORQUE CLUTCH 5/8"BORE TO FIT #35 CHAIN
MWMT12 12RC35	12-TOOTH MAX-TORQUE CLUTCH 3/4"BORE TO FIT #35 CHAIN
MWMT12 10RC41	10-TOOTH MAX-TORQUE CLUTCH 3/4"BORE TO FIT #41 CHAIN
MWSB5308	STRAP BRAKE 4" BAND & DRUM / 4 on 2-3/16" Holes
HWCR34X3	COLD ROLLED 3/4" AXLE 3 FT. LENGTH
HWCR58X3	COLD ROLLED 5/8" AXLE 3 FT.LENGTH
HWCR1X3	COLD ROLLED 1" AXLE 3 FT. LENGTH





1pc Integral High Speed Wheels

Part Number	Size	Hub	Material	Bearing
MWW 81WB	8 x 3.75	4-1/8" Centered	Steel	1" Tapered Bearing
MWW 83WB	8 x 3.75	4-1/8" Centered	Steel	3/4" Tapered Bearing

Note: Complete with Bearings, Seal & Dust Cap



2pc Integral Hub Rims

Part Number	Size	Hub	Material	Bearing
MWW M4 34BB	4 x 2-1/2	2-1/8" Centered	Steel	3/4" Ball Bearing
MWW M5 34BB	5 x 2-3/4	2-1/4" Centerd	Steel	3/4" Ball Bearing
MWW M6 34BB	6 x 3-1/4	2-5/8" Centered	Steel	3/4" Ball Bearing



1pc Integral Hub Rims

Part Number	Size	Hub	Material	Bearing
MWW DC4 225O 1	4 x 2-1/4	2-1/4" Offset	Steel	3/4" Ball Bearing
MWW DC4 3C 1	4 x 2-1/4	3" Centered	Steel	3/4" Ball Bearing
MWW DC4 225W 1	4 x 2-3/4	2-1/4" Offset	Steel	3/4" Ball Bearing
MWW DC4 3W 1	4 x 2-3/4	3" Centered	Steel	3/4" Ball Bearing
MWW DC4 325W 1	4 x 2-3/4	3-1/4" Offset	Steel	3/4" Ball Bearing
MWW DC4 4W 1	4 x 2-3/4	4" Centered	Steel	3/4" Ball Bearing
MWW DC5 3O 1	5 x 3	3" Offset	Steel	3/4" Ball Bearing
MWW DC6 3N25 1	6 x 2-1/2	3" Centered	Steel	3/4" Ball Bearing
MWW DC6 4N25 1	6 x 2-1/2	4" Centered	Steel	3/4" Ball Bearing
MWW DC6 6N25 1	6 x 2-1/2	6" Centered	Steel	3/4" Ball Bearing
MWW DC6 3C34BB	6 x 3-1/4	3" Centered	Steel	3/4" Ball Bearing
MWW DC6 3OC34B	6 x 3-1/4	3" Offset	Steel	3/4" Bushing
MWW DC6 34N 1	6 x 3-1/4	3-1/4" Offset	Steel	3/4" Ball Bearing
MWW DC6 4C34BB	6 x 3-1/4	4" Centered	Steel	3/4" Ball Bearing
MWW DC6 3W1KW	6 x 4-1/2	3" Centered	Steel	1" Keyway
MWW DC6 3W34B C	6 x 4-1/2	3" Centered	Steel	3/4" Bushing
MWW DC6 3W34B O	6 x 4-1/2	3" Offset	Steel	3/4" Bushing
MWW DC6 34W 1	6 x 4-1/2	3-1/4" Offset	Steel	3/4" Ball Bearing
MWW DC8 3N34BB	8 x 2-1/2	3" Centered	Steel	3/4" Ball Bearing
MWW DC8 4N34BB	8 x 2-1/2	4" Centered	Steel	3/4" Ball Bearing
MWW DC8 6N34BB	8 x 2-1/2	6" Centered	Steel	3/4" Ball Bearing
MWW DC8 3W34BB	8 x 3-3/4	3" Centered	Steel	3/4" Ball Bearing
MWW DC8 4W34BB	8 x 3-3/4	4" Centered	Steel	3/4" Ball Bearing
MWW DC8 3X34BB	8 x 5-3/8	3" Offset	Steel	3/4" Ball Bearing
MWW DC8 4X34BB	8 x 5-3/8	4" Offset	Steel	3/4" Ball Bearing
MWW DC8 34XW34BB	8 x 7	3-1/4" Centered	Steel	3/4" Ball Bearing
MWW DC8 35XW34KE	8 x 7	3-1/2" (-2.5" Offset)	Steel	3/4" Keyway
MWW DC8 35XW34P	8 x 7	3-1/2" Offset	Plastic	3/4" Delrin Bearing
MWW DC8 875X34RB	8 x 7	8-3/4" Centered	Steel	3/4" Flanged Roller

NOTE: The Standard size of ball bearings used in most hubs & rims is 3/4". Optional 1/2", 5/8" 3/4" ball bearings or 1/2", 5/8", 3/4", 1" Oilite bushings may be substituted at no additional cost. Please specify bearing size & type at time of purchase. ** See Page 30 for bearings **




Lawn & Garden Tubes

Part Number	Description
TTT16175 13 I	16 x 1.75 TUBE TR-13 Valve (SP16PSI)
TTT202125 13 I	20 x 2.125 TUBE TR-13 Valve (SP20PSI)
TTT262125 13 I	26 x 2.125 TUBE TR-13 Valve (SP26PSI)
TTT2005 87 I	200-50 TUBE TR-87P Valve
TTT6X2 87	6x2 TUBE TR-87 Valve (6PN)
TTT253 87 I	250-3 TUBE TR-87 Valve
TTT254 87 I	2.80/2.50-4, (8X3.00-4) TUBE TR-87 Valve (8pn)
TTT254 87P I	2.80/2.50-4 TUBE TR-87 Parallel Valve
TTT9354 87 I	9x3.50-4 TUBE TR-87 Valve
TTT354 I	4.10/3.50-4 TUBE TR-13 Valve (10pn)
TTT354 87 I	4.10/3.50-4, (10.5/350-4) TUBE TR-87 Valve
TTT305 87 I	3.40/3.00-5 TUBE TR-87 Valve
TTT355 87 I	4.10/3.50-5 TUBE TR-87 Valve
TTT405 87 I	11x4.00-5 TUBE TR-87 Valve
TTT405 I	11x4.00-5 TUBE TR-13 Valve
TTT104505 87 I	10x4.50-5 TUBE TR-87 Valve (Go-Kart)
TTT605 87 I	11x6.00-5 TUBE TR-87 Valve (Go-Kart)
TTT117105 87 I	11x7.10-5 TUBE TR-87 Valve (Go-Kart)
TTT356 87 I	4.10/3.50-6 TUBE TR-87 Valve
TTT406 I	4.00-6 TUBE TR-13 Valve
TTT456 87 I	5.30/4.50-6, (15X5.00-6) TUBE TR-87 Valve
TTT456 I	5.30/4.50-6, (15X5.00-6) TUBE TR-13 Valve
TTT506 87 I	13x5.00-6 TUBE TR-87 Valve
TTT506 I	13x5.00-6 TUBE TR-13 Valve
TTT656 I	13x6.50-6 TUBE TR-13 Valve
TTT606 87 I	15x6.00-6, (145/70-6) TUBE TR-87 Valve
TTT606 I	15x6.00-6, (145/70-6) TUBE TR-13 Valve
TTT806 87 I	8.00-6 TUBE TR-87 Valve
TTT308 I	3.50/3.00-8 TUBE TR-13 Valve
TTT408 I	4.80/4.00-8 TUBE TR-13 Valve (Wheelbarrow)
TTT408 87 I	4.80/4.00-8 TUBE TR-87 Valve
TTT508 I	5.70-8, (16X7.50-8) TUBE TR-13 Valve
TTT658 I	16x6.50-8, 16x7.50-8, 18x6.50-8 TUBE TR-13 Valve
TTT858 I	18x8.50-8, 18x9.50-8, 20x8-8 TUBE TR-13 Valve
TTT1008 I	20x10-8, 22x11-8, 21x12-8 TUBE TR-13 Valve
TTT1010 I	20x10-10, 20x8-10, 18x8.50-10 TUBE TR-13 Valve
TTT412 I	4.80/4.00-12 TUBE TR-13 Valve
TTT452 I	5.30/4.80/4.50-12 TUBE TR-13 Valve
TTT8512 I	23x8.50-12, 23x9.50-12 TUBE TR-13 Valve
TTT1012 I	23x10.5-12, 26x12-12 TUBE TR-13 Valve
TTT1212 I	24x12-12, 26x12-12 TUBE TR-13 Valve




TR-13





TR-6




TR-87




TR-150





TR-150



TR - 87 VALVE


TR-13 VALVE



TR-13



TR-87



TR-6

Trailer Tubes

Part Number	Description
TTT408 I	4.80/4.00-8 TUBE TR-13 Valve
TTT508 I	5.70-8, (16X7.50-8) TUBE TR-13 Valve
TTT658 I	16x6.50-8, 16x7.50-8, 18x6.50-8 TUBE TR-13 Valve
TTT858 I	18x8.50-8, 18x9.50-8, 20x8-8 TUBE TR-13 Valve
TTT1010 I	20x10-10, 20x8-10, 18x8.50-10 TUBE TR-13 Valve
TTT412 I	4.80/4.00-12 TUBE TR-13 Valve
TTT452 I	5.30/4.80/4.50-12 TUBE TR-13 Valve
TTTFR12 13 I	FR-12 (RADIAL) TUBE C/W TR13 Valve
TTT17513R 13 I	175/75R-13 (B78) RADIAL TUBE TR-13 Valve (FR-13/14)
TTT20514R 13 I	205/215/75R-14 RADIAL TUBE TR-13 Valve (KR14-15)
TTT7145 300 I	7/ 8 / 9-14.5 TUBE With TR300 Valve
TTT23515R 13 I	225/235/75R-15 RADIAL TUBE TR-13 Valve (MR14/15)
TTT23515R 150 I	700R/215/235/75R15 RADIAL TUBE TR-150 Valve
TTT23516R 150 I	225/235/85R-16 RADIAL TUBE TR-150 Valve (700/750R-16)

Industrial & AG Tubes


Part Number	Description
TTT508 JS2 I	5.70/5.00-8 TUBE JS-2 Valve
TTT878 87 A	18x7-8 TUBE TR-87 Valve
TTT409 JS2 I	4.00/4.80-9 TUBE JS-2 Valve
TTT609 JS2 I	6.00/6.90-9 TUBE JS-2 Valve
TTT6510 JS2 I	6.50/7.50-10 TUBE JS-2 Valve
TTT712 440 I	7.00-12 TUBE TR-440 Valve
TTT9515 13 I	8.5/9.5L-14/15 TUBE TR-13 Valve
TTT28915 440 I	28x9-15 TUBE TR-440 Valve
TTT1115R 13 A	10/11R-15LT RADIAL TUBE TR-13 Valve
TTT11L15 15 I	11L-15/16SL TUBE TR-15CW Valve
TTT5916 15 I	5.50/5.90/6.00/6.40-16SL Tube TR-15 Valve
TTT125L16 15 A	12.5L-15/16SL TUBE TR-15CW Valve
TTT10165 TR15	9.50/10-16.5 TIRE TUBE TR15CW Valve
TTT10165R 15 I	9/10R-16.5 TUBE TR-15 Valve
TTT12165 15 I	12-16.5 TUBE TR15CW Valve

ATV Tubes

Part Number	Description
TTT160807 6 I	16x8.00-7 ATV TUBE TR-6 Valve
TTT20708 6 I	20x7-8 ATV TUBE TR-6 Valve
TTT22118 6 I	22x11-8 ATV TUBE TR-6 Valve
TTT22119 6 I	22x11-9, 22x10-9 ATV TUBE TR-6 Valve
TTT25129 6 I	25x12-9 ATV TUBE TR-6 Valve
TTT21710 6 I	21x7-10, 20.5x8-10, 22x8-10 ATV TUBE TR-6 Valve
TTT22110 6 I	22x11-10 ATV TUBE TR-6 Valve
TTT241110 6 I	24x11-10, 25x11-10 ATV TUBE TR-6 Valve
TTT24911 6 I	23x8-11, 23.5x8-11, 24x9-11 ATV TUBE TR-6 Valve
TTT25112 6 I	25x8-12/25x10-12 ATV TUBE TR-6 Valve
TTT1212R 6 I	AT24x12/26x12R -12 RADIAL ATV TUBE TR-6 Valve

Lawn & Garden

Part Number	# of Links	FITS TIRE SIZE	ALSO FITS TIRE SIZE
MWTC 354	2	4.10 / 3.50 - 4	3.40 / 3.00 - 5
MWTC 356	2	4.10 / 3.50 - 6	4.10 / 3.50 - 5 , 12 X 3.00
MWTC 506	2	13 X 5.00 - 6	13 X 4.00 - 6 , 12.5 X 4.50 - 6
MWTC 456	2	5.30 / 4.50 - 6	*****
MWTC 408	2	4.80 / 4.00 - 8	*****
MWTC 658	2	16 X 6.50 - 8	*****
MWTC 8658	2	18 X 6.50 - 8	*****
MWTC 858	2	18 X 8.50 - 8	*****
MWTC 858 4	4	18 X 8.50 - 8	*****
MWTC 958	2	18 X 9.50 - 8	*****
MWTC 958 4	4	18 X 9.50 - 8	*****
MWTC 1008	2	20 X 10 - 8	*****
MWTC 810	2	20 X 8 - 10	20 X 8 - 8
MWTC 1010	2	20 X 10 - 10	*****
MWTC 1010 4	4	20 X 10 - 10	*****
MWTC 8512 2	2	23 X 8.50 - 12	22.5 X 7.50 - 12
MWTC 8512 4	4	23 X 8.50 - 12	22.5 X 7.50 - 12
MWTC 1012 2	2	23 X 10.50 - 12	23 X 9.50 - 12
MWTC 1012 4	4	23 X 10.50 - 12	23 X 9.50 - 12
MWTC 1212	2	26 X 12 - 12	*****



To Fit Snow Hog Tires

Part Number	# of Links	FITS TIRE SIZE
MWTC 356 SH	2	4.10 / 3.50 - 6
MWTC 506 SH	2	13 X 5.00 - 6
MWTC 408 SH	2	4.80 / 4.00 - 8
MWTC 658 SH	2	16 X 6.50 - 8



V-Bar For ATV's

Part Number	# of Links	FITS TIRE SIZE	FITS TIRE SIZE	FITS TIRE SIZE
MWTC A133568 2	2	22 x 7 - 10, 22 x 8 - 10 22 x 9 - 10, 22 x 10 - 10	23 x 7 - 10, 23 x 8 - 10	24 x 11 - 10, 22 x 8 - 11
MWTC A133570 2	2	22 x 9 - 8, 22 x 11 - 8 22 x 10 - 9, 22 x 11 - 9	22 x 11 - 10, 24 x 11 - 10 22 x 10 - 11, 23.5 x 8 - 11	24 x 8 - 11, 24 x 8 - 12
MWTC A133571 2	2	23 x 10 - 10, 24 x 9 - 11 24 x 10 - 11, 24 x 11 - 11	23 x 10 - 12, 24 x 9 - 12 24 x 10 - 12, 24 x 11 - 12	25 x 8 - 12, 26 x 8 - 12
MWTC A133572 2	2	25 x 11 - 9, 25 x 12 - 9 25 x 11 - 10, 25 x 12 - 10	25 x 10 - 12, 25 x 11 - 12 26 x 10 - 12, 26 x 11 - 12	26 x 12 - 12
MWTC A133575 4	4	22 x 7 - 10, 22 x 8 - 10 22 x 9 - 10, 23 x 7 - 10	23 x 8 - 10, 23 x 11 - 10	23 x 8 - 11
MWTC A133576 4	4	22 x 9 - 8, 22 x 10 - 8 22 x 11 - 8, 20 x 10 - 9	22 x 10 - 9, 22 x 11 - 9 22 x 10 - 10, 22 x 11 - 10	24 x 11.5 - 10, 22 x 10 - 11 23.5 x 8 - 11, 24 x 8 - 11, 24 x 8 - 12
MWTC A133577 4	4	23 x 10 - 10, 24 x 11 - 10 24 x 9 - 11, 24 x 10 - 11	24 x 11 - 11, 23 x 10 - 12 24 x 9 - 12, 24 x 10 - 12	24 x 11 - 12, 24 x 11.5 - 12 25 x 8 - 12, 26 x 8 - 12
MWTC A133578 4	4	25 x 11 - 9, 25 x 12 - 9 25 x 11 - 10, 25 x 12 - 10	25 x 10 - 12, 25 x 11 - 12 26 x 10 - 12, 26 x 11 - 12, 26 x 12 - 12	



Pneumatic Wheel Assemblies

Part Number	Description
BC6PN RB	6x2 PNEUMATIC WHEEL/TT 2-3/16HL 3/4RB 300lb
BC8PN	8" PNEUMATIC WHEEL(250/4) 2.5"CTR HUB 300lb
BC8PN OFF	8" PNEUMATIC WHEEL(250/4) 2-1/8"OFFSET 5/8"BB
BC8PN L	8" PNEUMATIC WHEEL(250/4) 3.25"CTR HUB 300lb
BC10PNSW3P	10"PNEUMATIC 3PC WHEEL 1-7/8"CTR HUB BB 440lbs
BC10PNSW3P OFF	10"PNEUMATIC 3PC WHEEL/SW/50PSI 2-5/16"OFFSET HUB
BC10PNSW3P L34	10"PNEUMATIC 3PC WHEEL/SW/50PSI 4"CTR HUB 440lb
BC10PNSW3P 1RB	10"PNEUMATIC 3PC WHEEL/1"RBx2.91"HL 440lb
BC12PN	12"PNEUMATIC 3PC WHEEL 4ply 3/4"BBx3"HL 495lb
BC12PN L	12"PNEUMATIC 3PC WHEEL4" CTR HUB
BC12PN RB1	12"PNEUMATIC 3PC WHEEL 1"RBx3"CTR HL 500lb
MW506DC TR341	13x500-6 TURF SAVER 2PLY 3PC 2.5HL 34BB
MW406DC3 58BB	4.00-6 WHEELBARROW TIRE COMPLETE(260 lbs)
MW606DC TR341	15x600-6 2ply KENDA TURF,3/4"BBx3-1/4"OFFSET WHEEL 335lb
BC163PN4TT	480/400-8 4ply WHEELBARROW WHEEL/RIB/TT 3"HL x 3/4BB 520lb
BC163PN4TT 1RB	480/400-8 4ply WHEELBARROW WHEEL/RIB/TT 3"HL x 1RB 520lb
BC164PN4TT	480/400-8 4plyWHEELBARROW WHEEL/RIB/TT 4"HL x 3/4BB 520lb

Pneumatic Casters

Part Number	Description
BCPC8PNBBI	8" SWIVEL 280/250-4 PNEUMATIC TIRE/BB 300lb
BCPCBR8PNBBI	8" SWIVEL/BRAKE PNEUMATIC TIRE/BB 300lb
BCPCR8PNBBI	8" RIGID 280/250-4 PNEUMATIC TIRE/BB 300lb
BCPC10PNBBI	10"SWIVEL 410/350-4 PNEUMATIC TIRE/BB 330lb
BCPCBR10PNBBI	10" SWIVEL/BRAKE PNEUMATIC TIRE/BB 330lb
BCPCR10PNBBI	10" RIGID 410/350-4 PNEUMATIC TIRE/BB 330lb

Carefree/Flat-Free Tires

Part Number	Description
TT284 U25 SW	280/250-4(2.50)ELIMINATOR SAWTOOTH(9"O.D.)
TT354 U25 SW	410/350-4(2.50)ELIMINATOR SAWTOOTH (10.2"OD)
TT8304 U250 SM	8x300-4(2.50) ELIMINATOR SMOOTH (8.0"OD)
TT9354 U275 SM	9x3.50-4(2.75)ELIMINATOR SMOOTH(9.0"OD)
TT405 U30 SM	11x4.00-5(3.00)ELIMINATOR SMOOTH(10.4"OD)
TT356 U325 SM	4.10-6(3.25)ELIMINATOR SMOOTH (10.3"OD)
TT408 U25 R	4.80/4.00-8(2.50)ELIMINATOR RIB(16"OD)

Carefree/Flat-Free Wheels

MW408DC3UHDBK BB	480-8 BLK HD RIB FLATFREE ASSEMBLY 1,000lb 3"HL/BB (15"OD)
MW408DC4UHDBK BB	480-8 BLK HD RIB FLATFREE ASSEMBLY 1,000lb 4"HL/BB (15"OD)
MW408DC6UBK BB	400-8 BLK RIB CAREFREE ASSEMBLY 500lb 6" HL/BB (15.5")

Foam Insert/Pneumatic Wheels

Part Number	Description
BC8PNF	(FOAM INSERT)8" PNEUMATIC WHEEL 2.5"CTR HUB 300lb
BC8PNF L	(FOAM INSERT)8" PNEUMATIC WHEEL 1/2"BUSHx3.25"CTR HUB 300lb
BC8PNF OFF	(FOAM INSERT)8" PNEUMATIC WHEEL(250/4) 2-1/8"OFFSET 5/8"BB
BC10PNFSW3P	(FOAM INSERT)10"PNEUMATIC 3PC WHEEL 1-7/8"CTR HUB
BC10PNFSW3P L34	(FOAM INSERT)10"PNEUMATIC 3PC WHEEL 4"CTR HUB
BC10PNFSW3P OFF	(FOAM INSERT)10"PNEUMATIC 3PC WHEEL 2-5/16"OFFSET HUB

Semi-Pneumatic Wheels

Light Duty Plastic Center

Part Number	Description
MW615P OF	6 x 150" DIAMOND/PLASTIC WHEEL 1/2" Bore x 1-3/8" OFFSET 50lb
MW715P OF	7 x 150" DIAMOND/PLASTIC WHEEL 1/2" Bore x 1-3/8" OFFSET 55lb
MW875P OF	8 x 1.75" DIAMOND/PLASTIC WHEEL 1/2" BORE OFFSET 60lb (TORO)
MW110P	10 x 1.75" RIB/PLASTIC WHEEL 1/2" Bore x 2" Centered 80lb

Light Duty Steel Center

MW104	5 x 1.25" RIB/WHITE WHEEL 1/2"BB x 1-3/4"Centered 30lb
MW104 OF	5 x 1.25" RIB/WHITE WHEEL 1/2"BB x 1-3/8" OFFSET 30lb
MW615 R	6 x 150" RIB/WHITE WHEEL 1/2" BB x 1-3/4"Centered 50lb
MW615 OF R	6 x 150' RIB/WHITE WHEEL 1/2" BB x 1-3/8" OFFSET 50lb
MW715 R	7 x 150" RIB/WHITE WHEEL 1/2" BB x 2"Centerd 55lb
MW715 OF R	7 x 1.50" RIB/WHITE WHEEL 1/2" BB x 1-3/8" OFFSET 55lb
MW875 R	8 x 1.75" RIB/WHITE WHEEL 1/2" BB x 2" Centerd 60lb
MW875 OF R	8 x 1.75" RIB/WHITE WHEEL 1/2" BB x 1-3/8" OFFSET 60lb
MW110	10 x 1.75" RIB/WHITE WHEEL 1/2" BB x 2-1/16" Centered 80lb
MW110 OF	10 x 1.75" RIB/WHITE WHEEL 1/2" BB x 1-1/2" OFFSET 80lb
MW113	12 x 1.75" RIB/WHITE WHEEL 1/2" BB x 2-1/4" Centered 90lb

Heavy Duty Steel Center

MWZP61 HD B	6 x 2" SOLID RIB WHITE WHEEL 3/4"BUSHING x 2-1/2"Centered 200lb
MWZP61HD BB OF	6 x 2" SOLID RIB/WHITE WHEEL 3/4" BB x 1.75" OFFSET 200lb
MW875 58 HD	8 x 1.75" HD RIB/WHITE WHEEL 5/8" BB x 2"Centered 110lb
MW875 58 OF HD	8 x 1.75" HD RIB/WHITE WHEEL 5/8" BB x 1-3/8" OFFSET 110lb
MW110 58 HD	10 x 1.75" HD RIB/WHITE WHEEL 5/8" BB x 2-1/16" Centered 150lb
MW110 58 OF HD	10 x 1.75" HD RIB/WHITE WHEEL 5/8" BB x 1-1/2" OFFSET 150lb
MWZP11025 2O1	10 x 2.75" HD RIB/SILVER WHEEL 3/4" BB x 2-1/4" OFFSET 250lb
MWZP11025 3C1	10 x 2.75" HD RIB/SILVER WHEEL 3/4" BB x 3" Centered 250lb
MW113 58 HD	12 x 1.75" HD RIB/WHITE WHEEL 5/8" BB x 2-1/4" Centered 150lb
MWZP121HD 3C1	12 x 3" HD RIB/SILVER WHEEL 3/4" BB x 3" Centered 350lb
MWZP121HD 3C4	12 x 3" HD RUBBER/STEEL 1"BUSHING x 3" Centered 350lb
MW114 34 HD	14 x 1.75" HD RIB/WHITE WHEEL 3/4" BB x 2-1/4" Centered 150lb
MWZP161HD 44	16 x 4" HD RIB/WHITE WHEEL 1"BORE x 4"Centered 625lb

Spoked Center

MWSP 12R 12BB	12 x 1.75" RIB/SPOKED WHEEL 1/2" BB 90lb
MWSPP 12HD 58BB	12 x 1.75" RIB/PLASTIC SPOKE WHEEL 5/8" BB 175lb
MWSPP 20HD 58BB	20 x 1.75" DIAMOND/PLASTIC SPOKE WHEEL 5/8" BB 200lb

Plastic Deck Wheels

MWPL320 NR	3 x 2" PLASTIC NESTING ROLLER 1/2" PLN BORE
MWPL320 NR EC	3 x 1" END CAP 1/2" PLN BORE FOR Use With PL320-NR
MWPL440	4 x 4" PLASTIC SPOKED WHEEL 5/8" PLN BORE
MWPL5275 CTR	5 x 2.75" ROUNDED-PLASTIC WHEEL 3-5/16"CENTERED x 1/2"HUB
MWPL5275 OF	5 x 2.75" ROUNDED-PLASTIC WHEEL 2.5" OFFSET 5/8"PLAIN BORE
MWPL530 JD	5 x 3" ROUNDED-PLASTIC WHEEL 2-1/2"OFFSET 1/2'PLAIN BORE

Shoulder Bolts

MWAB 5	Axle Bolt <1-3/8"SHOULDER> 1/2 x 3/8" Threaded
MWAB 6	Axle Bolt <1-7/16"SHOULDER> 1/2 x 3/8" Threaded
MWAB 7	Axle Bolt <1-1/2"SHOULDER> 1/2 x 3/8" Threaded



Bearings & Bushings

		Grafoil Bushings
Part Number	Description	
MWTB 58	5/8 x 1-1/8" GRAFOIL BUSHING	
MWTB 34	3/4 x 1-1/8" GRAFOIL BUSHING	
MWIB 12	1/2 x 1-3/8" GRAFOIL BUSHING	
MWIB 58	5/8 x 1-3/8" GRAFOIL BUSHING	
MWIB 34	3/4 x 1-3/8" GRAFOIL BUSHING	
MWIB 78	7/8 x 1-3/8" GRAFOIL BUSHING W/FLAT SIDE	
MWIB 1	1 x 1-3/8" OIL LITE BUSHING (3/4"LONG)	
		Delrin Bearings
BCDF38118	3/8" x 1-1/8" FLANGED DELRIN BEARING	
BCDF12118	1/2" x 1-1/8" FLANGED DELRIN BEARING	
BCDF58118	5/8" x 1-1/8" FLANGED DELRIN BEARING	
BCDF12138	1/2" x 1-3/8" FLANGED DELRIN BEARING	
BCDF58138	5/8" x 1-3/8" FLANGED DELRIN BEARING	
BCDF34138	3/4" x 1-3/8" FLANGED DELRIN BEARING	
BCDF10138	1" x 1-3/8" FLANGED DELRIN BEARING	
		Flanged Ball Bearings
MWTBB 38	3/8 x 1-1/8" FLANGED BALL BEARING	
MWTBB 76	7/16 x 1-1/8" FLANGED BALL BEARING	
MWTBB 12	1/2 x 1-1/8" FLANGED BALL BEARING	
BCBB12138	1/2 x 1-3/8" FLANGED BALL BEARING	
BCBB58138	5/8 x 1-3/8" FLANGED BALL BEARING	
BCBB34138	3/4 x 1-3/8" FLANGED BALL BEARING	
		Flanged Precision Bearings
BCPBF12138	1/2" x 1-3/8" FLANGED PRECISION BEARING	
BCPBF58138	5/8" x 1-3/8" FLANGED PRECISION BEARING	
BCPBF34138	3/4" x 1-3/8" FLANGED PRECISION BEARING	
		Flanged Roller Bearings
BCRF58138	5/8" x 1-3/8" 1pc FLANGED ROLLER BEARING & SLEEVE	
BCRF34138	3/4" x 1-3/8" 1pc FLANGED ROLLER BEARING & SLEEVE	
		Roller Bearings
BCRB58138100	5/8" x 1-3/8 x 1" ROLLER BEARING (96216NA)	
BCRB58138225	5/8" x 1-3/8" x 2.25" ROLLER BEARING (96236NA)	
BCRB58138325	5/8" x 1-3/8" x 3.25" ROLLER BEARING (96252NA)	
BCRB34138100	3/4" x 1-3/8" x 1" ROLLER BEARING (95316NA)	
BCRB34138150	3/4" x 1-3/8" x 1-1/2" ROLLER BEARING (95324NA)	
BCRB34138225	3/4" x 1-3/8" x 2.25" ROLLER BEARING (95336NA)	
BCRB34138250	3/4" x 1-3/8" x 2.5" ROLLER BEARING (95340NA)	
BCRB34138275	3/4" x 1-3/8" x 2.75" ROLLER BEARING (95344NA)	
BCRB34138325	3/4" x 1-3/8" x 3.25" ROLLER BEARING (95352NA)	
BCRB78138250	7/8" x 1-3/8" x 2-1/2" ROLLER BEARING (94440NA)	
BCRB10138100	1" x 1-3/8" x 1" ROLLER BEARING (93516NA)	
BCRB10138150	1" x 1-3/8" x 1.5" ROLLER BEARING (93524NA)	
BCRB10138134	1" x 1-3/8" x 1.75" ROLLER BEARING (93528NA)	
BCRB10138225	1" x 1-3/8" x 2.25" ROLLER BEARING (93536NA)	
BCRB10138250	1" x 1-3/8" x 2.5" ROLLER BEARING (93540NA)	
BCRB10138325	1" x 1-3/8" x 3.25" ROLLER BEARING (93552NA)	
<<< RETAINERS MUST BE USED WITH ABOVE ROLLER BEARINGS >>>		
MWRT 5814	5/8" x 1-3/8" RETAINER BUSHING/ 1/4" PRESS	
MWRT 3414	3/4" x 1-3/8" RETAINER BUSHING/ 1/4"PRESS	
MWRT 114	1" x 1-3/8" RETAINER BUSHING/ 1/4"PRESS	

NOTE: Bearings to fit most Pneumatic & Semi-Pneumatic assemblies, with 1, 2 or 3 piece wheels.

SECTION	PAGE	CONTENTS
ATV Wheels	1 - 4	- ITP - Plain, Modular, Delta, T-9 Aluminium, C-7, SS106, SS108,
		- ITP - SS112, SS212, SS312, Spacer Kits
		- Motorsport Alloys - M6/Nuke, M7/Trooper, M9/Patriot, M10/Reaper, M12/Diesel
ATV Tracks	5	- ITP - Caps & Nuts
		- CAMOPLAST - Tatou 4S Tracks
ATV Sport Tires	6	- CARLISLE - Trail Wolf Sport - ITP - Holeshot, Mudlite AT & SP
		- KENDA - Front Max - MAXXIS - Razr Sport
ATV Utility Tires	7	- KENDA - Bear Claw, Executioner
		- CARLISLE - Mud Wolf - EFX - Moto Max
	8	- ITP - Mudlite XL & XXL, 589M/S - MAXXIS - Mud Bug
	9	- CARLISLE - Black Rock - MAXXIS - Zilla, Mudzilla
UTV / ATV Tires	10	- HIGHLIFTER - Outlaw - GORILLA - Silverback - EFX - Moto Monster
		- EFX - Moto 350
	11	- ITP - Ultracross, Holeshot SXS, Bajacross, Terracross R/T
ATV Tires	12	- EFX - Moto MTC - ITP - Mudlite XTR - CARLISLE - AT489
		- CARLISLE - Fast Trax, All Trail, Trail Wolf, HD Field Trax
	13	- ITP - Tundracross - KENDA - Scorpion
Golf Cart Tires & Wheels	14	- CARLISLE - Knobby, Turf Tamer, Stryker
		- KENDA - Multi-Rib, Hole-N-1, Pro Tour - EFX - Pro-Rider
	15	- CARLISLE - Turf Glide, Links, Fairway Pro
Turf Tires	16	- FAIRWAY ALLOYS - Driver, Hazard, Marshall, Aggressor & Renegade
		- KENDA - Turf Rider, Turf Max, Turf Boss, Super Turf
	17	- CARLISLE - Turf Mate
	18	- CARLISLE - Turf Saver, Turf CTR, Ultra Trac
	19	- CARLISLE - Multi Trac C/S, Turf Master
	20	- CARLISLE - Turf Trac R/S, Smooth
Slow Speed Tires	21	- KENDA - Straight Rib, Slick, Grey Rubber
		- CARLISLE - Multi-Rib, Straight Rib
Slow Speed Rims	22	- KENDA - Stud, Sawtooth
		- CARLISLE - Stud, Sawtooth, X-Trac, Snow Hog
 Tubes	23	- MARTIN WHEEL - 3pc Rims & Hubs, Go-Kart Parts
		- MARTIN WHEEL - 1pc Integral Hub Rims, 2pc Integral Hub Rims
Tire Chains	24	- MARTIN WHEEL - 3pc Rims & Hubs, Go-Kart Parts
		- MARTIN WHEEL - 1pc Integral Hub Rims, 2pc Integral Hub Rims
Pneumatics	25	Lawn & Garden
		Trailer, Industrial, Agricultural, ATV
Semi-Pneumatics	26	Lawn & Garden, ATV
		Pneumatic Wheels, Pneumatic Casters, Flat Proof Wheels
Parts	27	- MARTIN WHEEL - Semi-Pneumatic Wheels
		Bearings, Bushings, Bolts For Slow Speed Wheels

Specialty
Tire & Wheel

Winnipeg

880 Century St.
Winnipeg, MB,
Canada, R3H 0M5
Tel: (204) 783-5497
Fax: (204) 786-5997
Toll Free: 888-716-8686
info@specialtytire.ca

Specialty
Tire & Wheel

Calgary

421 53rd Ave
Calgary, AB,
Canada, T2H 1K8
Tel: (403) 252-3055
Fax: (403) 287-3503
Toll Free: 800-661-6600
info@specialtytire.ca

Casterland

Surrey

112 - 13030 76 Ave.
Surrey, BC,
Canada, V3W 2V6
Tel: (604) 543-7744
Fax: (604) 543-7966
Toll Free: 800-661-6600
info@casterland.com

Casterland

Edmonton

#3 - 9743 - 51 Ave
Edmonton, AB,
Canada, T6E 4W8
Tel: (780) 432-5575
Fax: (780) 432-5780
Toll Free: 800-661-6600
info@casterland.com

Casterland

Winnipeg

875 Century St.
Winnipeg, MB,
Canada, R3H 0M3
Tel: (204) 783-5500
Fax: (204) 775-7977
Toll Free: 800-661-6600
info@casterland.com

www.Specialtytire.ca