

2018/19  
Catalogue

# Lloyds

SINCE 1919

ORIGINAL  
PURPLE

MOOVIT

LOO BIT

V  
TREME CLEAN

KLEENS-IT

AD1000

GLEEMIT

AIR MOTOR  
OIL

AD2000

Green  
Power

KRYPTONITE

AD3000

ALUMINUM  
MAGIC

PURE  
PREP





Lloyds: A Canadian Environmental story, almost 100 years in the making. Lloyds Laboratories was founded in Toronto in 1919 as a manufacturer of quality, unique cleaning and lubricating products with a vision to the future and a responsibility to the environment. We have continued to build on that foundation and today offer a wide variety of superior products. We believe there is no place in the market for mediocre products.


We can show you that our products can and do work better than harsh solvents, acids and caustics. Soon the day of pouring petroleum hydrocarbons into our land, water and air will be gone. This is our vision for safer chemistry with no compromise of performance.

Lloyds Laboratories Inc. is proud to achieve registration as an Eco Logo manufacturer. This is assurance for you and your customers that every part of our product has met the stringent international standards to be environmentally sustainable with minimal aquatic toxicity through independent testing and auditing.



Expertise and experience in many areas of industry, food production, fleet maintenance, agriculture, logging, and mining have allowed us to successfully address our customers needs for safer chemistry with improved performance.

Lloyds products are a natural fit in the food industry with over 50 products approved and accepted for use in food establishments.



Lloyds Laboratories is committed to becoming the most trusted brand of authentic, safe and environmentally responsible products for a healthy workplace, industry and home.

Lloyds Laboratories Inc. - a proud Canadian manufacturer for 99 years.  
Looking forward to our 100th anniversary in 2019.



# Index

## Products (Alphabetical)

5th Wheel Lubricant.....	9	Find-It.....	34	Ms Moly Semi-Synthetic Open Chain Lube.....	9
Acetone.....	36	Fog-It.....	35	Nanoclean Car Wash.....	27
AD1000.....	6	Food Grade Aluminum Complex EP1...9		Nanoclean Truck Wash.....	27
AD2000.....	7	Fuel Stabilizer.....	36	Nanolube Cold Weather Antigel.....	37
AD3000.....	7	Garage Door Lubricant.....	10	Nanolube Diesel Fuel Treatment.....	37
AD OFF.....	19	Garage Floor Cleaner.....	20	N.E.W. System Sealant.....	13
Air Brake Anti-Freeze.....	35	Glass Cleaner.....	19	Odor Stop.....	21
Air Intake Cleaner.....	34	Gleemit.....	23	Orbit.....	22
Air Motor Oil.....	8	Good to Go Tire Dressings.....	29	Original Purple.....	17
Aluminum Magic.....	24	Green Power.....	18	Paint Thinner.....	36
Aluma X Brite.....	24	Gun Wash.....	36	Permanent Thread Lock.....	14
Amazing Adhesive Black.....	14	H.P. Activator.....	32	Plastic Plus.....	30
Amazing Adhesive Clear.....	14	Hand Dish & Laundry Liquid.....	21	Prestige Pink.....	26
Animal Repellent.....	15	Heavy Duty Silicone Lubricant.....	10	Protec 2000 UV Protectant.....	29
Apple Power.....	21	High Strength Insect Repellent.....	15	PTFE Pipe Sealant.....	14
Asphalt Release.....	40	In-Spec.....	15	Pure Prep.....	12
Belt Dressing.....	10	Isocare 10% Disinfectant.....	25	Pure Solve.....	16
Biological Degreaser.....	31	Isocare Fast RTU Disinfectant.....	25	Rain-O Windshield and Glass Treatment.....	35
Biological Grease Trap Maintenance & Floor Cleaner.....	31	Iso Care Hair and Body Wash.....	26	Rain-O Windshield Washer Fluid Additive.....	35
Biosolve.....	27	Isocare M.R.S.....	32	Real Steel.....	12
Brake Caliper Lube.....	8	Isocare M.V.R.....	32	Red Heavy Lithium Grease.....	9
Breeze Sicle.....	21	Isocare No Rinse Food Contact Surface Sanitizer.....	25	Red Lithium Grease.....	9
Carburetor and Choke Cleaner.....	34	Kleens-It Citrus Cleaner.....	18	Removable Thread Lock.....	14
Carpet Cleaner.....	20	Kleens-It Electrical Contact Cleaner....	16	Resin Remover.....	42
Citrus Power.....	21	Kleens-It Electronic Contact Cleaner..	16	ReMoovit.....	32
ClearWeld.....	14	Kleens-It Flexo Ink Cleaner.....	38	Restaurant Hood Cleaner.....	20
Cold Galvanizing Zinc Rich Primer...22		Kleens-It Non Chlorinated Brake Parts Cleaner.....	13	Roll-It.....	16
Concrete Cure & Seal.....	39	Kleens-It Non Flammable Brake Parts Cleaner.....	13	Rubberized Undercoating.....	22
Concrete Form Release (High Purity Mineral Oil).....	40	Kleens-It Synthetic.....	18	Salt Shield.....	33
Concrete Form Release (Natural Plant Base).....	40	Kleens-It UV Ink Cleaner.....	38	Self Serve Car Wash Products.....	28
Concrete Guard & Sealer.....	39	Kryptonite.....	11	Separating Degreaser.....	31
Concrete Remover/Cleaner (Acid Based).....	39	Lacquer Thinner.....	36	Skin Barrier Cream.....	26
Concrete Remover/Cleaner.....	39	Lime Calcium and Rust Remover.....	20	Spider Control.....	15
Commercial Fiberglass Repair Kits....12		Lock De-Icer.....	33	Strip-It.....	19
Commercial Gelcote Repair Kits.....	12	LOOBIT.....	6	Strip-It Green.....	19
Cosmetics for Leather.....	30	LX4Hands.....	26	Synthetic Air Motor Oil.....	8
Crystal Clear.....	16	LX 2000.....	18	Threadlocker Assorted 4 pack.....	14
De-Ice.....	33	Methyl Hydrate.....	36	Tip Shield.....	23
Drain Opener.....	21	Mineral Spirits.....	36	Tire Lube.....	35
Dry Film Lubricant.....	10	M Mirror.....	30	Toilet Bowl Cleaner.....	21
Dust-It.....	16	Mold & Mildew Remover.....	32	Top-It.....	22
Dust-It 2.....	16	Moly Lithium EP Grease.....	9	USP Aerosol Sanitary Lubricant.....	10
Eco-Air.....	34	MOOVIT.....	5	Velour & Fabric Cleaner.....	29
Ejector Pin Lubricant.....	41	Mould Cleaner (Fast Drying, Non Chlorinated).....	42	Wasp & Hornet Blaster.....	15
Engine Shampoo.....	34	Mould Cleaner and Degreaser.....	42	Water & Stain Repellent.....	33
Enviro Rust.....	23	Mould Release - Economy.....	41	Web Bond.....	22
Enviro Rust Gel.....	23	Mould Release - Food Grade.....	41	Welder's Anti-Spatter.....	23
Essential Scents.....	30	Mould Release - Paintable.....	41	White Lithium Grease.....	9
Ethanol.....	36	Mould Release - Silicone Based.....	41	Xtreme Clean.....	17
Ethanol Fuel Treatment and System Cleaner.....	36	Mould Saver.....	42	Xylene.....	36
Fight Back.....	19	MS Copper Anti Seize Compound.....	8		
		MS Moly Anti Seize Compound.....	8		

**Products Accepted for Use in Food Establishments**

Reference Listing of Accepted Construction Materials, Packaging Materials and Non-Food Chemical Products

**HEALTH CANADA  
CFIA REGISTERED**

Health Canada had jurisdiction over Federally inspected food plants. Originally the CFIA was the original governing body overseeing chemical cleaning products. Due to reorganization, the review of these products is now reviewed by the Bureau of Chemical Safety. They review the formulation and contents of the label to ensure that the product is safe for food plant use. Then a letter of no objection is issued allowing for use in food plants.

PRODUCT NAME	PAGE REF. #	ACCEPTANCE DATE
AD2000	page 7	1994/06/07
AD3000	page 7	2007/07/11
Air Motor Oil	page 8	2007/07/11
Food Grade Aluminum Complex EP1	page 9	2010/08/05
Biological Floor Cleaner	page 31	2009/12/17
Cold Galvanizing Zinc Rich Primer	page 22	2010/08/05
Dry Film Lubricant	page 10	2010/02/22
Dust-It	page 16	2008/09/04
Dust-It 2	page 16	2009/12/17
Enviro Rust	page 23	2010/08/03
Find-It Gas Leak Detector	page 34	2010/05/02
Gleemit	page 23	1994/06/07
Green Power	page 18	2007/01/08
Isocare No Rinse Food Surface Sanitizer	page 25	2017/04/28
Kleens-It Citrus Cleaner	page 18	1994/06/07
Kleens-It Electronic Contact Cleaner	page 16	2009/12/17
Kleens-It Industrial Electrical Contact Cleaner	page 16	2009/12/17
Lime, Calcium and Rust Remover	page 20	2010/08/05
LOOBIT	page 6	2007/07/11
LX4Hands	page 26	2007/10/07
LX 2000	page 18	2007/07/11
Moly Lithium EP2	page 9	2009/11/25
MOOVIT	page 5	1994/06/07
Mould Cleaner - Fast Drying, Non Chlorinated	page 42	2010/02/22
Mould Cleaner and Degreaser	page 42	2007/04/12
Mould Release - Economy	page 41	2008/09/04
Mould Release - Food Grade	page 41	2008/09/04
Mould Release - Paintable Co Polymer	page 41	2008/09/04
Mould Release - Silicone Based	page 41	2008/09/04
Mould Saver	page 42	2010/02/22
Ms Moly Anti Seize Compound	page 8	2010/01/13
Ms Moly Chain Lube	page 9	2007/07/11
Orbit Metal Cutting & Threading Oil	page 22	2011/11/03
Permanent High Strength Thread Lock	page 14	2010/10/07
Carpet Cleaner	page 20	2007/10/07
Pure Solve	page 16	2008/09/04
Original Purple	page 17	2009/12/11
Red Heavy Lithium Grease EP2	page 9	2009/11/25
Removable Medium Strength Thread Lock	page 14	2010/10/07
Resin Remover	page 42	2007/04/12
Restaurant Hood Cleaner	page 20	2010/10/07
USP Aerosol Sanitary Lubricant	page 10	2009/10/28
Silicone Lubricant	page 10	2008/09/04
Synthetic Air Motor Oil	page 8	2010/02/22
White Lithium Grease aerosol	page 9	2010/03/26
Xtreme Clean	page 17	2009/12/11



## LUBRICANTS COMPARISON CHART

	Page Reference	CFIA	Non Flammable (bulk)	Corrosion Inhibitor	Extreme Pressure	Solvent Free	Moly Based	Lithium	Silicone	PTFE	Copper	Temperature Range
<b>Wet Film Lubricants</b>												
Moovit	Pg. 5	✓	✓	✓	✓							
AD2000	Pg. 7	✓	✓	✓	✓							
AD3000	Pg. 7	✓	✓	✓	✓							
Loobit	Pg. 6	✓	✓	✓	✓							
Ms Moly Open Chain Lube	Pg. 9	✓	✓	✓	✓	✓						
<b>Dry Film Lubricants</b>												
Heavy Duty Silicone Lubricant	Pg. 10	✓						✓				
Dry Film Lubricant with PTFE	Pg. 10	✓							✓			
<b>Penetrating</b>												
Moovit	Pg. 5	✓	✓	✓	✓							
<b>Food Grade</b>												
USP Aerosol Sanitary Lubricant	Pg. 10	✓	✓		✓	✓						
Food Grade Aluminum Complex EP1	Pg. 9	✓	✓	✓	✓	✓						
Food Grade Mould Release	Pg. 41	✓			✓			✓				262°C (500°F)
<b>Anti Seize Compounds</b>												
MS2 Moly	Pg. 8		✓	✓	✓	✓	✓					982°C (1800°F)
MS Moly Copper	Pg. 8		✓	✓	✓	✓				✓		982°C (1800°F)
<b>Grease</b>												
White Lithium Grease (aerosol)	Pg. 9	✓		✓	✓		✓		✓			262°C (500°F)
Red Lithium Grease (aerosol)	Pg. 9	✓		✓	✓		✓					262°C (500°F)
Food Grade Aluminum Complex EP1	Pg. 9	✓	✓	✓	✓	✓	✓					262°C (500°F)
Red Lithium Complex #2	Pg. 9	✓	✓	✓	✓	✓	✓					262°C (500°F)
Moly Lithium EP#2	Pg. 9	✓	✓	✓	✓	✓	✓					262°C (500°F)

## CLEANERS / DEGREASERS COMPARISON CHART

	Page Reference	Eco Certified	Biological Enzymes	Orange Terpenes	Non Corrosive	Mild Irritant	Botanical Surfactants	CFIA	Health Canada Reg. Disinfectant	Non Acid	Non Chlorine	Non Hydrogen Peroxide
<b>Cleaners / Degreasers</b>												
Original Purple	Pg. 17	✓			✓		✓	✓	✓	✓	✓	✓
Xtreme Clean	Pg. 17	✓			✓		✓	✓	✓	✓	✓	✓
Biological Parts Cleaner	Pg. 31	✓	✓		✓	✓	✓		✓	✓	✓	✓
Biological Floor and Drain	Pg. 31	✓	✓		✓	✓	✓		✓	✓	✓	✓
Kleens-It Citrus	Pg. 18			✓	✓	✓	✓		✓	✓	✓	✓
LX2000	Pg. 18			✓	✓	✓	✓		✓	✓	✓	✓
Isocare Fast RTU Disinfectant	Pg. 25							✓	✓	✓	✓	✓
Isocare 10% Disinfectant	Pg. 25							✓	✓	✓	✓	✓
Isocare No Rinse Food Surface Sanitizer	Pg. 25						✓	✓	✓	✓	✓	✓
Nanoclean Car Wash	Pg. 27			✓		✓			✓	✓	✓	✓
Nanoclean Truck Wash	Pg. 27			✓	✓	✓			✓	✓	✓	✓
Aluminum Magic	Pg. 24			✓	✓	✓			✓	✓	✓	✓
AlumaXBrite	Pg. 24			✓	✓	✓			✓	✓	✓	✓
Concrete Remover / Cleaner	Pg. 39			✓	✓	✓			✓	✓	✓	✓
Concrete Remover / Cleaner (Acid Based)	Pg. 39								✓	✓	✓	✓

# MOOVIT™

## THE HIGH PERFORMANCE PENETRATING LUBRICANT

- One product - 1000s of uses • Powerful lubricant and penetrant
- Fast long lasting lubrication (lasts in excess of 1 year without evaporation)
- Superior performance (100% active ingredients - use less - better value)
- Environmentally friendly • Non flammable as a liquid
- Ensures smooth operation of machinery and fine mechanisms
- Loosens rusted and frozen parts • Added corrosion protection
- Non chlorinated formulation
- Reduces wear caused by friction and corrosion
- Non drying light oily film for all indoor / outdoor equipment
- Displaces moisture • User friendly, Solvent free • Inverted spray valve (360°)

Moovit is blended from the highest quality natural ingredients, uniquely formulated to loosen rusted, seized parts, nuts and bolts with ease. Moovit's molecular capillary action combined with superior lubrication reduces torque and thread wear, requiring less replacement of parts, machinery and equipment. Moovit is user friendly, compatible with all metals, alloys, plastic, and rubber. Moovit's many uses include: bearings, valves, cables and linkage, dies, bits, fasteners, unseizing seized motors, threading and tapping oil, air tool lubricant, metal parts, parts in storage, production equipment, pulleys, rollers, tire mounting, etc.

Save time and money with the original Moovit formulation since 1919. No mechanic's tool chest is complete without Moovit. "Muscles in every can".

### TECHNICAL DATA

Flash point +200°C Close cup ASTM D93

Pour point -50°C

Cloud point -28°C

Viscosity 95 Cts

Specific gravity .8548

PART#	SIZE
11008	200 g (8 oz) aerosol
11014	350 g (14 oz) aerosol
13020	350 g (14 oz) aerosol (Bag-On-Valve)
12004	4 ltr jug (1.06 gal)
12016	455 ml (16 oz) bottle c/w sprayer
12020	20 ltr pail (5.25 gal)
12045	205 ltr drum (54.16 gal)
13010	284 ml (10 oz) precision pump
13045	90 ml (3.2 oz) precision pump
18888	Empty 16 oz bottle with trigger sprayer
12001	Empty 1 ltr bottle with trigger sprayer



# LOOBIT™

## MULTI LUBRICANT & WIRE ROPE DRESSING

- User friendly, easy, clean application • Non flammable as a liquid
- Non solvent • Non drying properties for superior lubrication
- WHMIS/OSHA non-controlled • Environmentally friendly
- Impervious to moisture, salt, most chemicals and gasses
- Will not attract dust, dirt and abrasives • Dielectric strength to 34,000 volts
- Effective to -50°C • Inverted spray valve (360°) • Withstands extreme pressures
- Compatible with plastic/nylon, rubber, natural materials and all metal alloys
- Will not cause static electricity • Compatible with I.W.R.C. and fibre core wire rope



Loobit is a heavy-duty lubricant formulated for use on wire rope and internal control cable. This superior long lasting lubricant leaves a clear protective film that is always active. Loobit has proven itself superior as a medium viscosity, clean, environmentally friendly wire rope dressing since its introduction more than 60 years ago.

Loobit works so well because it lubricates and penetrates under high pressures and extreme fluctuations in temperature. The internal strands within wire rope are lubricated to the core where the lubrication and corrosion protection are required. Loobit displaces moisture. Creosote, asphalt and grease dressings sit on the surface and condensate moisture inside the core, which leads to corrosion, increased wear and shortened life expectancy. After application Loobit is almost invisible. Metal on metal wear is greatly reduced. Loobit works in the cable not on it. Loobit will not accumulate on cable supports and drive mechanisms.

PART#	SIZE
31014	350 g (14 oz) aerosol
33020	350 g (14 oz) aerosol (Bag-On-Valve)
32004	4 ltr jug (1.06 gal)
32016	455 ml (16 oz) bottle c/w sprayer
32020	20 ltr pail (5.25 gal)
32045	205 ltr drum (54.16 gal)
33010	284 ml (10 oz) precision pump
38888	Empty 16 oz bottle with sprayer

### TECHNICAL DATA

Flash point +220°C  
 Close cup ASTM D93  
 Pour point +90°C  
 Cloud point -20°C  
 Viscosity 400 Cts  
 Dielectric Strength 34,000 volts



# AD1000™

## AMBER - WAX BASED DRIPLESS OIL ANNUAL RUSTPROOFING

- Excellent Protection for Electrical Connections and Wiring Harnesses
- Compatible with Rubber, Plastic, Vinyl and Painted Surfaces

A very high quality mineral oil based coating that offers exceptional protection against corrosion. It can be applied to both the interior panels and exterior chassis of vehicles. Ideal for use on new and old cars. This product should be applied annually as part of a preventative maintenance program to eliminate corrosion. AD1000 is a valued priced, low odour and clean product that meets and exceeds ASTM specifications for salt spray endurance and corrosion protection. Ideal for inside body panels and all exterior exposed chassis components.

Application rate: 1.5 to 2 litres per midsized vehicle.

PART#	SIZE
21414	400 g (20 oz) aerosol
21404	4 ltr jug (1.06 gal)
21420	20 ltr pail (5.5 gal)
21445	205 ltr drum (55 gal)



# AD2000™

## SUPER CUSHION LUBRICANT AND CORROSION INHIBITOR

- Completely dielectric (eliminates short circuits caused by condensation)
- Naturally suited for vehicle undercoating and inside door panels
- WHMIS/OSHA non controlled, non hazardous · Solvent free · Inverted spray valve (360°)
- Creeps to reach and protect hidden surfaces · Maintains equipment like new
- Solvent Free · Non Toxic · Silicone/Teflon free · Won't collect dust, dirt & grime
- Ideal for wiring harnesses and connections

Original formulation from the 1960's. AD2000 anti-corrosion formula is a lubricant that prevents and deactivates corrosion on metals, alloys, plastic and rubber on contact. It safely lubricates to ultra fine tolerances to eliminate squeaks and penetrates to leave a clean, non-drying, non-sticky residue. Ideal for new and older equipment or parts when in storage, during transit or in operation.

One of the best lubrication and corrosion control agents formed in nature today. Protective qualities. Starts working immediately.

### TECHNICAL DATA

Flash point +210°C  
 Close cup ASTM D93  
 Dielectric Strength 34,000 volts  
 Pour point 0°C  
 Medium Viscosity 350 Cts  
 Specific gravity .8850



PART#	SIZE
21008	200 g (8 oz) aerosol
21014	350 g (14 oz) aerosol
23020	350 g (14 oz) aerosol (Bag-On-Valve)
22004	4 ltr jug (1.06 gal)
22016	455 ml (16 oz) bottle c/w sprayer
22020	20 ltr pail (5.25 gal)
22045	205 ltr drum (54.16 gal)
23010	284 ml (10 oz) precision pump
28888	Empty 16 oz bottle with trigger sprayer

# AD3000™

## DRIPLESS ANTI-CORROSION BARRIER FILM AND UNDERCOATING LUBRICANT

- Can be applied over damp/dry surfaces · Repels & resists water washout
- Solvent free · Contains natural lanolin and wool wax
- Provides long term protection · High viscosity for thicker film application
- WHMIS/OSHA non controlled, non hazardous · Inverted spray valve (360°)
- May be sprayed with standard spray equipment
- Protects and preserves wiring harnesses and connections

Ideal for coating existing equipment parts and vehicles for extended service life and preventative maintenance. AD3000 may be applied over rust where it penetrates to the pores of the base metal, sealing out moisture and oxygen eliminating all rust formation with state of the art corrosion inhibitors.

AD3000 stops steel from rusting, aluminum, magnesium and copper from oxidizing and chrome and brass from pitting. Eliminate the destructive effects of harsh chemicals including salt, calcium chloride and carboric acids. AD3000 is compatible with electrical connectors, rubber bushings, moldings, plastic and fiberglass. A non evaporating liquid product with lubricant qualities. Environmentally safe. Long lasting protection against corrosion.



PART#	SIZE
21514	350 g (14 oz) aerosol
22504	4 ltr jug (1.06 gal)
22520	20 ltr pail (5.25 gal)
22545	205 ltr drum (54.16 gal)



## AIR MOTOR OIL

### • Ideal for high and low temperature applications

Tested and formulated with a natural base to maintain the internal mechanisms and "O" rings present in most hand held air tools and pneumatic logic controls and valves. Works extremely well to encapsulate and protect against moisture damage. No freeze pink formula also suitable for construction and underground pneumatic torpedo / boring equipment requiring protection in high pressure, high speed, low temperature applications.



PART #	SIZE
62004	4 ltr jug (1.06 gal)
62008	237 ml (8 oz) bottle
62016	455 ml (16 oz) bottle
67020	20 ltr pail (5.25 gal)
67045	205 ltr drum (55 gal)

## SYNTHETIC AIR MOTOR OIL

Ideal for compressors and pneumatic equipment being used in high humidity and sub zero conditions. 100% synthetic formulated to meet the special industrial requirement. It evacuates water and eliminates any ice buildup and frost in air tools and pneumatic equipment. Blended rust and corrosion inhibitors and allows operation down to -50°C.



PART #	SIZE
68008	237 ml (8 oz) bottle
68016	455 ml (16 oz) bottle
68020	20 ltr pail (5.25 gal)
68045	205 ltr drum (55 gal)

## MS<sub>2</sub> MOLY™ Anti Seize Compound

### • Effective in extreme temperatures up to +1100°C(+2000°F) • Does not separate in container

A natural molybdenum disulphide based anti-seize compound in a non-melt grease base. Eliminates seizure, galling, fretting & corrosion of threaded connections. Ideal for pre-treatment of mould assembly, studs, exhaust systems, spark plugs, threads, & calipers.

TECH DATA: MoS<sub>2</sub> Content - 66%  
Consistency - Paste Oil Type - Synthetic

PART #	SIZE
62625	250 g brush top container
62650	500 g container



## MS COPPER Anti Seize Compound

### • High temperature -40°C to +1100°C(-40°F to 2000°F) • Conforms to MIL-PRF-907E • Contains no zinc, lead or other heavy metals

Contains micronized copper with synergistic solid lubricants and additives. A unique thread and anti seize compound to protect against rust and corrosion. Protects all types of ferrous and non ferrous metal surfaces.

PART #	SIZE
66801	400 g container



## BRAKE CALIPER LUBE

### • Waterproof • Protect against corrosion • Non Silicone • Non Petroleum • 100% Synthetic Formula • Temperature: -40°C (-40°F) to 204°C (400°F) • Will not cause rubber sleeves and seals to swell

Brake Caliper Lube is a high temperature lubricant to prevent disc brake components from seizing or sticking. Brake Caliper Lube keeps your brake parts lubricated.

PART #	SIZE
62525	250 g brush top container



## RED HEAVY LITHIUM COMPLEX EP2

High Performance Multi-Purpose #2 is a general purpose grease suitable for all bearings in extremely demanding applications of low to high temperatures including wheel bearings. Effective from -40°C to 170°C (-40°F to 340°F).

PART#	SIZE
66701	400 g cartridge



PART#	SIZE
66501	400 g cartridge

PART#	SIZE
66601	400 g cartridge

## FOOD GRADE ALUMINUM COMPLEX EP1

NLGI#1, E.P. white grease (AAA rated) for use on food processing machinery. Very resistant to water washout. Effective from -17°C to 200°C + (0°F to 400°F+). Suitable for food plant use.

## MS MOLY LITHIUM EP2

EP Moly is a premium quality multi purpose, Lithium-base NLGI #2 grease. It is fortified with molybdenum disulfide (also known as moly), which enhances the anti friction properties of the grease. Suitable for food plant use.

## WHITE LITHIUM GREASE

- Increased lubricity
- Clean, high quality, multi-purpose grease
- Superior film strength

Effective from -17°C to 200°C + (0°F to 400°F+).

PART#	SIZE
61514	300 g (14 oz) aerosol



## RED LITHIUM GREASE

A specialty lithium complexed, multi-operational lubricating grease. Particularly useful in applications with temperature extremes of -40°C to 170°C (-40°F to 340°F).

PART#	SIZE
61614	300 g (14 oz) aerosol



## MS MOLY SEMI-SYNTHETIC OPEN CHAIN LUBE

- Ideal for chains and masts on lifting equipment
- Highly visible

Penetrates bearing surfaces of pins & bushings. Resists rust & protects against wear. Keeps chains supple. Excellent clinging & wicking properties for heavy duty protection.

PART#	SIZE
67614	360 g (14 oz) aerosol



## 5<sup>th</sup> WHEEL LUBRICANT

Fortified with micronized zinc. Cleaner than most conventional greases. Suitable for 1000's of uses where there is extreme high pressure, weather resistance and salt water environment exposure.

PART#	SIZE
41320	400 g (20 oz) aerosol



## Dry Film Lubricants

### Heavy Duty Silicone Lubricant

• Stainless • Odourless • Waxless • Colourless

Ideal for all surfaces (including plastics and elastomers) where oil based lubricants may not be suitable. Provides excellent lubrication. Heavy Duty Silicone Lubricant will not attract dust or dirt.

PART#	SIZE
61920	400 g (20 oz) aerosol



### DRY FILM LUBRICANT with PTFE

A clean inert dry film lubricant and release agent. Provides microscopic film forming properties. Burnishes into surfaces for long lasting lubrication on metal zippers, snaps, rubber, seals, mouldings, and plastic. Reduces dirt and ice buildup on surfaces. PTFE has been combined with a ceramic reinforced polymer that gives this product exciting new performance.  
Lubricant Type - Fluoropolymers

PART#	SIZE
21714	315 g (14 oz) aerosol



### USP AEROSOL SANITARY LUBRICANT

Suitable for use on dairy and food processing equipment where contact with food may occur. Contains USP and FDA accepted ingredients, and is odorless, tasteless and non toxic.

TECHNICAL DATA  
Pourpoint -5°F / -20°C  
Colour - Colourless Taste - None

PART#	SIZE
41414	350 g (14 oz) aerosol



### BELT DRESSING

• Improves grip • Eliminates squeal  
• Extends belt life

Suitable for all rubber and synthetic rubber belt drives. Used in industrial fleet and automotive applications. Clean and odorless. Contains no chlorinated solvents.

PART#	SIZE
31714	330 g (14 oz) aerosol



### GARAGE DOOR LUBRICANT

• Professional quality  
• Clean, long lasting lubrication  
• Resists attraction of dust & dirt

For all metal alloy ball bearing rollers in a steel C-channel as found in today's rollup doors. Prolongs life of entire mechanical assembly. Assists in smooth quiet operation. Heavy duty formulation for the most demanding industrial and warehouse doors. Non toxic. Economical.

PART#	SIZE
31514	350 g (14 oz) aerosol



# KRYPTONITE™

## Fast Dry, Heat Resistant Anti-Corrosion Primer Metal Treatment

- No blistering, chipping, peeling, rust creepage or adhesion loss
- Use as a primer or a satin black finish coat
- May be Top Coated • Low VOC

Kryptonite: The most robust steel protection available.

A truly unique metal treatment that is applied like a paint but becomes part of the steel itself. Engineered and tested to last several decades. Even when steel is physically gouged the Kryptonite treatment will not bubble or flake or lift next to the exposed area indefinitely. Kryptonite is immune to salt spray corrosion, steel flexing and carboric acids (exhaust fumes and acid rain). This ultra strong bond to steel is achieved through an electro chemical reaction. When dry, Kryptonite outlasts hot dipped galvanized, powder coating and epoxy coating. Kryptonite dries to an attractive satin black finish but if desired top coating and touch up may be done when dry with no recoat window. Kryptonite has a service range up to 800°F (350°C).

It is solvent borne and offers extremely fast drying time as well as complete immunity to salt spray corrosion.

This product will never flake or peel.

Apply as directed to never see rust again.

- Automotive, Transportation, Heavy Equipment
- Agricultural Equipment
- Vehicle and Antique Restoration
- Architectural Structures and Focal Points
- Manufacturing, Industrial and Marine
- Propane and Fuel Storage Tanks



PART#	SIZE
21914	350 g (14 oz) aerosol Satin Black
22916	455 mL (16 oz) liquid Satin Black
27920	20 L pail (5.25 gal) Satin Black



# PURE PREP

## ETCHING CLEANER FOR PREPARATION OF ALL METALS FOR ALL PAINTS AND COATINGS

- User friendly with no fumes • Non flammable • Easy to apply
- Wipe on/wipe off application

Molecularly etches and degreases metal for all coating applications. Water based, ready to use, replaces all solvents. Completely removes dirt, grease & oil unlike solvents that spread or thin out oil. Eliminates flash rusting for several weeks. A fraction of the cost of solvents with greater coverage. Visually alters the appearance & texture of metal, enabling an easy method to ensure complete coverage.

PART#	SIZE
25910	455 mL (16 oz) can
25904	4 L jug (1.06 gal)
25920	20 L pail (5.25 gal)



# REAL STEEL

## METAL TREATMENT RUST CONVERTER

Organically converts rust to an iron hard paintable surface. No bleed through staining of top coat paint. No cleaning of residue off base metal before use. When sand or gritblasting needs to be avoided because of cost, accessibility or environment. Real Steel works as a paint primer as well as a rust converter. Apply by brush, deck scrubber or low pressure spray.

PART#	SIZE
78816	500 mL (16 oz) can
78820	20 L pail (5.25 gal)



## COMMERCIAL FIBERGLASS REPAIR KITS

Everything you need for structural fiberglass repair. Kit includes fiberglass resin, hardener, mixing sticks and fiberglass cloth.

PART#	SIZE
1022	250 mL Kit
1023	1L Kit
1024	4L Kit



## COMMERCIAL GELCOTE REPAIR KITS

Everything you need for brushing or spraying fine detail finishes. Kits include 250 ml liquid Gelcote, hardener, mixing sticks and brush. Clear may be tinted to match any desired colour. White is toned to closely match a finish with 2 to 10 year sun exposure.

PART#	SIZE
1031	Clear Kit
1032	White Kit
1033	Black Kit



# KLEENS-IT™

## NON FLAMMABLE BRAKE PARTS CLEANER

- No 1,1,1 Trichloroethane • Very low odour • Non Flammable
- No methylene chlorine • High pressure CO2 propellant

Exceptional performance in a truly unique formulation. Cleans and degreases brake parts instantly. Evaporates leaving no residue. Helps to eliminate brake squeal. A value priced product with no compromise to safety and performance. Good for 1000's of other applications for removing grease and oil from most surfaces.

### TECHNICAL DATA:

Propellant - CO2 %VOC - 45%  
Non flammable by CSMA extension test

PART#	SIZE
51320	600 g (20 oz) aerosol
52304	3.75 ltr jug (1 gal)
52320	18 ltr pail (4.6 gal)



# KLEENS-IT™

## NON CHLORINATED BRAKE PARTS CLEANER

- Very fast drying with low odour • NO CFC'S • Leaves no residue
- Good degreasing qualities • An economical alternative

Instantly removes brake dust, oil residues, fluids, and other contaminants from all types of brake assemblies including drum, disc pads, linings, springs, cv joints, cylinders and rotors. Helps reduce brake squeal. Powerful jet spray. Can be ordered in WHMIS or CCCR compliance. Safe on all brake systems including springs and wedge brakes.

### TECHNICAL DATA:

Propellant - CO2 %VOC - 45%  
Flammability - Flammable Active Ingredients 97%

PART#	SIZE
57320	390 g (20 oz) aerosol
59320	20 ltr pail (5.25 gal)



# N.E.W. SYSTEM SEALANT

- Low residual tack • Durable performance • Neutral, odorless and fast curing
- Good adhesion on many substrates without the use of a primer
- Permanently elastic within temperatures from -40°F to 212°F (-40°C to 100°C)
- Paint compatible with most industrial paint or lacquer systems (alkyd resin and dispersion based)

Solvent, isocyanate, and pvc-free. One of the newest sealant technologies. Enable broad use in construction, industrial, DIY, automotive, marine and transportation markets. Excellent adhesion and movement capabilities; good UV and heat stability. N.E.W. System Sealant is a high quality adhesive and sealant based on Silyl Modified Polymer (SMP). It is designed for making elastic construction joints that require high strength. High green strength and with very good workability.

PART#	SIZE
50000	300 ml (10.14 oz) tube (white)
50001	300 ml (10.14 oz) tube (black)
50002	300 ml (10.14 oz) tube (grey)



# Thread Locker

## REMOVABLE Medium Strength Thread Lock

Removable blue anaerobic thread locker is particularly suited for fasteners up to 3/4" in diameter where disassembly may be required. Resistant to gasoline, antifreeze, transmission fluid and oil. Prevents galling and corrosion of threads. Removable with hand tools. Apply prior to assembly. Resists temperatures from -53°C to 148°C (-65°F to 300°F). For locking & sealing carburetor screws, valve cover bolts, water pump bolts, thermostat bolts, rocker arm adjustment nuts, power tools & more.

PART#	SIZE
90006	6 ml
90050	50 ml



## PERMANENT High Strength Thread Lock

Permanent strength red anaerobic thread locker is specifically designed for permanent locking and sealing of threaded fasteners. Retains bearings. Resistant to gasoline, antifreeze, transmission fluid and oil. Prevents galling and corrosion of threads. Apply prior to assembly. Resists temperatures from -53°C to 148°C (-65°F to 300°F).

PART#	SIZE
90106	6 ml
90150	50 ml



## CLEARWELD

A quick setting, multipurpose 2-part epoxy that provides a strong and lasting bond on most surfaces including tile, most plastics, ceramics, glass, wood and metal. Cures with a clear transparent bond. Has a 1:1 mixing ratio, sets in 5 minutes and will fully cure overnight. Tensile strength of 4400PSI.



PART#	SIZE
90510	25 ml (.85 fl. oz)

## AMAZING Black Adhesive

- Military Spec – Mil-A-46050C Type II Class 3
- High Performance Instant Adhesive
- Black Rubber Toughened Formula
- High Shock & Thermal Resistance
- Fast setting in 30-45 seconds
- 3700 PSI tensile strength

Bonds to Steel, Aluminum, Neoprene, Nitrile Rubber, EPDM, ABC, PC, PVC, PMMA, Wood, and Thermoplastics.

PART#	SIZE
90320	20 g bottle



## AMAZING Clear Adhesive

- Fast Setting
- General Purpose bonding
- Clear appearance
- No Mixing, Permanent Bond.
- Medical Grade ISO 10993-5
- Mil-A-46050C Type II Class II, A-A-3097, Type II Class II

PART#	SIZE
90420	20 g bottle



## PTFE PIPE SEALANT

Seals and resists pressure in air, oil, diesel fuel and hydraulic systems. Outperforms tape and pipe dope. Temperature -54°C to 150°C. Resists corrosive liquids and gasses even at elevated temperatures.

PART#	SIZE
90250	39 ml pump



## THREADLOCKER MULTIPACK

Same great threadlocking technology in a simple to use 4 pack. Package includes 2 red high strength permanent and 2 blue medium strength removable threadlockers.

PART#	SIZE
90104	4 x .5 ml pipettes



## Wasp & Hornet Blaster

Wasp and Hornet Blaster aerosol, nonchlorinated, kills wasps, hornets, and yellow jackets. Has a dielectric strength of 40,100 volts. Allows for safe use by utility and phone companies. High power stream shoots an incredible 25 feet. Reg. no. 30302 P.C.P. ACT.

PART#	SIZE
91320	400 g (20 oz) aerosol
91000	10 ft. extension tube with nozzle



## IN-SPEC

- Water Based • Odourless
- Safe for the Environment
- Non Staining • No Sticky Residue

A strong deterrent for crawling and flying insects. Broad spectrum natural insecticide for spiders, ants, flies and roaches. Residual effect for long lasting performance. Economical 1 liter liquid trigger sprayer. Biodegradable ingredients and non WHMIS controlled. Reg. No. 30088 P.C.P. ACT



PART#	SIZE
00556	1 ltr (32 oz) bottle

## Mosquito Insect Repellent

Low Odor

Extremely effective, highly concentrated DEET based insect repellent. Repels mosquitoes, chiggers, ticks, deer flies, stable flies, black flies, gnats, fleas, mites and more. The same formulation purchased by the military for tactical training. Contains 25% DEET. Reg. no. 27244 P.C.P. ACT.

PART#	SIZE
91306	142 g (6 oz) aerosol



## SPIDER CONTROL

Spider Control contains natural ingredients from chrysanthemum flower. Water based formulation (solvent free). Acts as a long lasting deterrent of insects for up to 8 weeks. For spiders, ants, cockroaches, crickets, centipedes, and silverfish. The only effective relief from spider webs and spider spots.



PART#	SIZE
00555	350 g (14 oz) aerosol

## ANIMAL REPELLENT

- Repellent for Wild and Domestic Animals

Stops wild and domestic animals from chewing, nibbling, licking, gnawing, eating or biting. Reg. No. 32644 P.C.P. ACT and Reg. No. 32643 P.C.P. ACT

PART#	SIZE
00557	400 g (16 oz) aerosol
00558	3.78 ltr ( 1 gal) jug





# Electronic Cleaners

## CRYSTAL CLEAR™

### TOUCH SCREEN AND MONITOR CLEANER

Safe for all touch screens, cellphones, flatscreens and cleaning scanner glass. Anti-static qualities eliminate and reduce dust attraction. Cleans and protects surfaces to resist finger prints and unnecessary wear.

PART#	SIZE
52908	237 ml (8 oz) bottle



## DUST-IT

- Non flammable • DOT SP-10232 approved
- DOT exemption T.C. SU 11282 • 0% voc content

Use on all electronic equipment to blow away dust and dirt from delicate or hard to reach places. Provides static free and high purity cleaning. Leaves no residue and avoids scratching. Can be used as component freeze if turned upside down.

PART#	SIZE
71030	295 g (10 oz) aerosol



## DUST-IT2™

### ECONOMY SIZED AIR DUSTER

- Economically priced • Flammable
- Moisture free air precision air duster. High flow valve & head for extra pressure. Removes dirt, iron oxide deposits, lint, dust, etc. Ideal for all electronic equipment, including digital readers, scanners and magnetic tape heads. Electrical equipment should be turned off or disconnected from power source prior to use.

PART#	SIZE
77020	285 g aerosol



## KLEENS-IT™ INDUSTRIAL STRENGTH ELECTRICAL CONTACT CLEANER

- Used in most power-on situations • Low odour
- Contains no 1,1,1 Trichloroethane
- Dries quickly leaving no residue & a clean, paintable surface • Non Flammable

A multi purpose cleaner used in servicing, rebuilding, and maintaining electrical equipment. Ideal for switches, relays, shafts, bearings, armatures, brushes, contactors, etc. Safe for all metals and most plastics.

PART#	SIZE
57220	500 g (20 oz) aerosol



## KLEENS-IT™ PROFESSIONAL GRADE ELECTRICAL CONTACT CLEANER

- Low odour • Dries quickly
- Leaves no residue • Non conductive

Engineered to flush and clean dust, dirt and contaminants with no damaging effects to plastics, metals, synthetics, electrical components and circuit boards. Deflux solder joints for positive connections.

PART#	SIZE
51208	200 g (8 oz) aerosol
53210	10 oz precision pump



## PURESOLVE HIGH PURITY CONTACT CLEANER

- High purity • Residue free • Non flammable
- Non conductive • Fast evaporating

Safe to use on all plastics for removing oil, grease, dirt and other foreign materials from precision mechanical and delicate electrical/electronic parts. Leaves no residue.

PART#	SIZE
59220	425 g (15 oz) aerosol



## Roll-it™ ELECTRONIC & ROLLER CLEANER

Excellent for removing carbon and ink. Made of natural citrus and U.S.P. grade alcohol that will clean, preserve and restore the hardened rubber and plastic rollers to original manufacturer's specification.

PART#	SIZE
52404	4 ltr can (1.06 gal)
52408	237 ml (8 oz) flip top polybottle



# TREME CLEAN™

Eco-Certified.

INDUSTRIAL FORMULA CLEANER DEGREASER CONCENTRATE

## CAPABLE OF REPLACING SOLVENT DEGREASERS

A heavy duty water based degreaser that can be used up to 1:200 dilution with water. Cost effective. Non flammable. No VOC. Based on 100% plant based surfactants. Free from phosphates, NPE, SLS and Alcohol Ethoxylates. Non corrosive and no acids. Cleans and degreases for all heavy duty industrial applications including oil rigs, felts & equipment in paper mills, waste management, rail, shipping, equipment and truck cleaning. Can be used with parts washers, pressure washers, manual cleaning and brushless tunnel. Parts washer application: 1 pail Xtreme Clean to 3 pails water.

TECHNICAL DATA pH - 11.4 Colour - Amber  
Biodegradability - 100% 28 days



PART#	SIZE
58605	400 g (20 oz) aerosol
53605	400 g (20 oz) aerosol (Bag-On-Valve)
58622	935 ml (31.6 oz) sprayer (Ready-To-Use)
58601	1 ltr (32 oz) bottle
58620	20 ltr pail (5.25 gal)
58645	205 ltr drum (54.16 gal)

# ORIGINAL PURPLE™

POWERFUL CLEANING AND DEGREASING CONCENTRATE

- All purpose cleaning & degreasing • Biodegradable
- Good for cleaning smoke and nicotine stains and residue from all surfaces • Non-Abrasive
- Dilute 4:1 for heavy degreasing • 10:1 for hard surface cleaning

ORIGINAL PURPLE removes grease, oil, stains, odors, smoke, food stains, mold, pet accidents, tar, wax, air borne dirt, sap and many others. Provides effective solvency and is an effective replacement to harmful butyl based cleaners.

TECHNICAL DATA pH - 11.0 Colour - Purple  
Biodegradability - 100% 28 days



PART#	SIZE
57601	1 L (32 oz) bottle
57622	935 ml (31.6 oz) sprayer (Ready-To-Use)
57604	4 ltr jug (1.06 gal)
57620	20 ltr pail (5.25 gal)
57645	205 ltr drum (54.16 gal)

## Cleaning / Degreasing

### **KLEENS-IT™ SYNTHETIC** **READILY BIODEGRADABLE ORANGE SOLVENT SUBSTITUTE**

- Non Flammable • Non Toxic • VOC Exempt

Readily biodegradable. A synthetic engineered substitute for the natural orange peel. A comparable high performance, price stable alternative to natural D-Limonene. Very pleasant odour.

PART#	SIZE
55120	454 g (20 oz) aerosol
55520	20 ltr pail (5.25 gal)
56145	205 ltr drum (54.16 gal)



### **KLEENS-IT™ CITRUS BASE CLEANER/DEGREASER**

Made from orange peels & orange oil "Nature's Perfect Degreaser".  
 A natural solvent replacement for petroleum solvents cleaning mechanical parts.

#### **CLEAN UP AND ELIMINATE DIESEL AND GASOLINE ODOR**

- Preferred degreaser for the automotive and mining industries • 100% Active
- Excellent for heavy equipment, engines & parts
- Removes stickers, glue, and ink residue

A natural solvent replacement cleaner/degreaser. Dissolves and cleans grease and residue without harming painted surfaces and rubber attachments.

PART#	SIZE
51120	454 g (20 oz) aerosol
52104	4 ltr jug (1.06 gal)
52120	20 ltr pail (5.25 gal)
52145	205 ltr drum (54.16 gal)



### **Green Power™ ECO FRIENDLY** **CLEANER/DEGREASER** **MORE POWER THAN THE COMMERCIAL SPRAY**

- Ready to use • Minimal human and aquatic toxicity • Non corrosive
- Readily biodegradable • Not a skin sensitizer

This tough, ready to use, water based degreaser is #1 rated. Wetting and cleaning action is immediate even on heavy build ups.

TECHNICAL DATA pH - 7.0 - 8.0  
 Colour - Light Green  
 Biodegradability - 100% 28 days

PART#	SIZE
52622	935 ml (31.6 oz) trigger sprayer
52620	20 ltr pail (5.25 gal)



### **LX 2000™ CITRUS WATER SOLUBLE CONCENTRATE**

- Dilute with water from 2:1, all the way up to 100:1

A versatile natural concentrated cleaner/degreaser. Made from the natural sources of oranges, and biodegradable surfactants. This wonder product will tackle just about any cleaning task without high acidic or caustic precautions. A robust cleaner for difficult cleaning tasks with the added strength of orange oil to clean and neutralize odors.

PART#	SIZE
51520	500g (20 oz) aerosol
52316	500 ml (16 oz) sprayer (Ready-To-Use)
52504	4 ltr jug (1.06 gal)
52520	20 ltr pail (5.25 gal)
52545	205 ltr drum (54.16 gal)
52001	Empty 1 ltr bottle with trigger sprayer



**GLASS** CLEANER/POLISH**Heavy Duty Concentrate · Ammonia free**

- Dries without streaking · Leaves a clean fresh smell

Used to restore that crystal clear, brand new lustre on glass. Ideal for professional detailing of vehicles and entranceways. Removes acid rain and smoke film easily. Lasts much longer due to anti-fog and anti-static characteristics. Liquid is a heavy duty concentrated liquid which may be used full strength or diluted.

PART#	SIZE
51920	500 g (20 oz.) aerosol
52920	20 ltr pail (5.25 gal)

**AD OFF** STICKER REMOVER

- Low Odor · User Friendly · Professional Performance

Formulated to effectively soften and remove adhesive and residue from all self adhesive stickers and applied graphics on all surfaces. Pleasant odor to make it easy to work with. Quick and safe to use on most surfaces. Removes labels, adhesives, glues, inks and gummy residues, rubber scuffs and tow motor tire marks from warehouse floors. Makes light work of a very difficult task.

PART#	SIZE
77401	535 ml (18 oz.) bottle
77404	4 ltr jug (1.06 gal)
77420	20 ltr pail (5.25 gal)

**FIGHT BACK** GRAFFITI/PAINT REMOVER

- Biodegradable · Non flammable · Very low toxicity · No methylene chloride

Fight Back is a user friendly product for safe effective results in removing vandalism marks and leaving the original surface intact. Fight Back works well on ceramic tile, aluminium, steel, brass, chrome, vinyl, enamels, porcelain, marble, formica and most plastics. Also suitable for removing fresh spray paint vandalism to vehicles without damaging the original surface or clearcoat.

PART#	SIZE
61714	350 g (14 oz) aerosol
62720	20 ltr pail (5.25 gal)
61745	205 ltr drum (54.16 gal)

## TECHNICAL DATA

PH - 12.0 Colour - Blue  
Biodegradability - 100% 28 days

**Strip-It Green** PROFESSIONAL PAINT & COATING REMOVAL

- Removes Graffiti and Paint from Concrete and Masonry with No Left Over Shadow

Removes and strips all automotive and aircraft 2-part paint systems. Also removes multiple layers of paint/stain from decks & furniture with a single application. IT WORKS! Fully Biodegradable. Odorless. User Friendly. Creamy gel formula - clings to vertical surfaces. Completely water soluble.

TECHNICAL DATA PH - 11.0  
Appearance - Creamy White gel  
Biodegradability - 100% 28 days

PART#	SIZE
67704	4 ltr jug (1.06 gal)
67720	20 ltr pail (5.25 gal)
67745	205 ltr drum (54.16 gal)



## Specialty Cleaning

### Lime, Calcium & Rust Remover

#### ENVIRONMENTALLY FRIENDLY

A cleaner that removes calcium, lime, rust and hard water scale without causing skin burns or lung irritation. Our cleaner is also non corrosive & non toxic meaning we're non hazardous to your health. Great for shower stalls, toilets, sinks, tubs, porcelain, stucco, brick, efflorescence on brick, cement, coffee makers, coffee pots, pans, kettles, humidifiers & more!

PART #	SIZE
40002	2 ltr jug (0.53 gal)
40020	20 ltr pail (5.25 gal)



### GARAGE FLOOR CLEANER

#### POWDER CONCENTRATE

Brightens and Renews Concrete.

A heavy duty low foaming cleaner formulated for use in automatic power floor scrubbers.

A superior concentrated floor cleaner that contains no film forming substances and is completely free rinsing. Will not harm or dull gloss of floor finishes. Derived from natural and renewable sources such as coconut, corn and palm kernel.

Also recommended for mopping floor surfaces or manual cleaning of soil ridden shop floors with excessive grime.

PART #	SIZE
58720	20 ltr pail (5.25 gal)
58745	205 ltr drum (54.16 gal)



### CARPET CLEANER

Formulated as an environmentally safe, non hazardous product. Low foaming and highly effective in the cleaning of grease, mildew, molds & stains from carpets & hard surfaces. It leaves a fresh pleasant odour based on natural extracts from orange & lemon peels. Use with carpet steam cleaners or bucket dilution method.

TECHNICAL DATA PH - 9.0 Biodegradability - 100% 28 days

PART #	SIZE
72820	20 ltr pail (5.25 gal)



### RESTAURANT HOOD CLEANER

Removes grease, fat and baked on grime from restaurant hoods, grills and deep fryers. A highly concentrated alkaline product for very fast removal of even the hardest carbonized oils. Formulated with potassium hydroxide to penetrate the toughest grease.

Use this product on hot or cold surfaces.

PART #	SIZE
42704	4 ltr jug (1.06 gal)
42720	20 ltr pail (5.25 gal)



## Hand, Dish & Laundry Liquid

Great ! One product does it all !  
100% biodegradable, no phosphates.  
Great for cleaning hands, laundry, hand washing and dishes.  
Great for Household Cleaning:  
for porcelain, bathroom tiles, floors, countertops, refrigerators, glassware and windows. Use at 1% solution.



PART#	SIZE
82916	455 ml (16 oz) bottle
82904	4 ltr jug (1.06 gal)

## Citrus Power Apple Power

A powerful aerosol air freshener deodorizer. High powered spray for fast and effective mal odor knockdown. Formulated to combat the most obnoxious odors in washrooms, garbage containers, rendering plants, etc...



	PART#	SIZE
Citrus	42521	(20 oz) aerosol
Apple	42531	(20 oz) aerosol

## Breeze Sicle

### ODOUR ELIMINATOR

An odour eliminator with the very fresh distinctive sweet fragrance of a Creamsicle Popsicle. Breezesicle works fast, effectively and economically to destroy odours caused by tobacco smoke, kitchen odours, locker rooms, refuse, washrooms, auto interiors, sneakers, carpets, pets and much more.



PART#	SIZE
42520	420g (20 oz) aerosol

## ODOR STOP UNSCENTED

Patented Ingredient.  
The latest technology to chemically bind odour to eliminate them. Provides permanent relief from disagreeable smells. Use in hotel rooms, cars, hospitals etc. Non staining.  
Apply directly onto fabrics like drapes, upholstery etc.



PART#	SIZE
42522	935 ml (31.6 oz) spray bottle

## TOILET BOWL CLEANER

### INDUSTRIAL STRENGTH

A hydrochloric acid based economical bowl cleaner for cleaning, disinfecting and de-scaling toilets, urinals, etc. Synergistically inhibited for plumbing protection.  
Works for the strongest rust and scale.



PART#	SIZE
99520	1 L (32 oz) bottle

## DRAIN OPENER

MANUFACTURED FOR INDUSTRIAL & COMMERCIAL USE BY CLEANING & MAINTENANCE PROFESSIONALS. NOT SUITABLE FOR GENERAL USE BY PERSONS NOT FAMILIAR WITH ITS HAZARDS & SAFE APPLICATION PROCEDURES.

A very highly active sulfuric acid based drain opener. Works fast on organic waste, paper, grease clogs & soap. Inhibited to prevent corrosion. Great for clogged drains, large floor drains, cesspools & regular drain maintenance.



PART#	SIZE
99550	1 L (32 oz) bottle

## CLEAR WEB BOND.

### GENERAL USE SPRAY ADHESIVE

Produces a nice even fan spray for permanent adhesion on most surfaces.

Professional grade multi-purpose aerosol for bonding foam, fabric, cardboard, paper, foil, plastic film, etc.

A high solids, high tech, high coverage formulation that offers quick drying with excellent spray control.

A competitive alternative to national brands.

PART#	SIZE
91021	560 g (20 oz) aerosol-clear



## METAL CUTTING & THREADING OIL

· Plant Oil Based · Natural Source Ingredients

- Low odor · Clear, non-toxic · Non hazardous · Environmentally friendly
- Non staining · No film breakdown · Lubricates under high pressure & heat

Heavy duty metal working and cutting fluid. Odorless, user friendly & environmentally friendlier. Extends life and performance of metal cutting tips, jaws, blades and drills.

Suitable for all metals.

Excellent for pipe threading and steel sawing, drilling and tapping

PART#	SIZE
42108	237 ml (8 fl oz) bottle
42120	20 ltr pail (5.5 gal)
42145	205 ltr drum (55 gal)



## COLD GALVANIZING ZINC RICH PRIMER

A 93% pure zinc formulation that fights rust and corrosion. Dull grey galvanized appearance that may be painted. Long term protection in harsh environments (up to 2000 hours of 5% salt spray testing). Meets ASTM A780-93.

Dries to touch in 3-5 minutes. Works like a hot dip on ferrous metals, indoors and out.

Commonly used as a flash rust preventative on welded areas.

PART#	SIZE
21214	350 g (14 oz) aerosol



## TOP-IT™

### TABLE & TOOL SURFACE SEALANT

- For Woodworking Equipment and Table Saws
- Reduces Sliding Friction & Hang-ups
- Contains No Silicone
- Inhibits Corrosion and Rust

Will not interfere with stain, clear coat and / or painted or sprayed finishes. TOP-IT's unique fluoropolymer formula dries in seconds.

PART#	SIZE
67514	305 g (14 oz) aerosol



## RUBBERIZED UNDERCOATING PAINTABLE

The Thickest, Professional High Solid Formulation on the market. Fast drying paintable rubberized undercoating remains flexible and is compatible with standard automotive paints.

PART#	SIZE
27314	550 g (20 oz) aerosol



## Gleemit™ STAINLESS STEEL CLEANER & INHIBITOR

- Recommended and Approved by a leading manufacturer of stainless steel appliances • Non Toxic

Works like an invisible glove to protect against stains, wear and abrasions on stainless steel. Keeps surfaces of stainless steel shiny and impervious to finger prints & scuff marks. Used in the food industry for more than 30 years.

PART#	SIZE
43011	284 ml (10 oz) precision pump
41014	350 g (14 oz) aerosol
42020	20 ltr pail (5.25 gal)



## ENVIRO RUST TURNS RUST INTO STEEL

- NON ACID & NON CAUSTIC RUST REMOVER • Odourless • Non Toxic • Safe to use • Biodegradable

Use for equipment, parts and tools that can be dipped or immersed in solution. Spectacular activity removing even the heaviest rust. Converts rust back to new metal. Suitable for preparing metal for painting / coating to increase adhesion.

PART#	SIZE
77701	1 ltr (32 oz) bottle
77720	20 ltr pail (5.25 gal)



## ENVIRO RUST GEL

Ideal for vertical surfaces. Apply, allow to work, rinse off – Amazing results! Takes little to no effort compared to abrasive alternatives.

PART#	SIZE
78701	1 ltr (32 oz) bottle
78720	20 ltr pail (5.25 gal)

TECHNICAL DATA PH - 4.5-5.0  
Odor - None Fumes - None

## TIP SHIELD

### CERAMIC COATING FOR WELDER'S TIPS.

In contrast to traditional "anti-spatter" product which only protect the item you are welding, Tip Shield protects valuable welding equipment and improves productivity. Coating is dry within seconds. Once the welding process begins, the coating will bond on the welding equipment. This provides a ceramic shield that repels the spatter, ensuring continuous welding for long periods. Also ideal for robotic welders.



PART#	SIZE
55014	350 g (14 oz) aerosol

## WELDER'S ANTI-SPATTER

- Value priced and very effective
- Prevents weld spatter from adhering
- Effective for all types of welding tips (Mig and Tig)
- Non greasy • No silicone • Insoluble in water
- Keeps welding tips and nozzles clean

Welder's Anti-Spatter is a non-flammable lecithin based anti-spatter produced from extracted soybean oil. Prevents weld spatter adhesion to the metal being welded.



PART#	SIZE
56020	550 g (20 oz) aerosol



# Aluminum Cleaning

## ALUMINUM MAGIC™

ALUMINUM BRIGHTENER AND CLEANER

- Restores aluminum to bright white bare aluminum
- Effortless and amazing results
- Acid Free
- Non Caustic
- Biodegradable
- Odorless
- Fast acting

Acid replacement aluminum brightener and cleaner. Removes oxidization of tarnishes in seconds. Rinses free to reveal original aluminum satin lustre. Eliminates the extreme dangers to ones health and to the environment caused by using corrosive acid based cleaners. Do not use on high polished aluminum - refer to AlumaXBrite.



TECHNICAL DATA PH - 4.5-5.0  
 Specific Gravity - 1.1 grams/cc  
 Odor/Fumes - None

PART #	SIZE
77816	935 ml (31.6 oz) bottle
77820	20 ltr pail (5.25 gal)



## AlumaXBrite™

ALUMINUM CLEANER

- SAFE ON ALL POLISHED ALUMINUM SURFACES WITHOUT STRIPPING POLISHING.

Designed for polished aluminum and will restore the original non polished aluminum finish. Specially formulated to remove the effects of oxidation, calcification and mineralization on aluminum trailers, fuel tanks, wheels, etc...

Biodegradable formulation. Designed to effectively remove residual dirt, oils, black welding soot, corrosion, oxide films, etc.

Will not "white" surface like other products. Produces a mirror aluminum finish.

Also suitable for food plant use for cleaning aluminum and stainless.



PART #	SIZE
78122	935ml (31.6 oz) trigger sprayer
78104	4 ltr jug (1.06 gal)
78120	20 ltr pail (5.25 gal)



## Isocare No Rinse Food Surface Sanitizer

A no-rinse sanitizer for food contact surfaces. This ready to use product is designed for use in dairies, restaurants, bars and institutions where sanitation is of prime importance. Sanitizes all food contact and other hard environmental surfaces. Spray on mobile and immobile equipment. Use in commercial sinks for sink immersion of utensils. No need to rinse. Just allow to drain and air dry.

Effective against *Listeria monocytogenes*, *Klebsiella pneumoniae*, *Staphylococcus aureus*, and *Escherichia coli*. Health Canada Letter and articles of No Objection available.

PART#	SIZE
70116	1 ltr (32 oz) trigger sprayer
70104	4 ltr jug (1.06 gal)
70120	20 ltr pail (5.25 gal)



## Isocare 10 % Disinfectant

Isocare 10% Disinfectant is designed specifically for hospitals, food processing plants, dairies, restaurants, bars, animal quarters, kennels and institutions where disinfection, sanitization and deodorization is of prime importance. Concentrated 1 to 181 dilution.

Bactericidal against *Escherichia coli*, *Yersinia enterocolitica*, and *Staphylococcus aureus*, *E. coli* 0157:H7, *Shigella sonnei* (ATCC 11060), *Vibrio cholera* (ATCC 14035), Methicillin resistant *Staphylococcus aureus* (MRSA) (ATCC 33592), Vancomycin resistant *Enterococcus faecalis* (VRE) (ATCC 51299), *Klebsiella pneumoniae* (ATCC 4352), *Listeria monocytogenes* (ATCC 35152), *Salmonella typhi* (ATCC 6539), *Campylobacter jejuni* (ATCC 29428).

Virocidal against Influenza A2/Japan, herpes Simplex Type 1, Adenovirus Type 5, Vaccinia virus, and Avian influenza A/Turkey/Wisconsin (causative agent of an acute avian lower respiratory tract infection), Human Immunodeficiency

Virus Type 1 (HIV-1), Newcastle disease virus, Laryngotracheitis Virus, Porcine Respiratory and Reproductive Syndrome virus. DIN 02466856.

PART#	SIZE
82704	4 ltr jug (1.06 gal)
82720	20 ltr pail (5.25 gal)



## Isocare Fast RTU Disinfectant

Very fast acting disinfectant. Disinfecting and cleaning all in one. 99.9% effective in 5 seconds against *Staphylococcus aureus* (Staph) (ATCC 6538), *Klebsiella pneumoniae* (ATCC 4352). bactericidal in the presence of organic soil (5% blood serum) against *Salmonella enterica* (ATCC 10708), *Pseudomonas aeruginosa* (ATCC 15442), *Staphylococcus aureus* (Staph) (ATCC 6538), Methicillin Resistant *Staphylococcus aureus* (MRSA) (ATCC 33591) and Vancomycin Resistant *Enterococcus faecium* (VRE) (ATCC 51559) at 5 minutes contact time. This product is intended for use in: hospitals and healthcare settings, home health care, hospices, laundry rooms, nursing homes, catering facilities, banquet halls, institutional kitchens and/or bathroom. When used as directed, this product contains 3000 ppm of active germicide making it effective against a wide variety (broad-spectrum) of microorganisms (including bacteria, antibiotic resistant bacteria and viruses.) This product is a one-step hospital-use disinfectant cleaner.

DIN 02462966.

PART#	SIZE
82616	1 ltr (32 oz) trigger sprayer
82604	4 ltr jug (1.06 gal)
82620	20 ltr pail (5.25 gal)



## Hand Cleaning

### LX4HANDS HAND CLEANER

Nature's answer to clean hands. Made with the natural cleaning oils formed in oranges. Leaves hands clean and soft without harsh desensitization. LX4Hands takes on industrial and automotive grime, inks, resins, paints, adhesives, carbon and grease. A natural citrus formulation with skin conditioning emollients and natural surfactants for hands. Equally suitable for light and medium industry or institutional applications requiring frequent use.

Gentle scrubbers give microscopic scrubbing action. Available with or without scrubbers.

PART#	SIZE
52704	4 ltr jug (1.06 gal) w/o scrubbers w/pump
52705	4 ltr jug (1.06 gal) w/scrubbers w/pump
52708	237 ml (8 oz) w/o scrubbers
52709	237 ml (8 oz) w/scrubbers
52720	20 ltr pail (5.25 gal) w/o scrubbers
52721	20 ltr pail (5.25 gal) w/scrubbers



### Skin Barrier Cream

Makes hands easier to clean. A protective barrier that lets skin breathe. A fast drying, greaseless protective foam that works as an invisible glove on the skin to prevent irritation from contact with petroleum and other chemicals. This cream is also the answer for people suffering skin irritations caused by latex and vinyl gloves.

PART#	SIZE
41214	350 g (14 oz) aerosol



### PRESTIGE PINK™ A LUXURIOUS HAND LOTION CLEANER

Prestige Pink has been formulated to provide a velvety rich texture with a mildness that leaves the skin soft and smooth. Fully biodegradable with neutral pH of 7.

Non irritating even to the most sensitive skin. Fortified with emollients. Pleasantly scented. A pleasure to wash your hands with.

PART#	SIZE
42216	4 ltr jug (1.06 gal)
49999	800 ml wall mount soap dispenser



### iso care HAIR AND BODY WASH

Contains natural highly effective conditioning agents and essential oils to help build body and lustre. Gentle high lather qualities suitable for repeated applications. Fully biodegradable. Iso Care is a gentle formula to help remove impurities and residues without drying out your hair and skin.

PART#	SIZE
82816	500 ml (17 oz) bottle with flip top



# NANOCLEAN™ TRUCK WASH

## INDUSTRIAL STRENGTH POWER WASH

· Dilution up to 200:1 · Fully biodegradable · No brushing required

A premium grade foaming heavy duty truck wash designed to work in one application without brushing. Removes acid rain, streaking, grime, bugs and difficult road film. Formulated from a blend of alkaline builders, emulsifiers, water softeners and wetting agents. No harsh caustics, acids or solvents. pH balanced.

Also ideal for washing equipment and buildings.

TECHNICAL DATA: pH - 11.5  
 Colour - Amber      Fragrance - Cherry  
 Biodegradability - 100% 28 days  
 Viscosity - Low (water like)

PART#	SIZE
77220	20 ltr pail (5.25 gal)
77204	4 ltr jug (1.06 gal)
77245	205 ltr drum (54.16 gal)



# NANOCLEAN™ CAR WASH

## SUPER CONCENTRATED CAR WASH

A concentrated high foaming gentle wash and wax that cleans exceptionally well but does not strip wax or paint sealants. Rinses with no residue. Made from a synergistic blend of Botanical Source surfactants. Nanoclean gives microscopic cleaning with fully biodegradable and user friendly features. Use at 1 oz per gallon or at a 60:1 dilution ratio in pressure washers.

TECHNICAL DATA: pH - 9.0  
 Colour - Pink      Fragrance - Cherry  
 Biodegradability - 100% 28 days  
 Viscosity - Very viscous

PART#	SIZE
72250	455 ml (16 oz) bottle
72204	4 ltr jug (1.06 gal)
72220	20 ltr pail (5.25 gal)
72245	205 ltr drum (54.16 gal)



# BIO SOLVE™

## NEW VEHICLE RESIDUE REMOVER

Fast and effective removal of labels and sticky adhesive from painted, metal and glass surfaces. Will also dissolve chewing gum and grease stains. Quickly breaks down adhesive residues. Controlled evaporation. Contains natural citrus extracts. This product is also highly effective for tar removal and tree sap removal. Will not harm paint.

PART#	SIZE
77320	20 ltr pail (5.25 gal)



# Automated & Coin-Op Vehicle Cleaning

## SELF SERVE PRE-SOAK

- Ultra concentrated liquid alkaline Pre-Soak designed for use in self-serve bay
- Breaks down stubborn road film and is high foaming
- 150-250/1 dilution

PART#	SIZE
73320	16 ltr jug (3.5 gal)



## SELF SERVE CHERRY FOAMBRUSH

- Ultra concentrated high sudsing liquid foam brush detergent produces an aromatically and visually appealing pink cherry scented foam in the bay
- 300-600/1 dilution

PART#	SIZE
73420	16 ltr jug (3.5 gal)



## SELF SERVE HIGH PRESSURE DETERGENT

- Liquid alkaline high pressure detergent
- Formulated for use in self-serve high pressure detergent cycle
- 125:1 to 175:1 dilution

PART#	SIZE
73520	16 ltr jug (3.5 gal)



## SELF SERVE DRYING AGENT

- Highly concentrated drying agent delivers superior beading and water break
- Works well in the touchless in-bay wash
- 300-400:1 dilution

PART#	SIZE
73620	16 ltr jug (3.5 gal)



## SELF SERVE TIRE & WHEEL CLEANER

- Concentrated liquid white wall, tire and wheel cleaner with a rich cherry scented pink foam
- Does not contain hydrofluoric acid
- 5-20/1 dilution

PART#	SIZE
73720	16 ltr jug (3.5 gal)



## PROTEC 2000 VINYL PROTECTANT & TIRE DRESSING

- **Water Based Silicone Emulsion · UV Protectant**
- Lasts 2-3 times longer than other popular brands · Eco Friendly
- Excellent for inside and outside vehicles · White emulsion
- Contains 4 active vinyl copolymers in addition to silicone
- Safe for dashboards and helps reduce dust & dirt attraction

Dressing shines, revitalizes and protects rubber, plastic and vinyl surfaces. Water based dressings are recommended for engines and interiors. Protec 2000 has long lasting UV protection to meet all your detailing needs.

PART#	HIGH GLOSS
71016	455 ml (16 oz) trigger sprayer
71004	4 ltr jug (1.06 gal)
71020	420 g (20 oz) aerosol
71220	20 ltr pail (5.25 gal)
77045	205 ltr drum (54.16 gal)



For dashboards, where a satin finish is desired, use at 25% with water

## Good to Go

### SOLVENT BASED TIRE DRESSING

#### SILICONE - HIGH GLOSS

Long lasting formula with professional results. No need to wipe or touch, just spray & walk away.



PART#	SIZE
75020	20 ltr pail (5.25 gal)
75045	205 ltr drum (54.16 gal)

## Good to Go

### SILICONE FREE TIRE DRESSING

#### SILICONE FREE - MEDIUM GLOSS

Safe for use in body shops. Contains no silicones or waxes. Use for dressing inside and outside vehicles.



PART#	SIZE
72320	20 ltr pail (5.25 gal)
72345	205 ltr drum (54.16 gal)

## VELOUR & FABRIC UPHOLSTERY CLEANER

High foaming interior cleaner gently lifts and removes dirt, soil and grime from velour, cloth, carpet, vinyl & leather surfaces. It will not soak into fabric and leaves the surface dry, clean & deodorized.

PART#	SIZE
71820	500 g (20 oz) aerosol



## Plastic Plus RESTORES ALL PLASTIC / LEXAN

Specifically formulated to polish all plastics. Makes scratches less visible by sealing the pores of the plastic. Leaves a high quality antistatic film that is smudge and streak free. May be used on clear, tinted, and coloured plastics, lexan, plexiglas and other acrylics.

PART#	SIZE
57916	370 g (16 oz) aerosol



## M Mirror ULTRAFINE POLISHING COMPOUND

- Polishes everything
- For professional results by hand or with high speed buffing

M Mirror restores the polish of painted surfaces and aluminum to a show caliber finish with ease. Polishes, protects and has been formulated to produce long lasting results. A progressive polish that can be reapplied with enhanced results. Leaves a coating that blocks the oxidation process. Also works well on brass, copper, glass, fiberglass, Corian®, polycarbonates and marble.

PART#	SIZE
77908	500 ml (16 oz) bottle



## COSMETICS FOR LEATHER

### PREMIUM LEATHER CARE & PROTECTION

Cosmetics for Leather keeps leather surfaces like new by protecting against cracking, fading and discolouration. Fortified with natural emollients and UV blockers, Will maintain and restore the natural oils and moisture in leather and protect your leather against harmful UV sunlight damage.

PART#	SIZE
79916	500 ml (16 oz) bottle
79904	4 ltr jug (1.06 gal)



## Essential Scents AIR FRESHENER & ODOR COUNTERACTANT for Home / Office / Vehicles

Naturally derived fragrances from botanical sources and essential oils. Blended with a very effective odor counteractant. Highly concentrated and water soluble, each bottle contains 4 litres of effective long lasting freshness. Dilute with water if required.

PART#	SCENT	PART#	SCENT
42501	REAL LEATHER	42506	LEMON GRASS
42502	NEW CAR	42507	MOUNTAIN FRESH
42503	GRAPEFRUIT	42508	FRESH MINT
42504	WILD CHERRY	42509	BREEZE SICLE
42505	VANILLA		



## Biological PARTS CLEANER/DEGREASER

- **Petroleum Eating Enzymes** · Non flammable · Competitively Priced
- Free of VOC's · Simply natural · no more frequent disposals · pH neutral
- Water Based Cleaning Solution for Biological Parts Cleaning Tanks

Biological Parts Cleaner and Degreaser is a specially designed developed water-based cleaning solution: this formulation contains bio-cultures which open new dimensions for cleaning capacity and user friendliness.

Biological Parts Cleaner and Degreaser contains selected surfactants to remove oil, grease and other contaminants from parts. Oil and grease are immediately and biologically transformed by bio-cultures. Biological Parts Cleaner and Degreaser is a powerful water based cleaner that continually renews itself on the basis of a natural biological process called bio-remediation. Bio-remediation achieves a very long useable life-span of the cleaning agent.

PART#	SIZE
82420	20 ltr pail (5.25 gal)



## Biological GREASE TRAP MAINTENANCE AND FLOOR CLEANER

### Natural Enzymes Eat Food Fat and Grease

A high performance, biological enzyme-enriched floor cleaner, odor eliminator, and grease digester with a pleasant scent. It is recommended for use in food service areas, schools, hotels, hospitals, restrooms, and shower rooms. No rinse is required. The unique chemistry provides cleaning action that brightens surfaces as it cleans and leaves surfaces sparkling clean with a pleasant scent.

It is ideal for cleaning concrete, ceramic tile, quarry tile, grout and brick and rubber mats with flooring machine or mopping. Inherent biological action continues to clean between regularly scheduled cleanings to help keep grease accumulations to a minimum. With the added advantage that when the product goes down the drain it carries on working to digest grease and maintain the drain.

PART#	SIZE
87401	1 ltr (32 oz) bottle
87420	20 ltr pail (5.25 gal)



## SEPARATING DEGREASER

### QUICK BREAK FORMULATION

- No toxic or hazardous ingredients, moderate pH · Readily biodegradable

A quick break degreaser is a specially designed surfactant which lifts oil, grease and other hydrocarbon soils from the cleaning surface without forming a permanent emulsion. Once the oil and water has been rinsed away the degreaser rapidly releases the oil again, allowing it to be separated. This leaves behind wastewater containing little or no toxic hydrocarbon content. For an oil water separator to function correctly, oil must be free to rise to the surface and coalesce into larger and larger droplets. Lloyd's Separating Degreaser only forms a short-term oil emulsion which persist just long enough to remove the oil and grease from the cleaning surface. Once in the wastewater system, however, quick break degreasers quickly release these oils again where they float free and can be separated.

PART#	SIZE
57720	20 ltr pail (5.25 gal)





## Mold Cleaning

### REMOOVIT™

#### CHLORINATED MOLD & SMOKE DAMAGE CLEANER

A powerful mold & mildew stain remover that erases stains before your eyes. Industrial strength cleaning action without scrubbing. Formulated with special wetting and foaming agents which enable product to penetrate deep and eliminate mold & mildew stains.



PART#	SIZE
83304	4 ltr jug (1.06 gal)
83320	20 ltr pail (5.25 gal)

### MOLD & MILDEW REMOVER

Hydrogen Peroxide Based. The only way to effectively remove black mold secretions and bacteria growth from all surfaces. Biodegradable and odorless. Will not fade colours or deteriorate stitching and fabric. Fast, Permanent, and Effective Removal of all mold and its associated spores.



PART#	SIZE
82350	935 ml (31.6 oz) spray bottle
82320	20 ltr pail (5.25 gal)

### H.P. ACTIVATOR

#### OXYGEN BOOSTED CLEANING POWDER

- Cleans all types of organic stains such as mildew, soil, dirt, blood and wine off any surface
- Exceptional cleaning efficiency because of its oxidizing capabilities
- Leaves a cleaner & brighter surface
- Produces no odours or harmful vapours

Hydrogen Peroxide is the oldest known anti-microbial, widely regarded as having exceptional cleaning and fast disinfecting capabilities.

The product is available in a stabilized powder form for easy application.



PART#	SIZE
84350	450 g Concentrated (Makes up to 20 L of product)

### ISOCARE M.V.R.

#### CONCENTRATED DUAL CHAIN QUATERNARY

- Proven effective bactericide, fungicide, and viracide
- Fully registered with Health Canada
- Fully diluteable and rinseable for safe entry into the environment

ISOCARE M.V.R. registered Din #02243462 and PCP #23396 kills remaining microbial spores, viruses.

Also provides residual protection. However, its main purpose is to completely sanitize and provide residual anti-microbial action, which will help prevent the recurrence of the contamination.



PART#	SIZE
82216	450 ml Concentrated (Makes up to 20 L of product)

### ISOCARE M.R.S. CLEAR MOLD RESISTANT SEALANT

An effective sealant to act as a moisture barrier. Helps seal out moisture and condensation which is the single greatest contributor to mold growth. ISOCARE M.R.S. acts as a protective waterproof sealant that will eliminate moisture penetration into porous surfaces such as wood, drywall, concrete, masonry and other building materials. Goes on clear. ISOCARE M.R.S. protects various building materials to handle the interaction of temperature and relative humidity found in all enclosed structures. ISOCARE M.R.S. is a clear, silane based coating that penetrates and bonds achieving a surface completely impervious to moisture and water while allowing the substrate to "BREATHE" allowing water vapour to escape and dry. Absorption of water and condensation within the substrate is eliminated. ISOCARE M.R.S. helps to prevent damage, decay and growth of micro-organisms by repelling moisture.

PART#	SIZE
82520	20 ltr pail (5.25 gal) (Ready to use)



## SALT SHIELD SALT NEUTRALIZER

Effectively removes salt residue from pores in metal and other surfaces to prevent rust and corrosion. Use on salt spreaders, snowplows, truck boxes and truck chassis for maximum longevity. Any surface exposed to salt should be treated with our Salt Shield. Salt Shield contains actives that dissolve, release and remove salt crystals from any surface. It will work to protect against salt corrosion and reduces costly repairs caused by salt. Highly effective corrosion inhibitors leave a protective film on surface until surfaces are again exposed to water. Will not strip wax or cause streaks or spots.

Spray on diluted product or use pressure/power washer. Biodegradable and non toxic to humans and the environment.

Concentrated, can be diluted to 1 to 512 parts water.

Protects aluminum, copper, brass, mild steel.

TECHNICAL DATA PH - 6.0 - 7.0 Colour - Amber

PART#	SIZE
27220	500 g (20 oz) aerosol
27104	4 ltr jug (1.06 gal)
27120	20 ltr pail (5.25 gal)
27145	205 ltr drum (54.16 gal)



## DE-ICE CONCENTRATED AEROSOL DE-ICER

• Effective to  $-40^{\circ}\text{C}$  ( $-40^{\circ}\text{F}$ ) • Contains glycols to enhance effectiveness and reduce run off

DE-ICE quickly and effectively clears ice, snow and frost from car windows, headlights, locks, etc. Will not harm automotive finishes. Suitable for reaching high spots

on commercial vehicles without the need to climb.

Also suitable for de-icing refrigeration compressors.

PART#	SIZE
91920	535 mL (18 oz) aerosol



## LOCK DE-ICER LUBRICANT

Large 2.5 oz (48 gram) aerosol with 360° valve and key slot adaptor. A perfect lock maintenance program that will displace moisture, clean and flush the mechanism and leave behind a clean long lasting lubricant.

Ideal for vehicles, padlocks and entry keysets. Works in all temperatures. Each can works to inhibit ice formation in up to 50 locks.



PART#	SIZE
91999	48 g (2.5 oz) aerosol

## WATER & STAIN REPELLENT

### PROFESSIONAL FABRIC AND UPHOLSTERY STAIN REPELLENT

Makes all fabrics waterproof and resilient to stains & grime. Preserves fabric with an antiwear additive and UV protection. Water based formula. Protects all fabrics: cotton and synthetic blends including Sunbrella and Topgun. Also suitable for cushions, carpets, rugs, etc. A high active, long lasting formulation for exterior and interior use.

PART#	SIZE
76016	935ml (31.6 oz) spray bottle
76004	4 ltr jug (1.06 gal)



## ENGINE SHAMPOO • Orange Solvent based

Non corrosive, environmentally friendly cleaner/degreaser made with a biodegradable solvent and surfactants. This cleaner loosens even the hardest to remove soils and does the job quickly and effortlessly.

Applications: Engines, industrial machinery, garage equipment, tools, garage floors, etc.

*Will not harm paint or electrical wiring.*

PART#	SIZE
71120	400 g (20 oz) aerosol
72120	20 ltr pail (5.25 gal)
72145	205 ltr drum (54.16 gal)



## Carburetor & Choke Cleaner

• Inverted spray valve (360°)

With fewer carbureted vehicles on the road today, this inexpensive solvent cleaner will perform thousands of difficult tasks. Remove grease, grime & shellac barriers from metal parts & tools. Also extremely effective as a gasket remover.

### TECHNICAL DATA

Propellant - Propane/Butane

%VOC - 45%

PART#	SIZE
51814	350 g (14 oz) aerosol
52820	20 ltr pail (5.25 gal)



## ECO AIR™

Professionally treats the entire vehicles' ventilation system for offensive odours. Naturally kills mildew and bacteria, the source of offensive odours.

Vehicle & ductwork will smell fresh & clean after treatment.

Comes with 30" tube and nozzle.

PART#	SIZE
41810	250 g (10 oz) aerosol



## FIND IT LEAK DETECTOR

A bubble type gas leak detector.

Leaks appear large strong bubbles, which cling to the surface. For use on pressurized equipment containing most gasses, air, natural gas, refrigerants, etc.

Completely biodegradable and non-toxic.

Good to -12°C (10°F). Use on hot or cold piping.

Will not stain or rust parts.

PART#	SIZE
42808	237 ml (8 oz) bottle



## AIR INTAKE SYSTEM CLEANER

- Oxygen sensor and catalytic converter safe
- Inverted spray valve (360°)

For use in cleaning the air intake system and sensors on fuel injected vehicles.

A safe cleaner for critical but sensitive parts on the fuel injector system. Cleans and lubricates throttle valves, throttle bodies and idle control valves ( ideal for cleaning mass air ). Removes gum and varnish for easier starting and smoother engine performance.

PART#	SIZE
51420	420 g (20 oz) aerosol



## AIR BRAKE ANTI-FREEZE

Will absorb condensation and moisture from compressed air brake systems and render complete protection and lubrication against frozen air lines and mechanisms. Contains a natural rubber protector to help protect seals and hoses. Methyl Hydrate Formulation.

PART#	SIZE
92801	1 ltr bottle
92804	4 ltr jug (1.06 gal)
92820	20 ltr pail (5.25 gal)



## FOG IT™ BATTERY TERMINAL & ENGINE STORAGE SPRAY

- Inverted spray valve (360°)

FOG-IT controls and eliminates corrosion in environments common to battery terminals and internal combustion engine surfaces.

Extension tube allows easier access to protect hard to reach electrical connections.

PART#	SIZE
61114	350 g (14 oz) aerosol



## Tire Lube

- Safe on both natural & synthetic rubber
- Will not rust steel or corrode aluminum • Mixes easily with water

This product is a concentrated solution of pure plant based old fashioned slippery soap chemistry. All residue dries and absorbs into rubber, leaving a completely non slip mount. It is also used in varying concentrations as a lubricant to facilitate the assembly of rubber to rubber, rubber to metal and rubber to glass.

PART#	SIZE
72704	4 ltr jug (1.06 gal)
72720	20 ltr pail (5.25 gal)



## Rain Windshield and Glass Treatment Concentrate

A highly effective window treatment that will contribute to safety. Dramatically improves wet weather driving visibility. Simply apply to exterior glass & watch the raindrops disappear. Suitable for truck and bus fleets as well as other vehicles. Easily remove frost, ice, salt, mud and bugs. Clear vision is better safety.

PART#	SIZE
70008	237 ml (8 oz) bottle

## Rain Windshield Washer Fluid Additive for Glass Treatment

An additive to add to washer fluid to transform ordinary washer fluid into windshield treatment that repels ice adhesion, rain, snow and soil for greater visibility.

Greatly reduces the need to use wipers.

Water will bead and blow off the windshield.

PART#	SIZE
70016	455 ml (16 oz) bottle



# SOLVENTS

High Purity Solvents available in economical 1 litre and 20 litre containers.

PRODUCT	Size	Part Number	Size	Part Number
Acetone	1 litre	92306	20 litre	94620
Ethanol	1 litre	92305	20 litre	94520
Methyl Hydrate	1 litre	92304	20 litre	94420
Xylene	1 litre	92307	20 litre	94720
Paint Thinner	1 litre	92303	20 litre	94320
Laquer Thinner	1 litre	92302	20 litre	94220
Gun Wash	1 litre	92301	20 litre	94120
Mineral Spirits	1 litre	92308	20 litre	94820



## Fuel Stabilizer

- Ethanol compatible (E10) • Concentrated
- Extra strong for the end of the year storage

Concentrated. Ideal for all 2 cycle and 4 cycle engines. Lasts for 12 months or more to stop the degradation of gasoline. Also assists in gas line antifreeze protection & shellac formation inside the carburetor & gas tank.

Metal cans are suitable for steel recycling.

Treat rate: 1/2 oz. per gallon.

PART#	SIZE
92750	473 ml (16 fl oz) can
92704	4 ltr jug (1.06 gal)
92720	20 ltr pail (5.25 gal)



## Ethanol Fuel Treatment & System Cleaner

- Cures Ethanol (E10) Problems • Cleans Injectors • Cleans Carb Jets
- Fuel Stabilizer • Dries Oil & Fuels • Adds Lubricity • Frees Lifters-Rings
- Carbon Cleaner • Upper Cylinder Lube
- Inhibits ethanol sourced corrosion in the entire fuel system
- Reduces emissions and promotes a smooth operation at all r.p.m.
- Helps to avoid costly fuel related repairs due to fuel degradation

Fuel synergy of chemical ingredients that work as an enzyme constantly maintains fuel quality through temperature fluctuations and time.

Metal cans are suitable for steel recycling.


Treat rate: 535 ml (18 oz.)

treats up to 1,000 litres (288 gallons).

PART#	SIZE
92535	535 ml (18 oz) can
92520	20 ltr pail (5.25 gal)



- **Stabilizes diesel fuel.**
- **Inhibits black fuel development.**
- **Cleans fuel tanks and fuel systems.**
- **Clears and cleans residue from non spec fuel fill ups.**



Black Untreated

Died Diesel

Clear Diesel

## **NANOLUBE™** DIESEL FUEL TREATMENT

Works to clean entire fuel system including high pressure fuel injectors

Nanolube is a concentrated, full spectrum fuel additive and combustion catalyst designed for use with diesel, bio-fuel, kerosene and heavy fuel oil. The formula has a treatment ratio of 1:2,500.

Its unique formulation eliminates tank sludge, improves mileage and clean burning combustion, reduces harmful emissions while improving lubricity, filter life and preventing corrosion to tanks and the entire fuel system.

Use NANOLUBE everytime you fill up to:

- **Stabilize Fuel · Eliminate Carbon Deposits**
- **4% to 8% Better Fuel Economy**
- **Breakdown and Remove Sludge and Slime**
- **Cleans the Tank, Fuel Lines and Entire Fuel Injection System**

For low sulphur diesel fuels. A performance additive to replace the lubricity of sulphur. Contains a superior detergent to keep your entire fuel system clean. Improves cetane. Contains no alcohol. Treat rate: 535 ml (18 oz.) treats up to 800 litres (180 gallons).



PART #	SIZE
72501	535 ml (18 oz) can
72520	20 ltr pail (5.25 gal)

## **NANOLUBE™**

### COLD WEATHER ANTIGEL

Nanolube Antigel has all the benefits of Nanolube Diesel Fuel Treatment with an additional cold weather flow additive. Cold weather crystallizes and thickens diesel fuel due to wax formation growth. Nanolube efficiently modifies wax crystal growth and improves pumpability in today's diesel fuels. Suspends wax crystals in liquid formation eliminating wax dropout due to sub zero temperatures. The formula has a treatment ratio of 1:1,120. Treat rate: 535 ml (18 oz.) treats up to 600 litres (150 gallons).



PART #	SIZE
72601	535 ml (18 oz) can
72620	20 ltr pail (5.25 gal)

## Ink Cleaners

# KLEENS-IT™

## UV INK CLEANER

Lloyds UV Ink Cleaner is a cleaner specially formulated for cleaning UV inks on narrow web presses, anilox rolls and general cleaning. The cleaner's advanced surfactant technology is exceedingly environmentally friendly, using no petroleum distillates or environmentally hazardous chemicals. It is a biodegradable, low vapor pressure, low V.O.C. cleaner.

This product can be diluted 10 parts of water to 1 part of Lloyds UV Ink Remover for light cleaning, 5 to 1 for everyday cleaning and full strength for heavy cleaning.

### Cleaning Anilox Rolls:

The best technique to clean anilox rolls is to spray on the roll and let it sit for 5 minutes. The cleaner works better once it gets started. Then just use a rag and wipe or rub the roll down. Keep applying until no more ink comes off of the roll.

If you spray cleaner on the roll and drag a white towel on the roll and see more ink coming out it is still dirty. Also brush agitation will speed up the process.



PART #	SIZE
57020	20 ltr pail (5.25 gal)
57045	205 ltr drum (54.16 gal)

# KLEENS-IT™

## FLEXO INK CLEANER

Environmentally safe and biodegradable. Kleens-It Flexo is an all around work horse to clean all water based and solvent based inks from any surface including anilox rolls. Fully dilutable with water. Removes the most stubborn, hardened inks in seconds. Specially formulated for problematic water based cleaning. Our special anti-rust additive will prevent rusting and corrosion of metal. Save time and money with our very strong and effective ink removal blend.



PART #	SIZE
52020	20 ltr pail (5.25 gal)
52045	205 ltr drum (54.16 gal)

## CONCRETE REMOVER/CLEANER

- Acid replacement technology · Prepares and cleans concrete like new
- Neutralizes pH of concrete and mortar to resist efflorescent deterioration

Tested for minimal aquatic toxicity and biodegradability. An acid replacement Concrete and Cement Remover/Cleaner that gives remarkable cleaning results on algae and mineral deposits; yet is the most user friendly of its kind.

PART #	SIZE
82104	4 ltr jug (1.06 gal)
82120	20 ltr pail (5.25 gal)
82145	205 ltr drum (54.16 gal)



## CONCRETE REMOVER/CLEANER (ACID BASED - BUFFERED)

- Fast acting and non fuming acid for removal of cement
- Contains corrosion inhibitors - will not be harmful and has a pleasant cherry odour
- Contains wetting agent and penetrates to help speed up concrete dissolution

Suitable for heavy duty applications such as cleaning concrete trucks. Simply apply, leave solution for a few minutes and watch the active ingredients bubble and fizz the concrete deposits away. Concrete debonding agent that reverses the molecular bonding action of cement and turns it back into a loose mix of sand and aggregate that is easily rinsed away. Suitable to dissolve built up cement on tools and equipment associated with ready mix cement.

PART #	SIZE
87120	20 ltr pail (5.25 gal)
87145	205 ltr drum (54.16 gal)



## CONCRETE CURE & SEAL (SOLVENT BASED)

Made for curing, sealing, hardening and dust proofing concrete. Non yellowing, stabilized copolymer resins giving excellent stain resistance, colour enhancing and protective glossy finish. High performance penetrating sealer to protect brick, mortar and masonry from damaging effects of water intrusion. Used for interior and exterior use.

PART #	SIZE
86120	20 ltr pail (5.25 gal)
86145	205 ltr drum (54.16 gal)



## CONCRETE GUARD & SEALER (WATER BASED)

Premium satin finish, water based acrylic sealer that provides a tough flexible water resistant film for new or old concrete or terazzo floors. High performance penetrating sealer to protect brick, mortar and masonry from damaging effects of water intrusion. Non yellowing and durable.

PART #	SIZE
85120	20 ltr pail (5.25 gal)
85145	205 ltr drum (54.16 gal)





# Asphalt and Concrete Release

## ASPHALT RELEASE

### NO FREEZE FORMULATION

Natural Plant Base Asphalt Release Agent. Non WHMIS controlled. Biodegradable. Non Petroleum. Heat resisting, natural oil blend. Will not freeze. Works on all asphalt handling equipment including roller tires, truck beds, pavers, tools, spreader bars, belts & conveyors.

TECHNICAL DATA      Odor - Slight  
Flashpoint - >200°F      Solubility in water - Insoluble

PART#	SIZE
89020	20 ltr pail (5.25 gal)
89045	205 ltr drum (54.16 gal)



## CONCRETE FORM RELEASE

### NATURAL PLANT BASE

Concrete Form and Release Agent. Biodegradable. VOC compliant. Can reduce bug holes on concrete surfaces. Can be used on wood, fiberglass and aluminum forms. Increases the life of wood forms by penetrating into the wood to waterproof and prevent deterioration. Provides spectacular results on architectural concrete. Concrete forms will peel off with little or no effort. Exclusive ingredients combine the effectiveness of a chemical reactive type and an inert barrier type to provide a super effective separation. Also works as a rust preventor. Non WHMIS controlled. Ultimate performance with 100% natural ingredients.

PART#	SIZE
87020	20 ltr pail (5.25 gal)
87045	205 ltr drum (54.16 gal)



## CONCRETE FORM RELEASE

### HIGH PURITY MINERAL OIL

Concrete Form and Release Agent. A mineral oil based reactive form release for architectural concrete construction. Leaves a smooth clean surface and allows easy removal of all forming materials. Valued priced and compatible with wood, fiberglass and metal forms. Non WHMIS controlled. Exclusive ingredients combine the effectiveness of a chemical reactive type and an inert barrier type to provide a super effective separation.

PART#	SIZE
86020	20 ltr pail (5.25 gal)
86045	205 ltr drum (54.16 gal)



**MOULD RELEASE****PAINTABLE CO POLYMER**

High heat stability with no residual film that will accept paint without causing finish imperfections.

PART#	SIZE
67820	400 g (20 oz) aerosol
62820	20 ltr pail (5.25 gal)

**MOULD RELEASE****SILICONE BASED**

• Large 20 oz. can • Lubricates • Non-staining • Faster moulding • Heat stable, Non-toxic

A heavy-duty formulation engineered for industry demanding more cycles. Helps manufacturers realize maximum efficiency & quality. Less sticking. Best for high-pressure applications.

PART#	SIZE
61820	400 g (20 oz) aerosol
65820	20 ltr pail (5.25 gal)

**MOULD RELEASE FOOD GRADE**

• Operating temperatures +30°F to +600°F • FDA, USDA approved for food machinery  
• Inert • Harmless to metals and plastics  
• Excellent for thin wall container manufacturing

A multipurpose, heat stable silicone release formulation suitable for use in the food packaging industry. Dimethyl polysiloxane surface treatment, release material lubricant and processing aid in food processing and packaging applications.

PART#	SIZE
68814	410 ml (14 oz) aerosol
68820	20 ltr pail (5.25 gal)

**MOULD RELEASE ECONOMY**

Convenient & economical for efficient machinery operation. Medium duty all temperature release. Fast drying on hot and cold moulds. Operating temperatures +35°F to +600°F.

PART#	SIZE
61814	410 ml (14 oz) aerosol
69820	20 ltr pail (5.25 gal)

**EJECTOR PIN LUBRICANT**

Lubricates ultra fine tolerances to 1/1000th of an inch and offers good heat resistance. Made expressly for application to knock out pins when in forward position. Does not contain silicone or PTFE.

PART#	SIZE
61214	410 ml (14 oz) aerosol



## MOULD CLEANER AND DEGREASER

• Non flammable

Mould Cleaner and degreaser is formulated for in place cleaning of all metal moulds during use or for superior clean up prior to storage.

Removes all release agent residues, grease, oil and wax buildup on moulds.

PART #	SIZE
67920	520 g (20 oz) aerosol
65920	20 ltr pail (5.25 gal)



## MOULD CLEANER FAST DRYING NON CHLORINATED

• Fast Drying • Low odor

Removes all release agent residues, grease, oil and wax buildup on moulds.

Economically priced.

Ideal for cold moulds. Leaves no residue so it is clear without wiping. A fast evaporating formulation and is non conductive and non abrasive.

PART #	SIZE
66820	400 g (20 oz) aerosol
66520	20 ltr pail (5.25 gal)



## MOULD SAVER

Mould Saver protects all moulds and precision tools during storage and transportation. The fan spray allows for uniform and complete coverage. During short or long emissions Mould Saver will protect all bare metal surfaces and is easy to remove with no residue using mould cleaning solution. Displaces moisture & eliminates corrosion.

PART #	SIZE
61414	350 g (14 oz) aerosol



## RESIN REMOVER

Unique formulation proven to work where others fail.

Eliminates or reduces the need for repeated high speed abrasive cleaning & polishing.

Ideal for small journals and pin areas on moulds.

Cleans burnt plastic and resin residue buildup adhering to mould surfaces.

Available in handy aerosol or 20 litre bulk liquid.

PART #	SIZE
67414	350 g (14 oz) aerosol
67420	20 ltr pail (5.25 gal)





**Lloyds Laboratories Inc.**  
 613 Neal Dr., Peterborough ON Canada  
 K9J 6X7  
 Toll Free: 1 800 361-6766  
 Fax: 1 866 876-6467  
 email: sales@lloydslaboratories.com

Visit our websites:  
[www.lloydslaboratories.com](http://www.lloydslaboratories.com)  
[www.captphab.com](http://www.captphab.com)  
[www.gelcote.com](http://www.gelcote.com)

